

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Eisen(III)-chlorid-Standardlösung 300 g FeCl<sub>3</sub>/l Standardlösung für METROHM

Revision date: 09.12.2024

Product code: 34041

Page 1 of 12

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Eisen(III)-chlorid-Standardlösung 300 g FeCl<sub>3</sub>/l Standardlösung für METROHM

UFI: PK81-J3QH-N00C-J03D

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

###### Uses advised against

Do not use for private purposes (household).

##### 1.3. Details of the supplier of the safety data sheet

|                         |                                  |                              |
|-------------------------|----------------------------------|------------------------------|
| Company name:           | AnalytiChem GmbH                 |                              |
|                         | ACD                              |                              |
| Street:                 | Stempelstraße 6                  |                              |
| Place:                  | D-47167 Duisburg                 |                              |
| Telephone:              | 0203/5194-0                      | Telefax: 0203/5194-290       |
| E-mail:                 | info@analytichem.de              |                              |
| Contact person:         | Abteilung Produktsicherheit      | Telephone: 0203/5194-107/117 |
| E-mail:                 | produktsicherheit@analytichem.de |                              |
| Internet:               | www.analytichem.de               |                              |
| Responsible Department: | Abteilung Produktsicherheit      |                              |

##### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

##### Further Information

This product is a mixture. REACH Registration Number see section 3.

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No 1272/2008

Met. Corr. 1; H290  
Acute Tox. 4; H302  
Skin Irrit. 2; H315  
Eye Dam. 1; H318  
Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### Regulation (EC) No 1272/2008

###### Hazard components for labelling

Iron(III) chloride hexahydrate  
Hydrochloric acid

Signal word: Danger

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Eisen(III)-chlorid-Standardlösung 300 g FeCl<sub>3</sub>/l Standardlösung für METROHM**

Revision date: 09.12.2024

Product code: 34041

Page 2 of 12

**Pictograms:**



**Hazard statements**

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.

**Precautionary statements**

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing and eye protection/face protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**Relevant ingredients**

| CAS No     | Chemical name  |              |                  | Quantity    |
|------------|--|--------------|------------------|-------------|
|            | EC No  | Index No     | REACH No         |             |
|            | Classification (Regulation (EC) No 1272/2008)                              |              |                  |             |
| 10025-77-1 | Iron(III) chloride hexahydrate   |              |                  | 40 - < 45 % |
|            | 231-729-4  |              | 01-2119497998-05 |             |
|            | Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1; H302 H315 H318 H317 |              |                  |             |
| 7647-01-0  | Hydrochloric acid  |              |                  | 1 - < 5 %   |
|            | 231-595-7  | 017-002-01-X | 01-2119484862-27 |             |
|            | Skin Corr. 1B, STOT SE 3; H314 H335  |              |                  |             |

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

| CAS No     | EC No  | Chemical name                  | Quantity    |
|------------|--|--------------------------------|-------------|
|            | Specific Conc. Limits, M-factors and ATE   |                                |             |
| 10025-77-1 | 231-729-4  | Iron(III) chloride hexahydrate | 40 - < 45 % |
|            | dermal: LD50 = > 2000 mg/kg; oral: LD50 = 500 mg/kg  |                                |             |
| 7647-01-0  | 231-595-7  | Hydrochloric acid              | 1 - < 5 %   |
|            | Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100 |                                |             |

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Eisen(III)-chlorid-Standardlösung 300 g FeCl<sub>3</sub>/l Standardlösung für METROHM

Revision date: 09.12.2024

Product code: 34041

Page 3 of 12

#### 4.1. Description of first aid measures

##### General information

No data available

##### After inhalation

Provide fresh air.  
Call a doctor if you feel unwell.

##### After contact with skin

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.  
In case of skin irritation, consult a physician.

##### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Protect uninjured eye.

##### After ingestion

Rinse mouth immediately and drink plenty of water.  
Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Gastrointestinal complaints  
Vomiting  
Cardiac arrhythmias  
Circulatory collapse  
Liver and kidney damage  
Risk of serious damage to eyes.  
Irritant  
Cough  
Dyspnoea

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids  
Hazardous combustion products  
In case of fire may be liberated:  
Hydrochloric gas

#### 5.3. Advice for firefighters

Do not inhale explosion and combustion gases.  
Avoid contact with skin, eyes and clothes.  
In case of fire: Wear self-contained breathing apparatus.

##### Additional information

Suppress gases/vapours/mists with water spray jet.  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Use water spray jet to protect personnel and to cool endangered containers.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Eisen(III)-chlorid-Standardlösung 300 g FeCl<sub>3</sub>/l Standardlösung für METROHM

Revision date: 09.12.2024

Product code: 34041

Page 4 of 12

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Avoid contact with skin, eyes and clothes.

Provide adequate ventilation. Do not breathe vapour.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Draw up and observe skin protection programme.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Eisen(III)-chlorid-Standardlösung 300 g FeCl<sub>3</sub>/I Standardlösung für METROHM

Revision date: 09.12.2024

Product code: 34041

Page 5 of 12

Wash hands and face before breaks and after work and take a shower if necessary.  
Take off immediately all contaminated clothing and wash it before reuse.  
If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Unsuitable container/equipment material: Metal  
Keep container tightly closed.

##### Further information on storage conditions

Store in a dry place.

#### 7.3. Specific end use(s)

Laboratory chemicals

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

| CAS No    | Substance         | ppm | mg/m <sup>3</sup> | fib/cm <sup>3</sup> | Category      | Origin |
|-----------|-------------------|-----|-------------------|---------------------|---------------|--------|
| 7647-01-0 | Hydrogen chloride | 5   | 8                 |                     | TWA (8 h)     |        |
|           |                   | 10  | 15                |                     | STEL (15 min) |        |

##### DNEL/DMEL values

| CAS No                   | Substance                      | Exposure route | Effect   | Value                |
|--------------------------|--------------------------------|----------------|----------|----------------------|
| 10025-77-1               | Iron(III) chloride hexahydrate |                |          |                      |
| Worker DNEL, long-term   |                                | dermal         | systemic | 2,8 mg/kg bw/day     |
| Consumer DNEL, long-term |                                | dermal         | systemic | 1,4 mg/kg bw/day     |
| Consumer DNEL, long-term |                                | oral           | systemic | 0,28 mg/kg bw/day    |
| Consumer DNEL, acute     |                                | oral           | systemic | 20 mg/kg bw/day      |
| 7647-01-0                | Hydrochloric acid              |                |          |                      |
| Worker DNEL, long-term   |                                | inhalation     | local    | 8 mg/m <sup>3</sup>  |
| Worker DNEL, acute       |                                | inhalation     | local    | 15 mg/m <sup>3</sup> |
| Consumer DNEL, long-term |                                | inhalation     | local    | 8 mg/m <sup>3</sup>  |
| Consumer DNEL, acute     |                                | inhalation     | local    | 15 mg/m <sup>3</sup> |

#### 8.2. Exposure controls

##### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.  
If handled uncovered, arrangements with local exhaust ventilation have to be used.  
Do not breathe vapour.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

goggles

##### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Eisen(III)-chlorid-Standardlösung 300 g FeCl<sub>3</sub>/I Standardlösung für METROHM**

Revision date: 09.12.2024

Product code: 34041

Page 6 of 12

By long-term hand contact  
Trade name/designation KCL 741 Dermatril® L  
Suitable material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with permanent contact: > 480 min

By short-term hand contact  
Trade name/designation KCL 741 Dermatril® L  
Suitable material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

**Skin protection**

Wear suitable protective clothing.  
Take off immediately all contaminated clothing.  
Wash hands before breaks and after work.  
The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.  
The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Thermal hazards**

No data available

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

|                  |                   |
|------------------|-------------------|
| Physical state:  | Liquid            |
| Colour:          | colourless        |
| Odour:           | No data available |
| Odour threshold: | No data available |

**Test method**

|   |                           |
|---|---------------------------|
| Melting point/freezing point:                             | No data available         |
| Boiling point or initial boiling point and boiling range: | No data available         |
| Flammability:   | No data available         |
| Lower explosion limits:                                   | No data available         |
| Upper explosion limits:                                   | No data available         |
| Flash point:  | No data available BS 2000 |
| Auto-ignition temperature:                                | No data available         |
| Decomposition temperature:                                | No data available         |
| pH-Value:   | acidic                    |
| Viscosity / kinematic:                                    | No data available         |
| Water solubility:<br>(at 20 °C)                           | No data available         |
| Solubility in other solvents                              |                           |
| No data available   |                           |

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Eisen(III)-chlorid-Standardlösung 300 g FeCl<sub>3</sub>/l Standardlösung für METROHM

Revision date: 09.12.2024

Product code: 34041

Page 7 of 12

|  |                          |
|--|--------------------------|
| Dissolution rate:                      | No data available        |
| Partition coefficient n-octanol/water: | No data available        |
| Dispersion stability:                  | No data available        |
| Vapour pressure:                       | No data available        |
| Vapour pressure:                       | No data available        |
| Density (at 20 °C):                    | 1,2308 g/cm <sup>3</sup> |
| Relative density:                      | No data available        |
| Bulk density:                          | No data available        |
| Relative vapour density:               | No data available        |
| Particle characteristics:              | No data available        |

#### 9.2. Other information

##### Information with regard to physical hazard classes

|                           |                   |
|---------------------------|-------------------|
| Explosive properties      |                   |
| No data available         |                   |
| Sustaining combustion:    | No data available |
| Self-ignition temperature |                   |
| Solid:                    | No data available |
| Gas:                      | No data available |
| Oxidizing properties      |                   |
| No data available         |                   |

##### Other safety characteristics

|                          |                   |
|--------------------------|-------------------|
| Evaporation rate:        | No data available |
| Solvent separation test: | No data available |
| Solvent content:         | 0                 |
| Solid content:           | 0                 |
| Sublimation point:       | No data available |
| Softening point:         | No data available |
| Pour point:              | No data available |
| No data available:       |                   |
| Viscosity / dynamic:     | No data available |
| Flow time:               | No data available |

##### Further Information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

No data available

### 10.3. Possibility of hazardous reactions

Alkali metals  
Ethylene oxide  
Alkali (lye)

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

metals

### 10.6. Hazardous decomposition products

In case of fire may be liberated:  
SECTION 5: Firefighting measures

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Eisen(III)-chlorid-Standardlösung 300 g FeCl<sub>3</sub>/l Standardlösung für METROHM**

Revision date: 09.12.2024

Product code: 34041

Page 8 of 12

**Further information**

No data available

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.

**Acute toxicity**

Harmful if swallowed.

**ATEmix calculated**

ATE (oral) 1232 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No     | Chemical name                  |                   |         |                     |                    |
|------------|--------------------------------|-------------------|---------|---------------------|--------------------|
|            | Exposure route                 | Dose              | Species | Source              | Method             |
| 10025-77-1 | Iron(III) chloride hexahydrate |                   |         |                     |                    |
|            | oral                           | LD50 500 mg/kg    | Rat     | Study report (2004) | OECD Guideline 423 |
|            | dermal                         | LD50 > 2000 mg/kg | Rat     | Study report (2004) | OECD Guideline 402 |

**Irritation and corrosivity**

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

**Sensitising effects**

May cause an allergic skin reaction. (Iron(III) chloride hexahydrate)

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the preparation/mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the preparation/mixture itself.

**Additional information on tests**

There are no data available on the preparation/mixture itself.

**Practical experience**

There are no data available on the preparation/mixture itself.

**11.2. Information on other hazards**

**Endocrine disrupting properties**

There are no data available on the preparation/mixture itself.

**Other information**

There are no data available on the preparation/mixture itself.



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Eisen(III)-chlorid-Standardlösung 300 g FeCl<sub>3</sub>/l Standardlösung für METROHM**

Revision date: 09.12.2024

Product code: 34041

Page 9 of 12

**Further information**

- Gastrointestinal complaints
- Vomiting
- Cardiac arrhythmias
- Circulatory collapse
- Liver and kidney damage
- Risk of serious damage to eyes.
- Irritant
- Cough
- Dyspnoea

**SECTION 12: Ecological information**

**12.1. Toxicity**

Based on available data, the classification criteria are not met.

| CAS No    | Chemical name       |      |           |         |                |        |
|-----------|---------------------|------|-----------|---------|----------------|--------|
|           | Aquatic toxicity    | Dose | [h]   [d] | Species | Source         | Method |
| 7647-01-0 | Hydrochloric acid   |      |           |         |                |        |
|           | Acute fish toxicity | LC50 | 862 mg/l  | 96 h    | Leuciscus idus |        |

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**BCF**

| CAS No     | Chemical name                  | BCF | Species                       | Source               |
|------------|--------------------------------|-----|-------------------------------|----------------------|
| 10025-77-1 | Iron(III) chloride hexahydrate | 48  | Fish, Oreochromis mossambicus | Indian Journal of En |

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

There are no data available on the mixture itself.

**Further information**

- Do not allow to enter into surface water or drains.
- Discharge into the environment must be avoided.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

- Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
- Send to a physico-chemical treatment facility under observation of official regulations.
- Do not allow to enter into surface water or drains.

**Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Eisen(III)-chlorid-Standardlösung 300 g FeCl<sub>3</sub>/l Standardlösung für METROHM**

Revision date: 09.12.2024

Product code: 34041

Page 10 of 12

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

|  |                          |
|--|--------------------------|
| <b>14.1. UN number or ID number:</b>     | UN 2582                  |
| <b>14.2. UN proper shipping name:</b>    | FERRIC CHLORIDE SOLUTION |
| <b>14.3. Transport hazard class(es):</b> | 8                        |
| <b>14.4. Packing group:</b>              | III                      |
| Hazard label:                            | 8                        |
| Classification code:                     | C1                       |
| Limited quantity:                        | 5 L                      |
| Excepted quantity:                       | E1                       |
| Transport category:                      | 3                        |
| Hazard No:                               | 80                       |
| Tunnel restriction code:                 | E                        |

**Inland waterways transport (ADN)**

|  |                          |
|--|--------------------------|
| <b>14.1. UN number or ID number:</b>     | UN 2582                  |
| <b>14.2. UN proper shipping name:</b>    | FERRIC CHLORIDE SOLUTION |
| <b>14.3. Transport hazard class(es):</b> | 8                        |
| <b>14.4. Packing group:</b>              | III                      |
| Hazard label:                            | 8                        |
| Classification code:                     | C1                       |
| Limited quantity:                        | 5 L                      |
| Excepted quantity:                       | E1                       |

**Marine transport (IMDG)**

|  |                          |
|--|--------------------------|
| <b>14.1. UN number or ID number:</b>     | UN 2582                  |
| <b>14.2. UN proper shipping name:</b>    | FERRIC CHLORIDE SOLUTION |
| <b>14.3. Transport hazard class(es):</b> | 8                        |
| <b>14.4. Packing group:</b>              | III                      |
| Hazard label:                            | 8                        |
| Special Provisions:                      | 223                      |
| Limited quantity:                        | 5 L                      |
| Excepted quantity:                       | E1                       |
| EmS:                                     | F-A, S-B                 |

**Air transport (ICAO-TI/IATA-DGR)**

|  |                          |
|--|--------------------------|
| <b>14.1. UN number or ID number:</b>     | UN 2582                  |
| <b>14.2. UN proper shipping name:</b>    | FERRIC CHLORIDE SOLUTION |
| <b>14.3. Transport hazard class(es):</b> | 8                        |
| <b>14.4. Packing group:</b>              | III                      |
| Hazard label:                            | 8                        |
| Special Provisions:                      | A3 A803                  |
| Limited quantity Passenger:              | 1 L                      |
| Passenger LQ:                            | Y841                     |
| Excepted quantity:                       | E1                       |
| IATA-packing instructions - Passenger:   | 852                      |
| IATA-max. quantity - Passenger:          | 5 L                      |
| IATA-packing instructions - Cargo:       | 856                      |
| IATA-max. quantity - Cargo:              | 60 L                     |

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Eisen(III)-chlorid-Standardlösung 300 g FeCl<sub>3</sub>/I Standardlösung für METROHM**

Revision date: 09.12.2024

Product code: 34041

Page 11 of 12

**14.7. Maritime transport in bulk according to IMO instruments**

No dangerous good in sense of this transport regulation.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 2,3,7,8,9,12.

**Abbreviations and acronyms**

Met. Corr: Substance or mixture corrosive to metals

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Dam: Eye damage

Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290  | On basis of test data    |
| Acute Tox. 4; H302  | Calculation method       |
| Skin Irrit. 2; H315 | Calculation method       |
| Eye Dam. 1; H318    | Calculation method       |
| Skin Sens. 1; H317  | Calculation method       |

**Relevant H and EUH statements (number and full text)**

|      |  |
|------|--|
| H290 | May be corrosive to metals.              |
| H302 | Harmful if swallowed.                    |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation.                  |
| H317 | May cause an allergic skin reaction.     |
| H318 | Causes serious eye damage.               |
| H335 | May cause respiratory irritation.        |

**Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Eisen(III)-chlorid-Standardlösung 300 g FeCl<sub>3</sub>/l Standardlösung für METROHM

Revision date: 09.12.2024

Product code: 34041

Page 12 of 12

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*