

# according to Regulation (EC) No 1907/2006 Cer(IV)-sulfatlösung 0,1 mol/l - 0,1 N Lösung gemäß ISO 17034

Revision date: 20.03.2024

Product code: 34059

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Cer(IV)-sulfatlösung 0,1 mol/l - 0,1 N Lösung gemäß ISO 17034

UFI:

# N4A1-P34P-5008-F4KJ

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
<u>number:</u>	•	REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements


# Regulation (EC) No 1272/2008

# Hazard components for labelling

sulphuric acid 7,96 % Cerium(IV) sulphate tetrahydrate

Signal word:

#### Pictograms:





# Cer(IV)-sulfatlösung 0,1 mol/l - 0,1 N Lösung gemäß ISO 17034

Revision date: 20.03.2024

Product code: 34059

Page 2 of 11

#### **Hazard statements**

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H411	Toxic to aquatic life with long lasting effects.
Precautionary stateme	nts
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
2.3. Other hazards	

No data available

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

# Chemical characterization

Mixtures in aqueous solution

#### **Relevant ingredients**

CAS No	Chemical name		Quantity		
	EC No	Index No REACH No			
	Classification (Regulation (EC) No				
7664-93-9	sulphuric acid			5 - < 10 %	
	231-639-5	016-020-00-8	01-2119458838-20		
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318				
10294-42-5	Cerium(IV) sulphate tetrahydrate			1 - < 5 %	
	237-029-5				
	Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H314 H318 H400 H410				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. L	imits, M-factors and ATE		
7664-93-9	231-639-5	sulphuric acid	5 - < 10 %	
	oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15			

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

Self-protection of the first aider

# After inhalation

Provide fresh air.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Cer(IV)-sulfatlösung 0,1 mol/I - 0,1 N Lösung gemäß ISO 17034

Revision date: 20.03.2024

Product code: 34059

Page 3 of 11

Call a doctor if you feel unwell.

## After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Sulphur oxides

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

**General advice** 

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.



# Cer(IV)-sulfatlösung 0,1 mol/l - 0,1 N Lösung gemäß ISO 17034

Revision date: 20.03.2024

Product code: 34059

Page 4 of 11

# For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

For containment

#### Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

#### Further information on storage conditions

Keep container tightly closed. storage temperature +15°C - +25°C Protect against: Light

#### 7.3. Specific end use(s)

#### Laboratory chemicals



# Cer(IV)-sulfatlösung 0,1 mol/I - 0,1 N Lösung gemäß ISO 17034

Revision date: 20.03.2024

Product code: 34059

Page 5 of 11

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-93-9	Sulphuric acid	-	0.05		TWA (8 h)	

#### DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
7664-93-9	sulphuric acid					
Worker DNEL,	long-term	inhalation	local	0,05 mg/m³		
Worker DNEL, acute		inhalation	local	0,1 mg/m³		

#### **PNEC** values

CAS No	Substance				
Environmental compartment Value					
7664-93-9 sulphuric acid					
Freshwater		0,003 mg/l			
Marine water		0 mg/l			
Freshwater sec	iment	0,002 mg/kg			
Marine sediment		0,002 mg/kg			
Micro-organisms in sewage treatment plants (STP) 8,8 m		8,8 mg/l			

# 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

Wear eye/face protection.

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Cer(IV)-sulfatlösung 0,1 mol/l - 0,1 N Lösung gemäß ISO 17034

Revision date: 20.03.2024

Product code: 34059

Page 6 of 11

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:		Liquid	
Colour:		yellow	
Odour:		odourless	
Odour threshold:		No data available	
Melting point/free	zing point:		No data available
Boiling point or in	itial boiling point and		No data available
boiling range:			
Flammability:			No data available
Lower explosion I	imits:		No data available
Upper explosion I	imits:		No data available
Flash point:			No data available
Auto-ignition temp	perature:		No data available
Decomposition te	mperature:		No data available
pH-Value:			acidic
Viscosity / kinema	atic:		No data available
Water solubility:			completely miscible
Solubility in other	solvents		
No data availa	able		
Dissolution rate:			No data available
Partition coefficie	nt n-octanol/water:		No data available
Dispersion stabilit	iy:		No data available
Vapour pressure:			No data available
Vapour pressure:			No data available
Density:			1,07 g/cm³
Relative density:			No data available
Bulk density:			No data available
Relative vapour d	•		No data available
Particle character	istics:		No data available
9.2. Other information	<u>on</u>		
I	we would be unlossed by and		

## Information with regard to physical hazard classes Explosive properties No data available



evision date: 20.03.2024	Product code: 34059	Page 7 of 1
	11000010000	
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
Oxidizing		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
Corrosive to metals.		

#### 10.1. Reactivity

Corrosive to metals.

### 10.2. Chemical stability

Protect against: Light

#### 10.3. Possibility of hazardous reactions

Alkali (lye)

# 10.4. Conditions to avoid

Light

# 10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

# 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

# Further information

No data available

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



# Cer(IV)-sulfatlösung 0,1 mol/l - 0,1 N Lösung gemäß ISO 17034

Revision date: 20.03.2024

Product code: 34059

Page 8 of 11

CAS No	Chemical name	Chemical name						
	Exposure route Dose Species Source Method							
7664-93-9	sulphuric acid							
	oral	LD50 mg/kg	2140	Rat	Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5):	The study was performed as part of a ser		

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

### Additional information on tests

There are no data available on the preparation/mixture itself.

#### Practical experience

There are no data available on the preparation/mixture itself.

# 11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

### Other information

There are no data available on the preparation/mixture itself.

#### Further information

There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7664-93-9	sulphuric acid						
	Acute algae toxicity	ErC50 mg/l	> 100		Desmodesmus subspicatus	Study report (2009)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2009)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,025	65 d	Jordanella floridae	Water Research Vol. 11, 612 - 626, 1977	Groups of sexually mature flagfish



# Cer(IV)-sulfatlösung 0,1 mol/I - 0,1 N Lösung gemäß ISO 17034

Revision date: 20.03.2024

Product code: 34059

Page 9 of 11

## 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### Further information

Do not allow to enter into surface water or drains.

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

# **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

# Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid,
	Cerium(IV) sulphate tetrahydrate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid,
	Cerium(IV) sulphate tetrahydrate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8



Cer(IV)-sulfatlösung 0,1 mol/I - 0,1 N Lösung gemäß ISO 17034		
Revision date: 20.03.2024	Product code: 34059	Page 10 of 11
Classification code:	C1	
Special Provisions:	274	
Limited quantity:	1L	
Excepted quantity:	E2	
Marine transport (IMDG)		
<u>14.1. UN number or ID number:</u>	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid,	
	Cerium(IV) sulphate tetrahydrate)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
Special Provisions:	274	
Limited quantity:	1L	
Excepted quantity:	E2	
EmS:	F-A, S-B	
Segregation group:	acids	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid,	
14.2. ON proper simpping name.	Cerium(IV) sulphate tetrahydrate)	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:		
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	0.5 L	
Passenger LQ:	Y840	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	851	
IATA-max. quantity - Passenger:	1L	
IATA-packing instructions - Cargo:	855	
IATA-max. quantity - Cargo:	30 L	
14.5. Environmental hazards		
	N.	
ENVIRONMENTALLY HAZARDOUS:	Yes	
Danger releasing substance:	Cerium(IV) sulphate tetrahydrate	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	lations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 3		
Information according to Directive	E2 Hazardous to the Aquatic Environment	
2012/18/EU (SEVESO III):		
Marketing and use of explosives precursor	s (Regulation (EU) 2019/1148):	
	(EU) 2019/1148: all suspicious transactions, and significant	
	eported to the relevant national contact point.	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve	nile
	work protection guideline' (94/33/EC).	
Water hazard class (D):	3 - highly hazardous to water	

# **SECTION 16: Other information**



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Cer(IV)-sulfatlösung 0,1 mol/l - 0,1 N Lösung gemäß ISO 17034

Revision date: 20.03.2024

Product code: 34059

Page 11 of 11

#### Changes

This data sheet contains changes from the previous version in section(s): 1,12.

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Skin Corr: Skin corrosion Eye Dam: Eye damage Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Chronic 2; H411	Calculation method

# Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)