

according to Regulation (EC) No 1907/2006

# Multielement-Standard "Elemente in Wasser II" 4 Elemente je 10 mg/l in Salzsäure 10 %

Revision date: 08.05.2024 Product code: 34085 Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Multielement-Standard "Elemente in Wasser II" 4 Elemente je 10 mg/l in Salzsäure 10 %

UFI: QCD1-U330-4004-N0R7

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

# Regulation (EC) No 1272/2008

# Hazard components for labelling

Hydrochloric acid

Signal word: Warning

Pictograms:







according to Regulation (EC) No 1907/2006

# Multielement-Standard "Elemente in Wasser II" 4 Elemente je 10 mg/l in Salzsäure 10 %

Revision date: 08.05.2024 Product code: 34085 Page 2 of 12

### **Hazard statements**

H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

### **Precautionary statements**

P280 Wear protective gloves/protective clothing and eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

## 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### Chemical characterization

Mixtures in aqueous solution

## Relevant ingredients

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)					
7647-01-0	Hydrochloric acid					
	231-595-7	017-002-01-X	01-2119484862-27			
	Skin Corr. 1B, STOT SE 3; H314 H335					
7697-37-2	nitric acid					
	231-714-2	007-030-00-3	01-2119487297-23			
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071					

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits. M-factors and ATE

opcome co.	=to,a.	, core una / ri =	
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7647-01-0	231-595-7	Hydrochloric acid	10 - < 15 %
		H314: >= 25 - 100  Skin Irrit. 2; H315: >= 10 - < 25  Eye Irrit. 2; H319: >= 10 - < 3; H335: >= 10 - 100	
7697-37-2	231-714-2	nitric acid	< 0.1 %
		E 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 orr. 1B; H314: >= 5 - < 20	

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

No data available

### After inhalation

Provide fresh air.



according to Regulation (EC) No 1907/2006

# Multielement-Standard "Elemente in Wasser II" 4 Elemente je 10 mg/l in Salzsäure 10 %

Revision date: 08.05.2024 Product code: 34085 Page 3 of 12

Call a doctor if you feel unwell.

## After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

## After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant — skin irritation and eye damage

Cough

Dyspnoea

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Hydrochloric gas

# 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Avoid contact with skin, eyes and clothes.

## **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.



according to Regulation (EC) No 1907/2006

## Multielement-Standard "Elemente in Wasser II" 4 Elemente je 10 mg/l in Salzsäure 10 %

Revision date: 08.05.2024 Product code: 34085 Page 4 of 12

### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

# Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

Provide adequate ventilation as well as local exhaustion at critical locations.

Keep in a cool place.

## Further information on storage conditions

Unsuitable container/equipment material: Metal

## 7.3. Specific end use(s)

Laboratory chemicals



according to Regulation (EC) No 1907/2006

# Multielement-Standard "Elemente in Wasser II" 4 Elemente je 10 mg/l in Salzsäure 10 %

Revision date: 08.05.2024 Product code: 34085 Page 5 of 12

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	
7440-31-5	Tin (Metal)	-	2		TWA (8 h)	

### **DNEL/DMEL values**

	_			
CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7647-01-0	Hydrochloric acid			
Worker DNEL	, long-term	inhalation	local	8 mg/m³
Worker DNEL	., acute	inhalation	local	15 mg/m³
Consumer DNEL, long-term		inhalation	local	8 mg/m³
Consumer DNEL, acute		inhalation	local	15 mg/m³
7440-31-5	-31-5 tin			
Worker DNEL, long-term		inhalation	systemic	71 mg/m³
Worker DNEL, long-term		dermal	systemic	10 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	17 mg/m³
Consumer DNEL, long-term		dermal	systemic	80 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	5 mg/kg bw/day

## 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection:

Face protection shield goggles.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L



according to Regulation (EC) No 1907/2006

## Multielement-Standard "Elemente in Wasser II" 4 Elemente je 10 mg/l in Salzsäure 10 %

Revision date: 08.05.2024 Product code: 34085 Page 6 of 12

Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing. Protective clothing acid-resistant

## **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Thermal hazards

No data available

# **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: stinging

Odour threshold: No data available

Melting point/freezing point:

No data available
Boiling point or initial boiling point and

No data available

boiling range:

not applicable Flammability: No data available Lower explosion limits: Upper explosion limits: No data available Flash point: Auto-ignition temperature: No data available No data available Decomposition temperature: pH-Value (at 20 °C): <1 Viscosity / kinematic: No data available Water solubility: easily soluble

Solubility in other solvents

not determined

Dissolution rate:

Partition coefficient n-octanol/water:

Dispersion stability:

Vapour pressure:

Vapour pressure:

Vapour pressure:

No data available

Vapour pressure:

No data available

Vapour pressure:

No data available

Density (at 20 °C):

1,0482 g/cm³

Relative density:

No data available



according to Regulation (EC) No 1907/2006

# Multielement-Standard "Elemente in Wasser II" 4 Elemente je 10 mg/l in Salzsäure 10 %

Revision date: 08.05.2024 Product code: 34085 Page 7 of 12

No data available Bulk density: Relative vapour density: No data available Particle characteristics: No data available

### 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties No data available

No data available Sustaining combustion:

Self-ignition temperature

Solid: not applicable Gas: not applicable

Oxidizing properties No data available

## Other safety characteristics

Evaporation rate: No data available Solvent separation test: No data available Solvent content: Solid content: No data available Sublimation point: No data available No data available Softening point: No data available Pour point:

No data available:

Viscosity / dynamic: No data available No data available Flow time:

**Further Information** Corrosive to metals

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Corrosive to metals.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.4. Conditions to avoid

Heat

## 10.5. Incompatible materials

Keep away from: Metal.

The product develops hydrogen in an aqueous solution in contact with metals.

## 10.6. Hazardous decomposition products

In case of fire may be liberated: **SECTION 5: Firefighting measures** 

### **Further information**

No data available

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

### Acute toxicity



according to Regulation (EC) No 1907/2006

## Multielement-Standard "Elemente in Wasser II" 4 Elemente je 10 mg/l in Salzsäure 10 %

Revision date: 08.05.2024 Product code: 34085 Page 8 of 12

Based on available data, the classification criteria are not met.

Pulmonary oedema

## **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/l			

## Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause respiratory irritation. (Hydrochloric acid)

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# Information on likely routes of exposure

There are no data available on the mixture itself.

## Specific effects in experiment on an animal

There are no data available on the mixture itself.

### Additional information on tests

There are no data available on the mixture itself.

### **Practical experience**

There are no data available on the mixture itself.

## 11.2. Information on other hazards

# **Endocrine disrupting properties**

There are no data available on the mixture itself.

## Other information

There are no data available on the mixture itself.

## **Further information**

Irritant — skin irritation and eye damage

Cough

Dyspnoea

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# Multielement-Standard "Elemente in Wasser II" 4 Elemente je 10 mg/l in Salzsäure 10 %

Revision date: 08.05.2024 Product code: 34085 Page 9 of 12

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
7647-01-0	Hydrochloric acid							
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus			
7697-37-2	nitric acid	tric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26	
	Fish toxicity	NOEC	268 mg/l		juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical	
	Algae toxicity	NOEC mg/l	> 419		several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso	
	Acute bacteria toxicity	EC50 mg/l ( )	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209	

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

Discharge into the environment must be avoided.

## **Further information**

Do not empty into drains.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

# **Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es): 8
14.4. Packing group: |



according to Regulation (EC) No 1907/2006

## Multielement-Standard "Elemente in Wasser II" 4 Elemente je 10 mg/l in Salzsäure 10 %

Revision date: 08.05.2024 Product code: 34085 Page 10 of 12

Hazard label: 8 C1 Classification code: Special Provisions: 520 Limited quantity: 1 L Excepted quantity: E2 Transport category: 2 Hazard No: 80 Tunnel restriction code: Ε

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C1Special Provisions:520Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:0.5 L

Passenger LQ: Y840
Excepted quantity: E2
IATA-packing instructions - Passenger:

IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

851

2012/18/EU (SEVESO III):



according to Regulation (EC) No 1907/2006

## Multielement-Standard "Elemente in Wasser II" 4 Elemente je 10 mg/l in Salzsäure 10 %

Revision date: 08.05.2024 Product code: 34085 Page 11 of 12

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

## **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

# **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 1,9,12.

## Abbreviations and acronyms

Ox. Lig: Oxidising liquid

Met. Corr: Substance or mixture corrosive to metals

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H335	Calculation method

## Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.
EUH071 Corrosive to the respiratory tract.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Provide appropriate information, instructions and training to users



according to Regulation (EC) No 1907/2006

Multielement-Standard "Elemente in Wasser II" 4 Elemente je 10 mg/l in Salzsäure 10 %

Revision date: 08.05.2024 Product code: 34085 Page 12 of 12

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)