

Safety Data Sheet

according to UK REACH Regulation

Ammonia/ammonium chloride buffer solution pH 10.0 ± 0.2 (20 °C)

Revision date: 28.11.2023

Product code: 34134

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ammonia/ammonium chloride buffer solution pH 10.0 ± 0.2 (20 °C)

UFI: DKH1-M3WF-400C-2R9D

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|----------------------------------|------------------------------|
| Company name: | AnalytiChem GmbH | |
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1B; H314
Eye Dam. 1; H318
STOT SE 3; H335
Aquatic Acute 1; H400
Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

ammonia 9,24 %

Signal word: Danger

Pictograms:



Safety Data Sheet

according to UK REACH Regulation

Ammonia/ammonium chloride buffer solution pH 10.0 ± 0.2 (20 °C)

Revision date: 28.11.2023

Product code: 34134

Page 2 of 13

Hazard statements

- H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves and eye/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|------------|---|--------------|------------------|------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) | | | |
| 1336-21-6 | Ammonia | | | 5 - < 10 % |
| | 215-647-6 | 007-001-01-2 | 01-2119488876-14 | |
| | Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 2; H314 H400 H411 | | | |
| 12125-02-9 | ammonium chloride | | | 5 - < 10 % |
| | 235-186-4 | 017-014-00-8 | 01-2119487950-27 | |
| | Acute Tox. 4, Eye Irrit. 2; H302 H319 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|---|-------------------|------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 1336-21-6 | 215-647-6 | Ammonia | 5 - < 10 % |
| | inhalation: LC50 = 4230 mg/l (vapours); oral: LD50 = 350 mg/kg STOT SE 3; H335: >= 5 - 100 Aquatic Acute 1; H400: M=10 | | |
| 12125-02-9 | 235-186-4 | ammonium chloride | 5 - < 10 % |
| | dermal: LD50 = > 2000 mg/kg; oral: LD50 = 1410 mg/kg | | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

- Self-protection of the first aider
Avoid contact with skin, eyes and clothes.
Take off immediately all contaminated clothing.

Safety Data Sheet

according to UK REACH Regulation

Ammonia/ammonium chloride buffer solution pH 10.0 ± 0.2 (20 °C)

Revision date: 28.11.2023

Product code: 34134

Page 3 of 13

After inhalation

Provide fresh air.
Call a physician immediately.

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.
Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
Remove contact lenses, if present and easy to do. Continue rinsing.
Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.
Do NOT induce vomiting.
Do not allow a neutralisation agent to be drunk.
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant
Corrosion
Cough
Dyspnoea
Gastrointestinal complaints
gastric perforation
Unconsciousness
Vomiting
Circulatory collapse
Spasms
Pulmonary oedema
Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids
Formation of explosive mixtures with: Air
Hazardous combustion products
In case of fire may be liberated:
Nitrogen oxides (NO_x)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.
In case of fire and/or explosion do not breathe fumes.
Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Safety Data Sheet

according to UK REACH Regulation

Ammonia/ammonium chloride buffer solution pH 10.0 ± 0.2 (20 °C)

Revision date: 28.11.2023

Product code: 34134

Page 4 of 13

Move undamaged containers from immediate hazard area if it can be done safely.
Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Consult an expert
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Collect in closed and suitable containers for disposal.
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.
When using do not eat, drink, smoke, sniff.
Use personal protection equipment. Use extractor hood (laboratory).
Provide adequate ventilation. Do not breathe vapour/aerosol.
Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.
Formation of explosive mixtures with: Air

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Safety Data Sheet

according to UK REACH Regulation

Ammonia/ammonium chloride buffer solution pH 10.0 ± 0.2 (20 °C)

Revision date: 28.11.2023

Product code: 34134

Page 5 of 13

Further information on handling

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

- Keep container tightly closed.
- Corrosive to metals.
- Unsuitable container/equipment material: Metal, Light metal

Hints on joint storage

- national regulations

Further information on storage conditions

- Keep cool. Protect from sunlight.

7.3. Specific end use(s)

- Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|------------|-------------------------|-----|-------------------|-----------|---------------|--------|
| 7664-41-7 | Ammonia, anhydrous | 25 | 18 | | TWA (8 h) | WEL |
| | | 35 | 25 | | STEL (15 min) | WEL |
| 12125-02-9 | Ammonium chloride, fume | - | 10 | | TWA (8 h) | WEL |
| | | - | 20 | | STEL (15 min) | WEL |

Safety Data Sheet

according to UK REACH Regulation

Ammonia/ammonium chloride buffer solution pH 10.0 ± 0.2 (20 °C)

Revision date: 28.11.2023

Product code: 34134

Page 6 of 13

DNEL/DMEL values

| CAS No | Substance | | |
|--------------------------|-------------------|----------|------------------------|
| DNEL type | Exposure route | Effect | Value |
| 1336-21-6 | Ammonia | | |
| Worker DNEL, long-term | inhalation | systemic | 47,6 mg/m ³ |
| Worker DNEL, acute | inhalation | systemic | 47,6 mg/m ³ |
| Worker DNEL, long-term | inhalation | local | 14 mg/m ³ |
| Worker DNEL, acute | inhalation | local | 36 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 6,8 mg/kg bw/day |
| Worker DNEL, acute | dermal | systemic | 6,8 mg/kg bw/day |
| Consumer DNEL, long-term | inhalation | systemic | 23,8 mg/m ³ |
| Consumer DNEL, acute | inhalation | systemic | 23,8 mg/m ³ |
| Consumer DNEL, long-term | inhalation | local | 2,8 mg/m ³ |
| Consumer DNEL, acute | inhalation | local | 7,2 mg/m ³ |
| Consumer DNEL, long-term | dermal | systemic | 68 mg/kg bw/day |
| Consumer DNEL, acute | dermal | systemic | 68 mg/kg bw/day |
| Consumer DNEL, long-term | oral | systemic | 6,8 mg/kg bw/day |
| Consumer DNEL, acute | oral | systemic | 6,8 mg/kg bw/day |
| 12125-02-9 | ammonium chloride | | |
| Consumer DNEL, long-term | inhalation | systemic | 9,9 mg/m ³ |
| Consumer DNEL, long-term | dermal | systemic | 114 mg/kg bw/day |
| Consumer DNEL, long-term | oral | systemic | 11,4 mg/kg bw/day |
| Worker DNEL, long-term | inhalation | systemic | 33,5 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 190 mg/kg bw/day |

PNEC values

| CAS No | Substance | |
|--|-------------------|--|
| Environmental compartment | Value | |
| 1336-21-6 | Ammonia | |
| Freshwater | 0,001 mg/l | |
| Freshwater (intermittent releases) | 0,007 mg/l | |
| Marine water | 0,001 mg/l | |
| 12125-02-9 | ammonium chloride | |
| Freshwater | 1,2 mg/l | |
| Freshwater (intermittent releases) | 1,2 mg/l | |
| Marine water | 11,2 mg/l | |
| Micro-organisms in sewage treatment plants (STP) | 16,2 mg/l | |
| Soil | 0,163 mg/kg | |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Safety Data Sheet

according to UK REACH Regulation

Ammonia/ammonium chloride buffer solution pH 10.0 ± 0.2 (20 °C)

Revision date: 28.11.2023

Product code: 34134

Page 7 of 13

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|---|-------------------|-------------------|
| Physical state: | Liquid | |
| Colour: | colourless | |
| Odour: | stinging | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and boiling range: | | No data available |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | No data available |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |

Safety Data Sheet

according to UK REACH Regulation

Ammonia/ammonium chloride buffer solution pH 10.0 ± 0.2 (20 °C)

Revision date: 28.11.2023

Product code: 34134

Page 8 of 13

| | |
|--|--------------------------|
| pH-Value (at 20 °C): | 10 |
| Viscosity / kinematic: | No data available |
| Water solubility: | completely miscible |
| Solubility in other solvents | |
| No data available | |
| Dissolution rate: | No data available |
| Partition coefficient n-octanol/water: | No data available |
| Dispersion stability: | No data available |
| Vapour pressure: | No data available |
| Vapour pressure: | No data available |
| Density: | 0,9788 g/cm ³ |
| Relative density: | No data available |
| Bulk density: | No data available |
| Relative vapour density: | No data available |
| Particle characteristics: | No data available |

9.2. Other information

Information with regard to physical hazard classes

| | |
|---------------------------|-------------------|
| Explosive properties | |
| No data available | |
| Sustaining combustion: | No data available |
| Self-ignition temperature | |
| Solid: | No data available |
| Gas: | No data available |
| Oxidizing properties | |
| No data available | |

Other safety characteristics

| | |
|--------------------------|-------------------|
| Evaporation rate: | No data available |
| Solvent separation test: | No data available |
| Solvent content: | No data available |
| Solid content: | No data available |
| Sublimation point: | No data available |
| Softening point: | No data available |
| Pour point: | No data available |
| No data available: | |
| Viscosity / dynamic: | No data available |
| Flow time: | No data available |

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Formation of explosive mixtures with: Air

10.3. Possibility of hazardous reactions

Oxidising agent, mercury (Hg), Oxygen, Hydrogen peroxide, Acid, Chlorine, Heavy metals, Nitric acid, Bromine, Hydrogen bromide (HBr), Hydrochloric gas, Nitrogen oxides (NOx), Hydrogen fluoride, Carbon dioxide,

10.4. Conditions to avoid

Heat

Safety Data Sheet

according to UK REACH Regulation

Ammonia/ammonium chloride buffer solution pH 10.0 ± 0.2 (20 °C)

Revision date: 28.11.2023

Product code: 34134

Page 9 of 13

10.5. Incompatible materials

Metal, Aluminium, Lead
nickel, silver, Zinc
Copper

10.6. Hazardous decomposition products

In case of fire may be liberated:
SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.
If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).
Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | | |
|------------|-------------------------|---------------|-----------|--------|--|---|
| | Exposure route | Dose | Species | Source | Method | |
| 1336-21-6 | Ammonia | | | | | |
| | oral | LD50 mg/kg | 350 | Rat | Journal of Industrial Hygiene and Toxicology | OECD Guideline 401 |
| | inhalation (1 h) vapour | LC50 | 4230 mg/l | Mouse | Bull. Environm. Contam. Toxicol, 1982, 2 | Assessment of acute inhalation toxicity |
| 12125-02-9 | ammonium chloride | | | | | |
| | oral | LD50 mg/kg | 1410 | Rat | Other company data (1983) | other: not mentioned |
| | dermal | LD50 mg/kg | > 2000 | Rat | Study report (2010) | EU Method B.3 |

Irritation and corrosivity

Causes severe skin burns and eye damage.
Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (Ammonia)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to UK REACH Regulation

Ammonia/ammonium chloride buffer solution pH 10.0 ± 0.2 (20 °C)

Revision date: 28.11.2023

Product code: 34134

Page 10 of 13

Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

Irritant
Corrosion
Cough
Dyspnoea
Gastrointestinal complaints
gastric perforation
Unconsciousness
Vomiting
Circulatory collapse
Spasms
Pulmonary oedema
Risk of serious damage to eyes.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

Ammonia/ammonium chloride buffer solution pH 10.0 ± 0.2 (20 °C)

Revision date: 28.11.2023

Product code: 34134

Page 11 of 13

| CAS No | Chemical name | | | | | |
|------------|--------------------------|----------------------|-----------|----------------------------|---|--|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 1336-21-6 | Ammonia | | | | | |
| | Acute fish toxicity | LC50 0,75 - 3,4 mg/l | 96 h | Pimephales promelas | Trans Amer Fish Soc; 112 (5). 1983. 705- | Assessment of acute toxicity in the fath |
| | Acute crustacea toxicity | EC50 101 mg/l | 48 h | Daphnia magna | Environ. Toxicol. Chem. 5: 443-447 (1986) | other: ASTM E729-80 |
| | Fish toxicity | NOEC 1,2 mg/l | 61 d | Oncorhynchus gorbuscha | Fish. Bull. 78(3): 641-648 (1980) | OECD Guideline 210 |
| 12125-02-9 | ammonium chloride | | | | | |
| | Acute fish toxicity | LC50 209 mg/l | 96 h | Cyprinus carpio | Indian J. Environ. Health, 17, 140-146, | other: E03-05:APHA, AWWA & WPCF |
| | Acute crustacea toxicity | EC50 101 mg/l | 48 h | Daphnia magna | Env. Tox. Chem. 5, 443-447 (1986) (1986) | other: ASTM E729-80 |
| | Fish toxicity | NOEC mg/l 11,8 | 28 d | Pimephales promelas | Env.Tox. Chem. 5, 437-442 (1986) (1986) | other: - American Society for Testing an |
| | Algae toxicity | NOEC mg/l 26,8 | 10 d | Navicula sp. | Mar. Biol. 43(4), 307-315, (1977) (1977) | no data |
| | Crustacea toxicity | NOEC mg/l 14,6 | 21 d | Daphnia magna | Env. Tox. Chem. 5, 443-447 (1986) (1986) | other: not mentioned |
| | Acute bacteria toxicity | EC50 mg/l () 1618 | 0,5 h | activated sludge, domestic | Study report (1988) | OECD Guideline 209 |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|---------------|---------|
| 1336-21-6 | Ammonia | -1,38 |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

There are no data available on the mixture itself.

12.7. Other adverse effects

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Further information

Do not allow to enter into surface water or drains.

Discharge into the environment must be avoided.

Safety Data Sheet

according to UK REACH Regulation

Ammonia/ammonium chloride buffer solution pH 10.0 ± 0.2 (20 °C)

Revision date: 28.11.2023

Product code: 34134

Page 12 of 13

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
Send to a physico-chemical treatment facility under observation of official regulations.
Do not allow to enter into surface water or drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|--|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| | |
|--|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| | |
|--|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to Directive 2012/18/EU (SEVESO III):

E1 Hazardous to the Aquatic Environment

National regulatory information

Safety Data Sheet

according to UK REACH Regulation

Ammonia/ammonium chloride buffer solution pH 10.0 ± 0.2 (20 °C)

Revision date: 28.11.2023

Product code: 34134

Page 13 of 13

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

SECTION 16: Other information

Abbreviations and acronyms

Acute Tox: Acute toxicity
 Skin Corr: Skin corrosion
 Eye Dam: Eye damage
 Eye Irrit: Eye irritation
 STOT SE: Specific target organ toxicity - single exposure
 Aquatic Acute: Acute aquatic hazard
 Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Skin Corr. 1B; H314 | Calculation method |
| Eye Dam. 1; H318 | Calculation method |
| STOT SE 3; H335 | Calculation method |
| Aquatic Acute 1; H400 | Calculation method |
| Aquatic Chronic 1; H410 | |

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)