

## Multielement-Standardlösung 6 Elemente in Salpetersäure 5 %

Revision date: 14.11.2022

Product code: 34240

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Multielement-Standardlösung 6 Elemente in Salpetersäure 5 %

UFI:

### DPT1-932H-K00T-6X27

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	•	REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls

#### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

#### **GB CLP Regulation**

Hazard components	s for labelling
nitric acid	
Signal word:	Danger

Pictograms:



# Hazard statements

H290

May be corrosive to metals.



## Multielement-Standardlösung 6 Elemente in Salpetersäure 5 %

evision date: 14.11.2022	Product code: 34240	Page 2 of 11
H314	Causes severe skin burns and eye damage.	
Precautionary statemen	Its	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	

Corrosive to the respiratory tract.

#### 2.3. Other hazards

EUH071

No data available

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

#### Hazardous components

CAS No	Chemical name	Chemical name				
	EC No Index No REACH No					
	Classification (GB CLP Regulation)					
7697-37-2	nitric acid	nitric acid				
	231-714-2 007-030-00-3 01-2119487297-23					
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071					

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	5 - < 10 %
		2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 rr. 1B; H314: >= 5 - < 20	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air. Call a physician immediately.

### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.



## Multielement-Standardlösung 6 Elemente in Salpetersäure 5 %

Revision date: 14.11.2022

Product code: 34240

Page 3 of 11

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

## After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated:

Nitrogen oxides (NOx)

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Do not breathe vapour/aerosol. Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert



## Multielement-Standardlösung 6 Elemente in Salpetersäure 5 %

Revision date: 14.11.2022

Product code: 34240

Page 4 of 11

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal.

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol. Use extractor hood (laboratory).

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

#### Hints on joint storage

national regulations

## Further information on storage conditions

Keep container tightly closed.

## 7.3. Specific end use(s)



## Multielement-Standardlösung 6 Elemente in Salpetersäure 5 %

Revision date: 14.11.2022

Product code: 34240

Page 5 of 11

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles Wear eye/face protection.

#### Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### **Thermal hazards**

No data available

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless



Revision date: 14.11.2022 Odour: Odour threshold: Melting point/freezing point:	Product code: 34240 like: Nitric acid No data available	Page 6 of 11
Odour threshold: Melting point/freezing point:		
Melting point/freezing point:		
	No data available	
Boiling point or initial boiling point and	No data available	
boiling range:		
Flammability		
Solid/liquid:	No data available	
Gas:	No data available	
Lower explosion limits:	No data available	
Upper explosion limits:	No data available	
Flash point:	No data available	
Auto-ignition temperature:	No data available	
Decomposition temperature:	No data available	
pH-Value:	0,8	
Viscosity / kinematic:	No data available	
Water solubility:	completely miscible	
Solubility in other solvents		
No data available		
Dissolution rate:	No data available	
Partition coefficient n-octanol/water:	No data available	
Dispersion stability:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density:	1,0343 g/cm³ No data available	
Relative density: Bulk density:	No data available	
Relative vapour density:	No data available	
Particle characteristics:	No data available	
0.2. Other information		
Information with regard to physical ha	rard classes	
Explosive properties		
No data available		
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
Oxidising agent		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:	<b>.</b>	
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
Corrosive to metals.		



## Multielement-Standardlösung 6 Elemente in Salpetersäure 5 %

Revision date: 14.11.2022

Product code: 34240

Page 7 of 11

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals. Oxidising agent

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

### 10.4. Conditions to avoid

No data available

## 10.5. Incompatible materials

Cellulose Metal The product develops hydrogen in an aqueous solution in contact with metals.

## 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

## Further information

No data available

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

## Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

## ATEmix calculated

ATE (inhalation vapour) 52,99 mg/l

CAS No	Chemical name						
	Exposure route Dose Species Source Method						
7697-37-2	nitric acid	-		-			
	inhalation vapour	ATE 2,65 mg/l					

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Following ingestion Gastric perforation

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Irritating to respiratory system.

Pulmonary oedema

see also Section 4

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction



Multielem	ent-Standardlösung 6 Elemente in Salpetersäur	re 5 %
Revision date: 14.11.2022	Product code: 34240	Page 8 of 11
Based on available data, the clas	sification criteria are not met.	
STOT-single exposure Based on available data, the clas	ssification criteria are not met.	
STOT-repeated exposure Based on available data, the clas	ssification criteria are not met.	
Aspiration hazard Based on available data, the clas	sification criteria are not met.	
Information on likely routes of expo There are no data available on th		
Specific effects in experiment on a There are no data available on th		
Additional information on tests There are no data available on th	ne preparation/mixture itself.	
<b>Practical experience</b> There are no data available on th	ne preparation/mixture itself.	
11.2. Information on other hazards		
Endocrine disrupting properties There are no data available on th	ne preparation/mixture itself.	
<b>Other information</b> There are no data available on th	ne preparation/mixture itself.	
Further information There are no data available on th	ne preparation/mixture itself.	
SECTION 12: Ecological informatic		

## **SECTION 12: Ecological information**

## 12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l		juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419		several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209

## 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.



## Multielement-Standardlösung 6 Elemente in Salpetersäure 5 %

Revision date: 14.11.2022

Product code: 34240

Page 9 of 11

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

Discharge into the environment must be avoided. Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted.

#### Further information

Do not allow to enter into surface water or drains.

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

UN 2031

NITRIC ACID

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**

## Land transport (ADR/RID) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u>

14.2. ON proper snipping name.	NITKIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Special Provisions:	-
Limited quantity:	1 L



## Multielement-Standardlösung 6 Elemente in Salpetersäure 5 %

Multielement-Standardlösung 6 Elemente in Salpetersäure 5 %			
evision date: 14.11.2022	Product code: 34240	Page 10 of 11	
	E2 F-A, S-B 1 - acids		
ir transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity Passenger:Passenger LQ:Excepted quantity:IATA-packing instructions - Passenger:IATA-max. quantity - Passenger:IATA-packing instructions - Cargo:IATA-max. quantity - Cargo:	UN 2031 NITRIC ACID 8 II 8 A212 Forbidden Forbidden E0 Forbidden Forbidden S55 30 L		
	No		
SECTION 15: Regulatory information   15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
<b>EU regulatory information</b> Restrictions on use (REACH, annex XVII): Entry 3			
National regulatory information			
	Observe restrictions to employment for juveniles according to the 'juver work protection guideline' (94/33/EC). 1 - slightly hazardous to water	nile	
Hazard label: Special Provisions: Limited quantity Passenger: Passenger LQ: Excepted quantity: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-max. quantity - Passenger: IATA-max. quantity - Cargo: <b>4.5. Environmental hazards</b> ENVIRONMENTALLY HAZARDOUS: <b>ECTION 15: Regulatory information</b> <b>5.1. Safety, health and environmental regula</b> <b>EU regulatory information</b> Restrictions on use (REACH, annex XVII): Entry 3 <b>National regulatory information</b> Employment restrictions:	8 A212 Forbidden E0 Forbidden 855 30 L No Observe restrictions to employment for juveniles according to the 'juver work protection guideline' (94/33/EC).	nile	

#### **SECTION 16: Other information**

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

#### Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
EUH071	Corrosive to the respiratory tract.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of



## Safety Data Sheet

according to UK REACH Regulation

## Multielement-Standardlösung 6 Elemente in Salpetersäure 5 %

Revision date: 14.11.2022

Product code: 34240

Page 11 of 11

product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)