

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 30.11.2022

Product code: 34281

Page 1 of 21

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

UFI: K6X1-13CT-5003-AWXV

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

###### Uses advised against

Do not use for private purposes (household).

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	

##### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

##### Further Information

inapplicable, this product is a mixture REACH registration number see section 3

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Acute Tox. 4; H302

Acute Tox. 4; H332

Skin Corr. 1B; H314

Eye Dam. 1; H318

Skin Sens. 1; H317

Muta. 1B; H340

Carc. 1A; H350

STOT RE 2; H373

Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### GB CLP Regulation

###### Hazard components for labelling

nitric acid, beryllium nitrate, arsenic acid and its salts with the exception of those specified elsewhere in this Annex, cadmium nitrate; cadmium dinitrate, mercury nitrate monohydrate

Signal word: Danger

## Safety Data Sheet

according to UK REACH Regulation


### Multiement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 30.11.2022

Product code: 34281

Page 2 of 21

#### Pictograms:



#### Hazard statements

H302+H332	Harmful if swallowed or if inhaled.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H340	May cause genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

#### Special labelling of certain mixtures

EUH071	Corrosive to the respiratory tract. Restricted to professional users.
--------	--------------------------------------------------------------------------

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Mixtures in aqueous solution

**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 3 of 21

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7697-37-2	nitric acid			10 - < 15 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071			
13597-99-4	beryllium nitrate			1 - < 5 %
	237-062-5	004-002-00-2		
	Carc. 1B, Acute Tox. 2, Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3, STOT RE 1, Aquatic Chronic 2; H350i H330 H301 H315 H319 H317 H335 H372 H411			
10031-43-3	Copper(II) nitrate trihydrate			< 1 %
			01-2119969290-34	
	Ox. Sol. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1; H272 H302 H315 H319 H400 H410			
-	arsenic acid and its salts with the exception of those specified elsewhere in this Annex			< 1 %
	-	033-005-00-1		
	Carc. 1A, Acute Tox. 3, Acute Tox. 3, Aquatic Acute 1, Aquatic Chronic 1; H350 H331 H301 H400 H410			
13138-45-9	nickel dinitrate			< 1 %
	236-068-5	028-012-00-1		
	Ox. Sol. 2, Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350i H341 H360D H332 H302 H315 H318 H334 H317 H372 H400 H410			
10141-05-6	cobalt dinitrate			< 1 %
	233-402-1	027-009-00-2		
	Carc. 1B, Muta. 2, Repr. 1B, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360F H334 H317 H400 H410			
7803-55-6	ammonium trioxovanadate			< 1 %
	232-261-3			
	Repr. 2, Acute Tox. 3, Acute Tox. 4, Eye Irrit. 2, STOT RE 1, Aquatic Chronic 2; H361d H301 H332 H319 H372 H411			
10325-94-7	cadmium nitrate; cadmium dinitrate			< 1 %
	233-710-6	048-014-00-6		
	Carc. 1B, Muta. 1B, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350 H340 H360 H332 H312 H302 H372 H400 H410			
7783-34-8	mercury nitrate monohydrate			< 1 %
	233-152-3	080-002-00-6		
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H310 H330 H300 H373 H400 H410			
10099-74-8	lead dinitrate			< 1 %
	233-245-9	082-001-00-6		
	Repr. 1A, Acute Tox. 4, Acute Tox. 4, Eye Dam. 1, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H360Df H332 H302 H318 H373 H400 H410			
7446-08-4	selenium dioxide			< 1 %
	231-194-7	034-002-00-8		
	Acute Tox. 3, Acute Tox. 3, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H331 H301 H373 H400 H410			
10102-45-1	thallium nitrate			< 1 %

**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 4 of 21

	233-273-1	081-002-00-9	
	Acute Tox. 2, Acute Tox. 2, STOT RE 2, Aquatic Chronic 2; H330 H300 H373 H411		
7446-07-3	tellurium dioxide		< 1 %
	231-193-1	052-002-00-6	
	Repr. 1B, Lact.; H360Df H362		

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	10 - < 15 %
		inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20	
13597-99-4	237-062-5	beryllium nitrate	1 - < 5 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = 100 mg/kg	
10031-43-3		Copper(II) nitrate trihydrate	< 1 %
		oral: ATE = 500 mg/kg	
-	-	arsenic acid and its salts with the exception of those specified elsewhere in this Annex	< 1 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: ATE = 100 mg/kg	
13138-45-9	236-068-5	nickel dinitrate	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 361,9 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1	
10141-05-6	233-402-1	cobalt dinitrate	< 1 %
		Carc. 1B; H350i: >= 0,01 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10	
7803-55-6	232-261-3	ammonium trioxovanadate	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: LC50 = 2,61 mg/l (dusts or mists); dermal: LD50 = > 2500 mg/kg; oral: LD50 = 218,1 mg/kg	
10325-94-7	233-710-6	cadmium nitrate; cadmium dinitrate	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg Carc. 1B; H350: >= 0,01 - 100	
7783-34-8	233-152-3	mercury nitrate monohydrate	< 1 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg STOT RE 2; H373: >= 0,1 - 100	
10099-74-8	233-245-9	lead dinitrate	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg Repr. 2; H361f: >= 2,5 - 100 STOT RE 2; H373: >= 0,5 - 100	
7446-08-4	231-194-7	selenium dioxide	< 1 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: LD50 = 68,1 mg/kg	
10102-45-1	233-273-1	thallium nitrate	< 1 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = 5 mg/kg	

**Further Information**

No data available

**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 5 of 21

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air.

Call a physician immediately.

**After contact with skin**

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Causes burns.

Irritant

Cough

Dyspnoea

Vomiting

Methaemoglobinaemia

Risk of serious damage to eyes.

Allergic reactions

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NO<sub>x</sub>)

Metal oxide smoke, toxic

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 6 of 21

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**General advice**

Corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Consult an expert  
Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

**For containment**

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Collect in closed and suitable containers for disposal.  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

Read label before use. Handle and open container with care.  
When using do not eat, drink, smoke, sniff. Use personal protection equipment.  
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.  
Do not breathe vapour/aerosol. Use extractor hood (laboratory).

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 7 of 21

drink.

**Further information on handling**

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Unsuitable container/equipment material: Metal.

**Hints on joint storage**

national regulations

**Further information on storage conditions**

Store in a well-ventilated place. Keep container tightly closed.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 8 of 21

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
13138-45-9	nickel dinitrate			
Consumer DNEL, acute		oral	systemic	0,012 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,02 mg/kg bw/day
Worker DNEL, acute		inhalation	systemic	104 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	1,6 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	systemic	8,8 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	0,1 mg/m <sup>3</sup>
7803-55-6	ammonium trioxovanadate			
Worker DNEL, long-term		inhalation	systemic	0,64 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	0,18 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	0,92 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	systemic	0,18 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	0,11 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	0,57 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	0,18 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,92 mg/kg bw/day
7446-08-4	selenium dioxide			
Worker DNEL, long-term		inhalation	systemic	0,07 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	9,8 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,021 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	6,02 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,00602 mg/kg bw/day



**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 9 of 21

**PNEC values**

CAS No	Substance	Value
Environmental compartment		
10031-43-3	Copper(II) nitrate trihydrate	
Freshwater		0,0078 mg/l
Marine water		0,0052 mg/l
Freshwater sediment		87 mg/kg
Marine sediment		676 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,23 mg/l
Soil		65 mg/kg
13138-45-9	nickel dinitrate	
Freshwater		0,0071 mg/l
Freshwater (intermittent releases)		0 mg/l
Marine water		0,0086 mg/l
Freshwater sediment		109 mg/kg
Marine sediment		109 mg/kg
Secondary poisoning		0,12 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,33 mg/l
Soil		29,9 mg/kg
7803-55-6	ammonium trioxovanadate	
Freshwater		0,0076 mg/l
Freshwater (intermittent releases)		0,00693 mg/l
Marine water		0,0025 mg/l
Freshwater sediment		240 mg/kg
Marine sediment		79 mg/kg
Secondary poisoning		0,167 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,45 mg/l
Soil		7,2 mg/kg
10099-74-8	lead dinitrate	
Freshwater		0,0065 mg/l
Marine water		0,0034 mg/l
Freshwater sediment		174 mg/kg
Marine sediment		164 mg/kg
Secondary poisoning		10,9 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,1 mg/l
Soil		147 mg/kg
7446-08-4	selenium dioxide	
Freshwater		0,00374 mg/l
Freshwater (intermittent releases)		0,0077 mg/l
Marine water		0,0028 mg/l
Freshwater sediment		11,48 mg/kg
Marine sediment		8,68 mg/kg
Secondary poisoning		1,4 mg/kg

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 10 of 21

Micro-organisms in sewage treatment plants (STP)	10 mg/l
Soil	0,06 mg/kg

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Suitable eye protection: goggles.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing. Take off immediately all contaminated clothing.  
Wash hands before breaks and after work.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**Thermal hazards**

No data available

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state: Liquid  
Colour: black  
Odour: stinging

**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 11 of 21

Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability		
Solid/liquid:		not applicable
Gas:		not applicable
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		X
Auto-ignition temperature:		No data available
Decomposition temperature:		not determined
pH-Value:		0
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
not determined		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		No data available
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available

**9.2. Other information**

**Information with regard to physical hazard classes**

Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Oxidizing properties		
Oxidising agent		

**Other safety characteristics**

Evaporation rate:		not determined
Solvent separation test:		No data available
Solvent content:		0
Solid content:		0
Sublimation point:		No data available
Softening point:		No data available
Pour point:		No data available
No data available:		
Viscosity / dynamic:		No data available
Flow time:		No data available

**Further Information**

Corrosive to metals.

**SECTION 10: Stability and reactivity**

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 30.11.2022

Product code: 34281

Page 12 of 21

#### **10.1. Reactivity**

Corrosive to metals.  
Oxidising agent

#### **10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

#### **10.3. Possibility of hazardous reactions**

Alkali (lye) Alkali (lye)  
The product develops hydrogen in an aqueous solution in contact with metals.  
Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide  
Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

#### **10.4. Conditions to avoid**

No data available

#### **10.5. Incompatible materials**

Keep away from: Metal.

#### **10.6. Hazardous decomposition products**

In case of fire may be liberated:  
SECTION 5: Firefighting measures

#### **Further information**

No data available

### SECTION 11: Toxicological information

#### **11.1. Information on hazard classes as defined in GB CLP Regulation**

##### **Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.

##### **Acute toxicity**

Harmful if swallowed.  
Harmful if inhaled.

##### **ATEmix calculated**

ATE (oral) 1308,5 mg/kg; ATE (dermal) 3132,0 mg/kg; ATE (inhalation vapour) 12,47 mg/l; ATE (inhalation dust/mist) 2,919 mg/l

**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 13 of 21

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/l			
13597-99-4	beryllium nitrate				
	oral	ATE 100 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
10031-43-3	Copper(II) nitrate trihydrate				
	oral	ATE 500 mg/kg			
-	arsenic acid and its salts with the exception of those specified elsewhere in this Annex				
	oral	ATE 100 mg/kg			
	inhalation vapour	ATE 3 mg/l			
	inhalation dust/mist	ATE 0,5 mg/l			
13138-45-9	nickel dinitrate				
	oral	LD50 361,9 mg/kg	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
7803-55-6	ammonium trioxovanadate				
	oral	LD50 218,1 mg/kg	Rat	Study report (1992)	OECD Guideline 401
	dermal	LD50 > 2500 mg/kg	Rat	Study report (1992)	OECD Guideline 402
	inhalation vapour	ATE 11 mg/l			
	inhalation (4 h) dust/mist	LC50 2,61 mg/l	Rat	Study report (1992)	OECD Guideline 403
10325-94-7	cadmium nitrate; cadmium dinitrate				
	oral	ATE 500 mg/kg			
	dermal	ATE 1100 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
7783-34-8	mercury nitrate monohydrate				
	oral	ATE 5 mg/kg			
	dermal	ATE 5 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
10099-74-8	lead dinitrate				
	oral	LD50 > 2000 mg/kg	Rat	Study report (2003)	OECD Guideline 423
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2003)	OECD Guideline 402
	inhalation vapour	ATE 11 mg/l			

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 14 of 21

	inhalation dust/mist	ATE	1,5 mg/l			
7446-08-4	selenium dioxide					
	oral	LD50 mg/kg	68,1	Rat	Indian Journal of Pharmacology 23(3):153	Method not specified GLP compliance: not
	inhalation vapour	ATE	3 mg/l			
	inhalation dust/mist	ATE	0,5 mg/l			
10102-45-1	thallium nitrate					
	oral	ATE	5 mg/kg			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation dust/mist	ATE	0,05 mg/l			

**Irritation and corrosivity**

Causes severe skin burns and eye damage.  
Causes serious eye damage.  
Following ingestion Gastric perforation  
Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.  
Irritating to respiratory system.  
Pulmonary oedema  
see also Section 4

**Sensitising effects**

May cause an allergic skin reaction. (beryllium nitrate; nickel dinitrate; cobalt dinitrate)

**Carcinogenic/mutagenic/toxic effects for reproduction**

May cause genetic defects. (cadmium nitrate; cadmium dinitrate)  
May cause cancer. (beryllium nitrate; arsenic acid and its salts with the exception of those specified elsewhere in this Annex; nickel dinitrate; cobalt dinitrate; cadmium nitrate; cadmium dinitrate)  
Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure. (beryllium nitrate; nickel dinitrate; mercury nitrate monohydrate)

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the preparation/mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the preparation/mixture itself.

**Additional information on tests**

There are no data available on the preparation/mixture itself.

**Practical experience**

There are no data available on the preparation/mixture itself.

**11.2. Information on other hazards**

**Endocrine disrupting properties**

There are no data available on the preparation/mixture itself.

**Other information**

There are no data available on the preparation/mixture itself.

**Further information**

There are no data available on the preparation/mixture itself.

## Safety Data Sheet

according to UK REACH Regulation

### Multiement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 30.11.2022

Product code: 34281

Page 15 of 21

## SECTION 12: Ecological information

### 12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 16 of 21

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7697-37-2	nitric acid					
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry, other: ASTM E729-26
	Fish toxicity	NOEC mg/l	268	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009) Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977) Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008) OECD Guideline 209
10031-43-3	Copper(II) nitrate trihydrate					
	Acute fish toxicity	LC50 mg/l	0,193	96 h	Pimephales promelas	Study report (1996) measurements were conducted by standard
	Acute algae toxicity	ErC50 mg/l	0,152	72 h	Pseudokirchneriella subcapitata	Publication (2005) OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,007	48 h	Daphnia magna	Study report (1978) - Test were conducted on Daphnia magna t
	Fish toxicity	NOEC mg/l	0,123	12 d	Atherinops affinis	Mar. Environ. Res. 31: 17-35 (1991) Three tests are reported, designed to de
	Algae toxicity	NOEC mg/l	0,0102	19 d	other aquatic plant: giant kelp Macrocystis pyrife	Mar. Ecol. Prog. Ser. 68: 147 - 156 (199) Tests were conducted to determine the ef
	Crustacea toxicity	NOEC mg/l	0,033	14 d	Penaeus mergulensis and Penaeus monodon	Bull. Environ. Contain. Toxicol. (1995) The effects of dissolved copper on the g
13138-45-9	nickel dinitrate					
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003) other: not reported
	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Publication (2009) OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,2663	48 h	Ceriodaphnia dubia	Study report (2004) other: American society of testing and m
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent other: ASTM 1980, E-729
	Algae toxicity	NOEC mg/l	0,6	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2 other: not reported
	Crustacea toxicity	NOEC mg/l	0,04	42 d	Daphnia magna	Wat. Res. 24(7):845-852 (1990) Chronic exposure to sublethal concentrat
	Acute bacteria toxicity	(EC50 mg/l)	33	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332 ISO 8192



**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 17 of 21

7803-55-6 ammonium trioxovanadate						
	Acute fish toxicity	LC50 mg/l	3,17	96 h	Gasterosteus aculeatus	Environmental Toxicology 20:18-22. (2005) EPA OPPTS 850.1075
	Acute algae toxicity	ErC50 mg/l	2,907	72 h	Desmodesmus subspicatus	Study report (1999) OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	1,52	48 h	Daphnia magna	Study report (1978) 48h mortality test with daphnids
	Fish toxicity	NOEC mg/l	>= 0,48	28 d	Jordanella floridae	Water Research 13:905-910. (1979) Different groups of fish were continuous
	Crustacea toxicity	NOEC mg/l	1,344	23 d	Daphnia magna	Bulletin of Environmental Contamination other: 84/449/EEC: given by the Commissi
	Acute bacteria toxicity	(EC50 mg/l)	> 100	3 h	activated sludge of a predominantly domestic sewage	Study report (2010) OECD Guideline 209
10099-74-8 lead dinitrate						
	Acute fish toxicity	LC50 mg/l	1,17	96 h	Oncorhynchus mykiss	Publication (1976) Acute bioassays
	Acute algae toxicity	ErC50 mg/l	0,123	72 h	Pseudokirchneriella subcapitata	Study report (2008) OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,59683	48 h	Ceriodaphnia dubia	Study report (2007) other: USEP
	Fish toxicity	NOEC mg/l	0,087	62 d	Oncorhynchus mykiss	Publication (2008) methods adapted from the standard guide
	Crustacea toxicity	NOEC mg/l	0,099	7 d	Ceriodaphnia dubia	Publication (1995) chronic toxicity testing of lead to aqua
7446-08-4 selenium dioxide						
	Acute fish toxicity	LC50	3,3 mg/l	96 h	Morone saxatilis	Publication (1992) other: ASTM methods for acute testing
	Acute algae toxicity	ErC50 mg/l	44,24	72 h	Pseudokirchneriella subcapitata	Study report (1992) OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,55	48 h	Daphnia magna	Environmental Toxicology and Chemistry 1 other: EPA-660/3-75-00 9: Methods for Acu
	Fish toxicity	NOEC mg/l	0,01	258 d	Lepomis macrochirus	Environmental Toxicology and Chemistry 1 Year long study investigating the effect
	Algae toxicity	NOEC mg/l	0,995	10 d	Anabaena flos-aquae	Archives of Environmental Contamination 10-d experiment on the toxicity of selen
	Crustacea toxicity	NOEC mg/l	0,07	28 d	Daphnia magna	Department of Entomology, Fisheries and OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l)	> 3200	3 h	activated sludge of a predominantly domestic sewage	Study report (2012) OECD Guideline 209

**12.2. Persistence and degradability**

The product has not been tested.

**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 18 of 21

**12.3. Bioaccumulative potential**

The product has not been tested.

**BCF**

CAS No	Chemical name	BCF	Species	Source
10031-43-3	Copper(II) nitrate trihydrate	0,02 - 20	Crangon crangon	Symp. Biologica. Hun
13138-45-9	nickel dinitrate	23	Spirodela polyrhiza	Ecotoxicology and en
7803-55-6	ammonium trioxovanadate	< 0,036	Lactuca sativa	Study report (2003)
10099-74-8	lead dinitrate	3250	Hyalella azteca	Hydrobiologia 259: 7
7446-08-4	selenium dioxide	755	periphyton	Environmental Pollut

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

There are no data available on the mixture itself.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

**Contaminated packaging**

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 3264
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 3264
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 19 of 21

**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8  
 Classification code: C1  
 Special Provisions: 274  
 Limited quantity: 1 L  
 Excepted quantity: E2

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 3264  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8  
 Special Provisions: 274  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 EmS: F-A, S-B  
 Segregation group: 1 - acids

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 3264  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8  
 Special Provisions: A3 A803  
 Limited quantity Passenger: 0.5 L  
 Passenger LQ: Y840  
 Excepted quantity: E2  
 IATA-packing instructions - Passenger: 851  
 IATA-max. quantity - Passenger: 1 L  
 IATA-packing instructions - Cargo: 855  
 IATA-max. quantity - Cargo: 30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: Yes  
 Danger releasing substance: cobalt dinitrate

**14.6. Special precautions for user**

Warning: strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):  
 arsenic acid and its salts with the exception of those specified elsewhere in this Annex; cobalt dinitrate;  
 cadmium nitrate; cadmium dinitrate; lead dinitrate

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 23, Entry 28, Entry 63, Entry 65, Entry 75

**National regulatory information**

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l**

Revision date: 30.11.2022

Product code: 34281

Page 20 of 21

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.
Water hazard class (D):	3 - highly hazardous to water
Skin resorption/Sensitization:	Permeates easily through outer skin and causes poisoning. Causes allergic hypersensitivity reactions.

**SECTION 16: Other information**

**Abbreviations and acronyms**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service
- LC50: Lethal concentration, 50%
- LD50: Lethal dose, 50%

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H332	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Muta. 1B; H340	Calculation method
Carc. 1A; H350	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 2; H411	Calculation method

**Relevant H and EUH statements (number and full text)**

- H272 May intensify fire; oxidiser.
- H290 May be corrosive to metals.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H302+H332 Harmful if swallowed or if inhaled.
- H310 Fatal in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standardlösung 20 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 30.11.2022

Product code: 34281

Page 21 of 21

H340	May cause genetic defects.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H360	May damage fertility or the unborn child.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H360F	May damage fertility.
H361d	Suspected of damaging the unborn child.
H362	May cause harm to breast-fed children.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*