



according to Regulation (EC) No 1907/2006

Mobile-Phase B Disso S/PP

Revision date: 03.08.2023 Product code: 34305 Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mobile-Phase B Disso S/PP

UFI: F802-53XA-H000-63XE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Acute Tox. 3; H311 Acute Tox. 3; H331 Acute Tox. 4; H302 Eye Irrit. 2; H319 STOT SE 2; H371

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

acetonitrile methanol

Signal word: Danger



according to Regulation (EC) No 1907/2006

Mobile-Phase B Disso S/PP

Revision date: 03.08.2023 Product code: 34305 Page 2 of 14

Pictograms:







Hazard statements

H225 Highly flammable liquid and vapour. H311+H331 Toxic in contact with skin or if inhaled.

H302 Harmful if swallowed.H319 Causes serious eye irritation.

H371 May cause damage to organs (central nervous system, eyes).

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.
P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P403+P235 Store in a well-ventilated place. Keep cool.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification (Regulat	ion (EC) No 1272/2008)				
75-05-8	acetonitrile	acetonitrile				
	200-835-2	608-001-00-3	01-2119471307-38			
	Flam. Liq. 2, Acute To	x. 4, Acute Tox. 4, Acute Tox. 4, Eye Ir	rit. 2; H225 H332 H312 H302 H319			
67-56-1	methanol			5 - < 10 %		
	200-659-6	603-001-00-X	01-2119433307-44			
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc.	Limits, M-factors and ATE				
75-05-8	200-835-2	acetonitrile	75 - < 80 %			
		nhalation: LC50 = 3587 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: _D50 = > 2000 mg/kg; oral: LD50 = 469 mg/kg				
67-56-1	200-659-6	methanol	5 - < 10 %			
	ATE = 300 mg/	200-659-6 methanol inhalation: LC50 = 128,2 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: LD50 = 6000 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10				

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures





according to Regulation (EC) No 1907/2006

Mobile-Phase B Disso S/PP

Revision date: 03.08.2023 Product code: 34305 Page 3 of 14

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Headache

Dyspnoea

Irritant

Vomiting

Spasms

Unconsciousness

Respiratory complaints

Cardiac arrhythmias

Dizziness

Release of: Hydrogen cyanide (hydrocyanic acid)

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated:

Carbon dioxide (CO2), Carbon monoxide, Hydrogen cyanide (hydrocyanic acid)

Beware of reignition.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

Additional information

Danger of bursting container.

Use water spray jet to protect personnel and to cool endangered containers.



AnalytiChem GmbH

according to Regulation (EC) No 1907/2006

Mobile-Phase B Disso S/PP

Revision date: 03.08.2023 Product code: 34305 Page 4 of 14

Suppress gases/vapours/mists with water spray jet.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe vapour/aerosol. Provide adequate ventilation.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.



AnalytiChem GmbH

according to Regulation (EC) No 1907/2006

Mobile-Phase B Disso S/PP

Revision date: 03.08.2023 Product code: 34305 Page 5 of 14

Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Further information on storage conditions

Keep cool. Protect from sunlight.

Store in a place accessible by authorized persons only.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
75-05-8	Acetonitrile	40	70		TWA (8 h)	
67-56-1	Methyl alcohol	200	260		TWA (8 h)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
67-56-1	Methanol	Methanol	15 mg/L	Urine	End of shift



according to Regulation (EC) No 1907/2006

Mobile-Phase B Disso S/PP

Revision date: 03.08.2023 Product code: 34305 Page 6 of 14

DNEL/DMEL values

CAS No Substance			
DNEL type	Exposure route	Effect	Value
75-05-8 acetonitrile			
Worker DNEL, long-term	inhalation	systemic	68 mg/m³
Worker DNEL, acute	inhalation	systemic	68 mg/m³
Worker DNEL, long-term	inhalation	local	68 mg/m³
Worker DNEL, acute	inhalation	local	68 mg/m³
Worker DNEL, long-term	dermal	systemic	32,2 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	4,8 mg/m³
Consumer DNEL, acute	inhalation	systemic	220 mg/m³
Consumer DNEL, long-term	inhalation	local	4,8 mg/m³
Consumer DNEL, acute	inhalation	local	22 mg/m³
Consumer DNEL, acute	oral	systemic	0,6 mg/kg bw/day
67-56-1 methanol			
Consumer DNEL, acute	inhalation	systemic	50 mg/m³
Worker DNEL, long-term	inhalation	systemic	260 mg/m³
Worker DNEL, acute	inhalation	systemic	260 mg/m³
Worker DNEL, long-term	inhalation	local	260 mg/m³
Worker DNEL, acute	inhalation	local	260 mg/m³
Worker DNEL, long-term	dermal	systemic	40 mg/kg bw/day
Worker DNEL, acute	dermal	systemic	40 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	50 mg/m³
Consumer DNEL, long-term	inhalation	local	50 mg/m³
Consumer DNEL, acute	inhalation	local	50 mg/m³
Consumer DNEL, long-term	dermal	systemic	8 mg/kg bw/day
Consumer DNEL, acute	dermal	systemic	8 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	8 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	8 mg/kg bw/day



according to Regulation (EC) No 1907/2006

Mobile-Phase B Disso S/PP

Revision date: 03.08.2023 Product code: 34305 Page 7 of 14

PNEC values

CAS No	Substance	
Environmenta	compartment	Value
75-05-8	acetonitrile	
Freshwater		10 mg/l
Freshwater (in	termittent releases)	10 mg/l
Marine water		1 mg/l
Freshwater se	diment	7,53 mg/kg
Micro-organisms in sewage treatment plants (STP) 32 m		32 mg/l
Soil		2,41 mg/kg
67-56-1	methanol	
Freshwater		20,8 mg/l
Freshwater (in	termittent releases)	1540 mg/l
Marine water		2,08 mg/l
Freshwater sediment		77 mg/kg
Marine sediment		7,7 mg/kg
Micro-organisi	ms in sewage treatment plants (STP)	100 mg/l
Soil		100 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 898 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,7 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 898 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,7 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing



according to Regulation (EC) No 1907/2006

Mobile-Phase B Disso S/PP

Revision date: 03.08.2023 Product code: 34305 Page 8 of 14

No data available

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: No data available
Odour: characteristic
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

>35 °C

boiling range: Flammability:

Lower explosion limits:

Upper explosion limits:

No data available

Plash point:

<23 °C

Auto-ignition temperature:

No data available

Decomposition temperature:

No data available

Viscosity / kinematic:

No data available

Solubility in other solvents

No data available

No data available Dissolution rate: Partition coefficient n-octanol/water: No data available Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: No data available Density: No data available Relative density: No data available Bulk density: No data available Relative vapour density: No data available Particle characteristics: No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Vapours may form explosive mixtures with air.

Sustaining combustion:

No data available

Self-ignition temperature

Solid: not applicable Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined
Solvent separation test: No data available
Solvent content: No data available





according to Regulation (EC) No 1907/2006

Mobile-Phase B Disso S/PP

Revision date: 03.08.2023 Product code: 34305 Page 9 of 14

Solid content:No data availableSublimation point:No data availableSoftening point:No data availablePour point:No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapours may form explosive mixtures with air.

10.2. Chemical stability

Keep away from heat.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

Rubber articles

Plastic articles

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Toxic in contact with skin.

Toxic if inhaled.

Harmful if swallowed.

ATEmix calculated

ATE (oral) 379,1 mg/kg; ATE (dermal) 967,7 mg/kg; ATE (inhalation vapour) 9,680 mg/l; ATE (inhalation dust/mist) 1,400 mg/l



according to Regulation (EC) No 1907/2006

Mobile-Phase B Disso S/PP

Revision date: 03.08.2023 Product code: 34305 Page 10 of 14

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
75-05-8	acetonitrile					
	oral	LD50 mg/kg	469	Mouse	Study report (1998)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1997)	OECD Guideline 402
	inhalation (4 h) vapour	LC50	3587 mg/l	Mouse	Study report (1998)	OECD Guideline 403
	inhalation dust/mist	ATE	1,5 mg/l			
67-56-1	methanol					
	oral	LD50 mg/kg	6000	Monkey	Amer J Ophthalmol 40: 76-83 (cited in DG	Determination of the acute toxicity of t
	dermal	ATE mg/kg	300			
	inhalation (4 h) vapour	LC50 mg/l	128,2	Rat	Study report (1980)	Study performed according to internal co
	inhalation dust/mist	ATE	0,5 mg/l			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause damage to organs. (methanol) central nervous system eves

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

Headache

Dyspnoea



according to Regulation (EC) No 1907/2006

Mobile-Phase B Disso S/PP

Revision date: 03.08.2023 Product code: 34305 Page 11 of 14

Irritant

Vomiting

Spasms

Unconsciousness

Respiratory complaints

Cardiac arrhythmias

Dizziness

Release of: Hydrogen cyanide (hydrocyanic acid)

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
75-05-8	acetonitrile								
	Acute fish toxicity	LC50 mg/l	1640	96 h	Pimephales promelas	Review article or handbook (1984)	Guideline not specified		
	Acute algae toxicity	ErC50 mg/l	3560	72 h	Phaeodactylum tricornutum	Study report (2010)	ISO 10253		
	Acute crustacea toxicity	EC50 mg/l	3600	48 h	Daphnia magna	Bull. Environ. Contam. Toxicol. 57:655-6	other: OECD Guidelines for Testing Chemi		
	Fish toxicity	NOEC	102 mg/l	7 d	Oryzias latipes	Study report (1996)	OECD Guideline 204		
	Crustacea toxicity	NOEC	960 mg/l	21 d	Daphnia magna	Study report (1996)	other: OECD Guideline 202		
67-56-1	methanol								
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975		
	Acute algae toxicity	ErC50 22000 mg/l	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11		
	Fish toxicity	NOEC mg/l	446,7	28 d	Pimephales promelas	SAR and QSAR in Environmental Research,	Calculation performed with ECOSAR		
	Crustacea toxicity	NOEC	208 mg/l	21 d	Daphnia magna	OECD QSAR Toolbox Report (2013)	Toxicity of the target chemical is predi		

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-05-8	acetonitrile	0,29
67-56-1	methanol	-0,77



according to Regulation (EC) No 1907/2006

Mobile-Phase B Disso S/PP Revision date: 03.08.2023 Product code: 34305 Page 12 of 14

BCF

CAS No	Chemical name	BCF	Species	Source
75-05-8	acetonitrile	3		HSDB (2009)
67-56-1	methanol	1	Cyprinus carpio	Comparative Biochemi

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1.	UN numbe	r or ID number:	UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (acetonitrile, methanol)

14.3. Transport hazard class(es): 3 14.4. Packing group: Ш Hazard label: 3+6.1 Classification code: FT1 Special Provisions: 274 Limited quantity: 1 L Excepted quantity: E2 Transport category: Hazard No: 336 D/E Tunnel restriction code:

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (acetonitrile, methanol)

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard label:

Classification code:

Special Provisions:

Limited quantity:

Excepted quantity:

1 L

Excepted quantity:

5 3

3 +6.1

Classification code:

FT1

Special Provisions:

274 802

Limited quantity:

1 L

Excepted quantity:

E2



according to Regulation (EC) No 1907/2006

Mobile-Phase B Disso S/PP

Revision date: 03.08.2023 Product code: 34305 Page 13 of 14

Marine transport (IMDG)

14.1. UN number or ID number: UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (acetonitrile, methanol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+6.1Special Provisions:274Limited quantity:1 LExcepted quantity:E2EmS:F-E. S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (acetonitrile, methanol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+6.1Special Provisions:A3Limited quantity Passenger:1 LPassenger LQ:Y341Excepted quantity:E2

IATA-packing instructions - Passenger: 352
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 69, Entry 75

Information according to 2012/18/EU H2 ACUTE TOXIC

(SEVESO III):

Additional information: P5c

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

SECTION 16: Other information





according to Regulation (EC) No 1907/2006

Mobile-Phase B Disso S/PP

Revision date: 03.08.2023 Product code: 34305 Page 14 of 14

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Flam. Lig: Flammable liquid Acute Tox: Acute toxicity

Eve Irrit: Eve irritation STOT SE: Specific target organ toxicity - single exposure

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

	<u> </u>	
Classification	Classification procedure	
Flam. Liq. 2; H225	On basis of test data	
Acute Tox. 3; H311	Calculation method	
Acute Tox. 3; H331	Calculation method	
Acute Tox. 4; H302	Calculation method	
Eye Irrit. 2; H319	Calculation method	
STOT SE 2; H371	Calculation method	

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.

Toxic if swallowed. H301 H302 Harmful if swallowed. H311 Toxic in contact with skin.

Toxic in contact with skin or if inhaled. H311+H331

H312 Harmful in contact with skin. H319 Causes serious eye irritation.

H331 Toxic if inhaled. H332 Harmful if inhaled.

H370 Causes damage to organs.

H371 May cause damage to organs (central nervous system, eyes).

H371 May cause damage to organs.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)