

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l Flusssäure 40%

Revision date: 02.03.2023

Product code: 34344

Page 1 of 17

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l Flusssäure 40%

UFI: 7K32-W3UT-F009-YENX

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

###### Uses advised against

Do not use for private purposes (household).

##### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH  
Street: Stempelstraße 6  
Place: D-47167 Duisburg  
Telephone: 0203/5194-0  
e-mail: info@analytichem.de  
Contact person: Abteilung Produktsicherheit  
e-mail: produktsicherheit@analytichem.de  
Internet: www.analytichem.de  
Responsible Department: Abteilung Produktsicherheit  
Telefax: 0203/5194-290  
Telephone: 0203/5194-107/117

##### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

##### Further Information

inapplicable, this product is a mixture REACH registration number see section 3

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Met. Corr. 1; H290  
Skin Corr. 1B; H314  
Eye Dam. 1; H318  
Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### GB CLP Regulation

###### Hazard components for labelling

nitric acid  
Hydrofluoric acid  
nickel dinitrate

Signal word: Danger

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l Flusssäure 40%

Revision date: 02.03.2023

Product code: 34344

Page 2 of 17

#### Pictograms:



#### Hazard statements

- H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.

#### Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.

#### Special labelling of certain mixtures

- EUH071 Corrosive to the respiratory tract.

#### 2.3. Other hazards

No data available

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Mixtures in aqueous solution

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l Flusssäure 40%**

Revision date: 02.03.2023

Product code: 34344

Page 3 of 17

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7697-37-2	nitric acid			5 - < 10 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071			
7647-14-5	sodium chloride			< 1 %
	231-598-3		01-2119485491-33	
7664-39-3	hydrofluoric acid ... %			< 1 %
	231-634-8	009-003-00-1		
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A; H310 H330 H300 H314			
10043-35-3	boric acid			< 1 %
	233-139-2	005-007-00-2	01-2119486683-25	
	Repr. 1B; H360FD			
13138-45-9	nickel dinitrate			< 0.1 %
	236-068-5	028-012-00-1		
	Ox. Sol. 2, Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350i H341 H360D H332 H302 H315 H318 H334 H317 H372 H400 H410			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7697-37-2	231-714-2	nitric acid	5 - < 10 %
	inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20		
7647-14-5	231-598-3	sodium chloride	< 1 %
	dermal: LD50 = > 10000 mg/kg; oral: LD50 = 3550 mg/kg		
7664-39-3	231-634-8	hydrofluoric acid ... %	< 1 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: LC50 = 1610 ppm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: >= 7 - 100 Skin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1		
10043-35-3	233-139-2	boric acid	< 1 %
	inhalation: LC50 = > 2,12 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 3450 mg/kg		
13138-45-9	236-068-5	nickel dinitrate	< 0.1 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 361,9 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1		

**Further Information**

No data available

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l Flusssäure 40%

Revision date: 02.03.2023

Product code: 34344

Page 4 of 17

#### General information

First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air.

Call a physician immediately.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns.

Irritant

Cough

Dyspnoea

Vomiting

Methaemoglobinaemia

Risk of serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NO<sub>x</sub>)

Hydrogen fluoride

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l Flusssäure 40%

Revision date: 02.03.2023

Product code: 34344

Page 5 of 17

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

###### General advice

Do not breathe vapour/aerosol. Corrosive to metals.

###### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

###### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

##### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

##### 6.3. Methods and material for containment and cleaning up

###### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal.

###### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

###### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

##### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

###### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol. Use extractor hood (laboratory).

###### Advice on protection against fire and explosion

Usual measures for fire prevention.

###### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take

a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l  
Flusssäure 40%**

Revision date: 02.03.2023

Product code: 34344

Page 6 of 17

**Further information on handling**

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

- Corrosive to metals.
- Unsuitable container/equipment material: Metal, Glass
- The product develops hydrogen in an aqueous solution in contact with metals.

**Hints on joint storage**

national regulations

**Further information on storage conditions**

Keep container tightly closed.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7664-39-3	Hydrogen fluoride (as F)	1.8	1.5		TWA (8 h)	WEL
		3	2.5		STEL (15 min)	WEL
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l  
Flusssäure 40%**

Revision date: 02.03.2023

Product code: 34344

Page 7 of 17

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
7647-14-5	sodium chloride			
Consumer DNEL, long-term		dermal	systemic	126,65 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	126,65 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	126,65 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	126,65 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	2068,62 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	systemic	2068,62 mg/m <sup>3</sup>
Worker DNEL, acute		dermal	systemic	295,52 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	443,28 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	systemic	443,28 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	295,52 mg/kg bw/day
10043-35-3	boric acid			
Worker DNEL, long-term		inhalation	systemic	8,3 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	392 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	4,15 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	196 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,98 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,98 mg/kg bw/day
13138-45-9	nickel dinitrate			
Consumer DNEL, acute		oral	systemic	0,012 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,02 mg/kg bw/day
Worker DNEL, acute		inhalation	systemic	104 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	1,6 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	systemic	8,8 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	0,1 mg/m <sup>3</sup>

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l Flusssäure 40%**

Revision date: 02.03.2023

Product code: 34344

Page 8 of 17

**PNEC values**

CAS No	Substance	Value
Environmental compartment		
7647-14-5	sodium chloride	
Freshwater		5 mg/l
Micro-organisms in sewage treatment plants (STP)		500 mg/l
Soil		4,86 mg/kg
10043-35-3	boric acid	
Freshwater		2,9 mg/l
Freshwater (intermittent releases)		13,7 mg/l
Marine water		2,9 mg/l
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		5,7 mg/kg
13138-45-9	nickel dinitrate	
Freshwater		0,0071 mg/l
Freshwater (intermittent releases)		0 mg/l
Marine water		0,0086 mg/l
Freshwater sediment		109 mg/kg
Marine sediment		109 mg/kg
Secondary poisoning		0,12 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,33 mg/l
Soil		29,9 mg/kg

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

goggles

Wear eye/face protection.

**Hand protection**

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) with the following specification (test according to EN 374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data



## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l Flusssäure 40%

Revision date: 02.03.2023

Product code: 34344

Page 9 of 17

sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.  
Wash hands before breaks and after work.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

#### Thermal hazards

No data available

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	like: Nitric acid	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		No data available
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties	
No data available	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	No data available

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l Flusssäure 40%

Revision date: 02.03.2023

Product code: 34344

Page 10 of 17

Gas: No data available  
Oxidizing properties  
Oxidising agent

#### Other safety characteristics

Evaporation rate: No data available  
Solvent separation test: No data available  
Solvent content: 0  
Solid content: 0  
Sublimation point: No data available  
Softening point: No data available  
Pour point: No data available  
No data available: No data available  
Viscosity / dynamic: No data available  
Flow time: No data available

#### Further Information

Corrosive to metals.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Corrosive to metals.  
Oxidising agent

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Alkali (lye)  
The product develops hydrogen in an aqueous solution in contact with metals.  
Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide  
Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Cellulose  
Metal  
Glass  
The product develops hydrogen in an aqueous solution in contact with metals.

### 10.6. Hazardous decomposition products

In case of fire may be liberated:  
SECTION 5: Firefighting measures

#### Further information

No data available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l Flusssäure 40%**

Revision date: 02.03.2023

Product code: 34344

Page 11 of 17

**ATEmix calculated**

ATE (oral) 3403,7 mg/kg; ATE (dermal) 3403,7 mg/kg; ATE (inhalation vapour) 39,96 mg/l; ATE (inhalation dust/mist) 34,037 mg/l

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
7697-37-2	nitric acid					
	inhalation vapour	ATE 2,65 mg/l				
7647-14-5	sodium chloride					
	oral	LD50 mg/kg 3550	Rat	Study report	The study methodology followed appeared	
	dermal	LD50 mg/kg > 10000	Rabbit	Study report	The study methodology followed appeared to	
7664-39-3	hydrofluoric acid ... %					
	oral	ATE 5 mg/kg				
	dermal	ATE 5 mg/kg				
	inhalation vapour	ATE 0,5 mg/l				
	inhalation dust/mist	ATE 0,05 mg/l				
	inhalation (1 h) gas	LC50 ppm 1610	Rat			
10043-35-3	boric acid					
	oral	LD50 mg/kg 3450	Rat	Toxicology and Applied Pharmacology 23:	other: No data	
	dermal	LD50 mg/kg > 2000	Rabbit	Study report (1982)	other: FIFRA	
	inhalation (4 h) dust/mist	LC50 mg/l > 2,12	Rat	Study report (1997)	OECD Guideline 403	
13138-45-9	nickel dinitrate					
	oral	LD50 mg/kg 361,9	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425	
	inhalation vapour	ATE 11 mg/l				
	inhalation dust/mist	ATE 1,5 mg/l				

**Irritation and corrosivity**

Causes severe skin burns and eye damage.  
Causes serious eye damage.  
Following ingestion Gastric perforation  
Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.  
Irritating to respiratory system.  
Pulmonary oedema  
see also Section 4

**Sensitising effects**

May cause an allergic skin reaction. (nickel dinitrate)

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l Flusssäure 40%

Revision date: 02.03.2023

Product code: 34344

Page 12 of 17

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Information on likely routes of exposure**

There are no data available on the preparation/mixture itself.

#### **Specific effects in experiment on an animal**

There are no data available on the preparation/mixture itself.

#### **Additional information on tests**

There are no data available on the preparation/mixture itself.

#### **Practical experience**

There are no data available on the preparation/mixture itself.

#### **11.2. Information on other hazards**

##### **Endocrine disrupting properties**

There are no data available on the preparation/mixture itself.

##### **Other information**

There are no data available on the preparation/mixture itself.

#### **Further information**

There are no data available on the preparation/mixture itself.

### **SECTION 12: Ecological information**

#### **12.1. Toxicity**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l  
Flusssäure 40%**

Revision date: 02.03.2023

Product code: 34344

Page 13 of 17

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7697-37-2	nitric acid					
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry, other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009) Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977) Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008) OECD Guideline 209
7647-14-5	sodium chloride					
	Acute fish toxicity	LC50 mg/l	5840	96 h	Lepomis macrochirus	Study report (1985) other: ASTM E729
	Acute crustacea toxicity	EC50 mg/l	4136	48 h	Daphnia magna	J. fish. Res. Bd. Canada, 29: 1691-1700. OECD Guideline 202
	Fish toxicity	NOEC	252 mg/l	33 d	Pimephales promelas	Study report (1985) OECD Guideline 210
	Crustacea toxicity	NOEC	314 mg/l	21 d	Daphnia pulex	Memorandum of agreement No. 5429, Kentuc OECD Guideline 211
10043-35-3	boric acid					
	Acute fish toxicity	LC50 mg/l	79,7	96 h	Pimephales promelas	Study report (2010) other: ASTM E729-95 Standard Guide for C
	Acute algae toxicity	ErC50	66 mg/l	72 h	Phaeodactylum tricornutum	Study report (2011) ISO 10253
	Acute crustacea toxicity	EC50	109 mg/l	48 h	Ceriodaphnia dubia	Study report (2010) other: ASTM E729-95 Standard Guide for C
	Fish toxicity	NOEC mg/l	11,2	32 d	Pimephales promelas	Study report (2010) other: ASTM E1241-05 Standard Guide for
	Algae toxicity	NOEC mg/l	17,5	3 d	Pseudokirchneriella subcapitata	Study report (2000) OECD Guideline 201
	Crustacea toxicity	NOEC mg/l	25,9	42 d	other aquatic crustacea: Hyalella azteca	Study report (2010) other: US EPA 2000 Methods for assessing
	Acute bacteria toxicity	(EC50 mg/l)	> 10000	3 h	activated sludge of a predominantly domestic sewage	Study report (2001) OECD Guideline 209
13138-45-9	nickel dinitrate					
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003) other: not reported
	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Publication (2009) OECD Guideline 201

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l  
Flusssäure 40%**

Revision date: 02.03.2023

Product code: 34344

Page 14 of 17

	Acute crustacea toxicity	EC50 mg/l	0,2663	48 h	Ceriodaphnia dubia	Study report (2004)	other: American society of testing and m
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent	other: ASTM 1980, E-729
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2	other: not reported
	Crustacea toxicity	NOEC mg/l	0,04	42 d	Daphnia magna	Wat. Res. 24(7):845-852 (1990)	Chronic exposure to sublethal concentrat
	Acute bacteria toxicity	(EC50	33 mg/l)	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332	ISO 8192

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
10043-35-3	boric acid	-1,09

**BCF**

CAS No	Chemical name	BCF	Species	Source
10043-35-3	boric acid	0,558	Oncorhynchus nerka	Water Research Vol.
13138-45-9	nickel dinitrate	23	Spirodela polyrhiza	Ecotoxicology and en

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

- Discharge into the environment must be avoided.
- Harmful effect due to pH shift.
- Forms corrosive mixtures with water even if diluted.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

- Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
- Send to a physico-chemical treatment facility under observation of official regulations.
- Do not empty into drains.

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l Flusssäure 40%**

Revision date: 02.03.2023

Product code: 34344

Page 15 of 17

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 2031
<b>14.2. UN proper shipping name:</b>	NITRIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 2031
<b>14.2. UN proper shipping name:</b>	NITRIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 2031
<b>14.2. UN proper shipping name:</b>	NITRIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-A, S-B
Segregation group:	1 - acids

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 2031
<b>14.2. UN proper shipping name:</b>	NITRIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Special Provisions:	A212
Limited quantity Passenger:	Forbidden
Passenger LQ:	Forbidden
Excepted quantity:	E0
IATA-packing instructions - Passenger:	Forbidden
IATA-max. quantity - Passenger:	Forbidden
IATA-packing instructions - Cargo:	855

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l Flusssäure 40%**

Revision date: 02.03.2023

Product code: 34344

Page 16 of 17

IATA-max. quantity - Cargo: 30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):  
boric acid

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 30, Entry 75

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

**SECTION 16: Other information**

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method

**Relevant H and EUH statements (number and full text)**

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our



## Safety Data Sheet

according to UK REACH Regulation

### **Multielement-Standard "Hoch-2" 19 Elemente mit 60 ml/l Salpetersäure 70% + 3 ml/l Flusssäure 40%**

Revision date: 02.03.2023

Product code: 34344

Page 17 of 17

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.  
The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*