

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kaliumdisulfat zur Analyse pulvrig - kristallin

Revision date: 24.03.2023

Product code: 34369

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kaliumdisulfat zur Analyse pulvrig - kristallin

REACH Registration Number: 01-2119987095-26-XXXX
CAS No: 7790-62-7
EC No: 232-216-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH
Street: Stempelstraße 6
Place: D-47167 Duisburg
Telephone: 0203/5194-0
Telefax: 0203/5194-290
e-mail: info@analytichem.de
Contact person: Abteilung Produktsicherheit
Telephone: 0203/5194-107/117
e-mail: produktsicherheit@analytichem.de
Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 3; H331
Skin Corr. 1A; H314
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.
H331 Toxic if inhaled.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kaliumdisulfat zur Analyse pulvrig - kristallin

Revision date: 24.03.2023

Product code: 34369

Page 2 of 11

Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308	IF exposed or concerned:
P310	Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

EUH071	Corrosive to the respiratory tract.
--------	-------------------------------------

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	K2O7S2
Molecular weight:	254,33 g/mol

Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
7790-62-7	dipotassium disulphate	100 %
	232-216-8	
	Acute Tox. 3, Skin Corr. 1A, Eye Dam. 1; H331 H314 H318 EUH071	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7790-62-7	232-216-8	dipotassium disulphate	100 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: LD50 = 2140 mg/kg	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Call a physician immediately.

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.
Call a physician immediately.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kaliumdisulfat zur Analyse pulvrig - kristallin

Revision date: 24.03.2023

Product code: 34369

Page 3 of 11

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

corrosive

Pulmonary oedema

Gastrointestinal complaints

Dizziness

Dizziness

Cough

Dyspnoea

Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids

Hazardous combustion products

In case of fire may be liberated:

Sulphur oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe dust.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kaliumdisulfat zur Analyse pulvrig - kristallin

Revision date: 24.03.2023

Product code: 34369

Page 4 of 11

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

No special environmental measures are necessary.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use.

Handle and open container with care.

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

Avoid dust formation. Do not breathe dust.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat or drink.

Further information on handling

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and dry.

Store in a place accessible by authorized persons only.

Further information on storage conditions

Store in a well-ventilated place.

7.3. Specific end use(s)

Laboratory chemicals

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kaliumdisulfat zur Analyse pulvrig - kristallin

Revision date: 24.03.2023

Product code: 34369

Page 5 of 11

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7790-62-7	dipotassium disulphate			
Worker DNEL, long-term		inhalation	systemic	0,13 mg/m ³
Worker DNEL, acute		inhalation	systemic	0,26 mg/m ³
Worker DNEL, long-term		inhalation	local	0,13 mg/m ³
Worker DNEL, acute		inhalation	local	0,26 mg/m ³
Consumer DNEL, long-term		inhalation	systemic	0,065 mg/m ³
Consumer DNEL, acute		inhalation	systemic	0,13 mg/m ³
Consumer DNEL, long-term		inhalation	local	0,065 mg/m ³
Consumer DNEL, acute		inhalation	local	0,13 mg/m ³

PNEC values

CAS No	Substance	Value
7790-62-7	dipotassium disulphate	
Freshwater		0,68 mg/l
Freshwater (intermittent releases)		6,8 mg/l
Marine water		0,068 mg/l
Freshwater sediment		2,5 mg/kg
Marine sediment		0,25 mg/kg
Micro-organisms in sewage treatment plants (STP)		800 mg/l
Soil		0,092 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kaliumdisulfat zur Analyse pulvrig - kristallin

Revision date: 24.03.2023

Product code: 34369

Page 6 of 11

Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact
Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet <(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.
Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.
Filtering device with filter or ventilator filtering device of type: P3

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	white
Odour:	odourless
Odour threshold:	not determined
Melting point/freezing point:	~325 °C
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	X
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value (at 20 °C):	~0,8 (50 g/l)
Viscosity / kinematic:	not determined
Water solubility:	Soluble in: Water
Solubility in other solvents:	not determined
Dissolution rate:	not determined
Partition coefficient n-octanol/water:	not determined
Dispersion stability:	not determined
Vapour pressure:	not determined
Vapour pressure:	not determined
Density:	not determined
Relative density:	not determined
Bulk density:	~830 kg/m³

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kaliumdisulfat zur Analyse pulvrig - kristallin

Revision date: 24.03.2023

Product code: 34369

Page 7 of 11

Relative vapour density: not determined
Particle characteristics: not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties: not determined
Sustaining combustion: No data available
Self-ignition temperature: No data available
Solid: not determined
Gas: not applicable
Oxidizing properties: Not oxidising.

Other safety characteristics

Evaporation rate: not determined
Solvent separation test: not determined
Solvent content: not determined
Solid content: 100%
Sublimation point: not determined
Softening point: not determined
Pour point: not determined
not determined:
Viscosity / dynamic: not determined
Flow time: not determined

Further Information

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Protect against: Humidity

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Humidity

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated:
SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kaliumdisulfat zur Analyse pulvrig - kristallin

Revision date: 24.03.2023

Product code: 34369

Page 8 of 11

Acute toxicity

Toxic if inhaled.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7790-62-7	dipotassium disulphate				
	oral	LD50 2140 mg/kg	Rat	Hyg. Assoc. J., 30(5):470-476 (1969)	OECD Guideline 401
	inhalation vapour	ATE 3 mg/l			
	inhalation dust/mist	ATE 0,5 mg/l			

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Risk of serious damage to eyes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Further information

Irritant

corrosive

Pulmonary oedema

Gastrointestinal complaints

Dizziness

Dizziness

Cough

Dyspnoea

Risk of serious damage to eyes.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kaliumdisulfat zur Analyse pulvrig - kristallin

Revision date: 24.03.2023

Product code: 34369

Page 9 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7790-62-7	dipotassium disulphate					
	Acute fish toxicity	LC50 680 mg/l	96 h	Pimephales promelas	Environ. Toxicol. Chem., 16(10):2009–201	other: U.S. Environmental Protection Age
	Acute algae toxicity	ErC50 1492 mg/l	96 h	Pseudokirchneriella subcapitata	Environ. Toxicol. Chem., 31:1370–1374 (2)	other: U.S. EPA method 1003.0
	Acute crustacea toxicity	EC50 720 mg/l	48 h	Daphnia magna	Environ. Toxicol. Chem., 16(10):2009–201	other: U.S. Environmental Protection Age
	Fish toxicity	NOEC >= 595 - ca. 1300 mg/l	7 d	Pimephales promelas	Environ. Toxicol. Chem., 30(1):247–253 (other: Environment Canada. 1992. Biologi
	Crustacea toxicity	NOEC 790 mg/l	7 d	Ceriodaphnia dubia	Ecotoxicol., 16:317–325 (2007)	other: American Society for Testing, Mat

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available

Further information

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a hazardous waste incinerator facility under observation of official regulations.

Do not empty into drains.

Do not mix with other wastes.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Packing which cannot be properly cleaned must be disposed of.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

UN 2923

14.2. UN proper shipping name:

CORROSIVE SOLID, TOXIC, N.O.S. (dipotassium disulphate)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kaliumdisulfat zur Analyse pulvrig - kristallin

Revision date: 24.03.2023

Product code: 34369

Page 10 of 11

14.3. Transport hazard class(es): 8
14.4. Packing group: I
 Hazard label: 8+6.1
 Classification code: CT2
 Special Provisions: 274
 Limited quantity: 0
 Excepted quantity: E0
 Transport category: 1
 Hazard No: 886
 Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2923
14.2. UN proper shipping name: CORROSIVE SOLID, TOXIC, N.O.S. (dipotassium disulphate)
14.3. Transport hazard class(es): 8
14.4. Packing group: I
 Hazard label: 8+6.1
 Classification code: CT2
 Special Provisions: 274 802
 Limited quantity: 0
 Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number or ID number: UN 2923
14.2. UN proper shipping name: CORROSIVE SOLID, TOXIC, N.O.S. (dipotassium disulphate)
14.3. Transport hazard class(es): 8
14.4. Packing group: I
 Hazard label: 8+6.1
 Special Provisions: 274
 Limited quantity: 0
 Excepted quantity: E0
 EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2923
14.2. UN proper shipping name: CORROSIVE SOLID, TOXIC, N.O.S. (dipotassium disulphate)
14.3. Transport hazard class(es): 8
14.4. Packing group: I
 Hazard label: 8+6.1
 Special Provisions: A3 A803
 Limited quantity Passenger: Forbidden
 Passenger LQ: Forbidden
 Excepted quantity: E0
 IATA-packing instructions - Passenger: 858
 IATA-max. quantity - Passenger: 1 kg
 IATA-packing instructions - Cargo: 862
 IATA-max. quantity - Cargo: 25 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kaliumdisulfat zur Analyse pulvrig - kristallin

Revision date: 24.03.2023

Product code: 34369

Page 11 of 11

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU (SEVESO III): H2 ACUTE TOXIC

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,6,7,8,9,11,12,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H331 Toxic if inhaled.
EUH071 Corrosive to the respiratory tract.