

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l

Revision date: 06.07.2023

Product code: 34410

Page 1 of 15

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Multielement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l

UFI: 7892-A3E0-N00X-NY46

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

###### Uses advised against

Do not use for private purposes (household).

##### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	

##### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

##### Further Information

inapplicable, this product is a mixture REACH registration number see section 3

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Met. Corr. 1; H290  
Skin Irrit. 2; H315  
Eye Dam. 1; H318  
Skin Sens. 1; H317  
Carc. 1B; H350i  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### GB CLP Regulation

###### Hazard components for labelling

nitric acid  
nickel dinitrate  
cobalt dinitrate

Signal word: Danger

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l

Revision date: 06.07.2023

Product code: 34410

Page 2 of 15

#### Pictograms:



#### Hazard statements

H290	May be corrosive to metals.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H350i	May cause cancer by inhalation.
H412	Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P201	Obtain special instructions before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER/doctor.

#### Special labelling of certain mixtures

Restricted to professional users.

#### 2.3. Other hazards

No data available

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Mixtures in aqueous solution

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7697-37-2	nitric acid			1 - < 5 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071			
13138-45-9	nickel dinitrate			< 0.1 %
	236-068-5	028-012-00-1	01-2119492333-38	
	Ox. Sol. 2, Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350i H341 H360D H332 H302 H315 H318 H334 H317 H372 H400 H410			
10141-05-6	cobalt dinitrate			< 0.1 %
	233-402-1	027-009-00-2		
	Carc. 1B, Muta. 2, Repr. 1B, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360F H334 H317 H400 H410			
7761-88-8	silver nitrate			< 0.1 %
	231-853-9	047-001-00-2	01-2119513705-43	
	Ox. Sol. 2, Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H290 H314 H318 H400 H410			

Full text of H and EUH statements: see section 16.

## Safety Data Sheet

according to UK REACH Regulation

## Multielement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l

Revision date: 06.07.2023

Product code: 34410

Page 3 of 15

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	1 - < 5 %
		inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20	
13138-45-9	236-068-5	nickel dinitrate	< 0.1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 361,9 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1	
10141-05-6	233-402-1	cobalt dinitrate	< 0.1 %
		Carc. 1B; H350i: >= 0,01 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10	
7761-88-8	231-853-9	silver nitrate	< 0.1 %
		dermal: LD50 = > 348 mg/kg; oral: LD50 = > 2000 mg/kg Aquatic Acute 1; H400: M=1000 Aquatic Chronic 1; H410: M=100	

## Further Information

No data available

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

## General information

Self-protection of the first aider

## After inhalation

Provide fresh air.

Call a physician immediately.

## After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

## After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Methaemoglobinaemia

Allergic reactions

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

## Safety Data Sheet

according to UK REACH Regulation

### Multiement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l

Revision date: 06.07.2023

Product code: 34410

Page 4 of 15

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NO<sub>x</sub>)

Metal oxide smoke, toxic

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Corrosive to metals.

Do not breathe vapour/aerosol.

##### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

##### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal.

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

##### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l

Revision date: 06.07.2023

Product code: 34410

Page 5 of 15

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care.  
When using do not eat, drink, smoke, sniff. Use personal protection equipment.  
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.  
Do not breathe vapour/aerosol. Use extractor hood (laboratory).

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.  
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary.  
Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals.  
Unsuitable container/equipment material: Metal  
The product develops hydrogen in an aqueous solution in contact with metals.

#### Hints on joint storage

national regulations

#### Further information on storage conditions

Keep container tightly closed.  
Store in a place accessible by authorized persons only.

### 7.3. Specific end use(s)

Laboratory chemicals

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l**

Revision date: 06.07.2023

Product code: 34410

Page 6 of 15

**DNEL/DMEL values**

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
13138-45-9	nickel dinitrate		
Consumer DNEL, acute	oral	systemic	0,012 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,02 mg/kg bw/day
Worker DNEL, acute	inhalation	systemic	104 mg/m <sup>3</sup>
Worker DNEL, acute	inhalation	local	1,6 mg/m <sup>3</sup>
Consumer DNEL, acute	inhalation	systemic	8,8 mg/m <sup>3</sup>
Consumer DNEL, acute	inhalation	local	0,1 mg/m <sup>3</sup>
7761-88-8	silver nitrate		
Consumer DNEL, long-term	oral	systemic	0,02 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	0,016 mg/m <sup>3</sup>
Consumer DNEL, long-term	inhalation	systemic	0,006 mg/m <sup>3</sup>

**PNEC values**

CAS No	Substance	
Environmental compartment	Value	
13138-45-9	nickel dinitrate	
Freshwater	0,0071 mg/l	
Freshwater (intermittent releases)	0 mg/l	
Marine water	0,0086 mg/l	
Freshwater sediment	109 mg/kg	
Marine sediment	109 mg/kg	
Secondary poisoning	0,12 mg/kg	
Micro-organisms in sewage treatment plants (STP)	0,33 mg/l	
Soil	29,9 mg/kg	
7761-88-8	silver nitrate	
Freshwater	0,00004 mg/l	
Marine water	0,00086 mg/l	
Freshwater sediment	438,13 mg/kg	
Marine sediment	438,13 mg/kg	
Micro-organisms in sewage treatment plants (STP)	0,025 mg/l	
Soil	1,41 mg/kg	

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

goggles

Wear eye/face protection.

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l

Revision date: 06.07.2023

Product code: 34410

Page 7 of 15

#### Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) with the following specification (test according to EN 374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11mm  
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.  
Wash hands before breaks and after work.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

#### Thermal hazards

No data available

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		0,8
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l

Revision date: 06.07.2023

Product code: 34410

Page 8 of 15

Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	1,0164 g/cm <sup>3</sup>
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

#### 9.2. Other information

##### Information with regard to physical hazard classes

Explosive properties	
No data available	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
No data available	

##### Other safety characteristics

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	0
Solid content:	0
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

##### Further Information

Corrosive to metals.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Corrosive to metals.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Alkali (lye)

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Cellulose

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

### 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

#### Further information

No data available



**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l**

Revision date: 06.07.2023

Product code: 34410

Page 9 of 15

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in GB CLP Regulation**

**Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 85,48 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/l			
13138-45-9	nickel dinitrate				
	oral	LD50 361,9 mg/kg	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
7761-88-8	silver nitrate				
	oral	LD50 > 2000 mg/kg	Rat	Study report (1993)	OECD Guideline 401
	dermal	LD50 > 348 mg/kg	Guinea pig	J. Vet. Med. Sci.73: 1417 - 1423. (2011)	OECD Guideline 434

**Irritation and corrosivity**

Causes skin irritation.

Causes serious eye damage.

**Sensitising effects**

May cause an allergic skin reaction. (nickel dinitrate; cobalt dinitrate)

**Carcinogenic/mutagenic/toxic effects for reproduction**

May cause cancer by inhalation. (nickel dinitrate; cobalt dinitrate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the preparation/mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the preparation/mixture itself.

**Additional information on tests**

There are no data available on the preparation/mixture itself.

**Practical experience**

There are no data available on the preparation/mixture itself.

## Safety Data Sheet

according to UK REACH Regulation

### Multiement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l

Revision date: 06.07.2023

Product code: 34410

Page 10 of 15

#### **11.2. Information on other hazards**

##### **Endocrine disrupting properties**

There are no data available on the preparation/mixture itself.

##### **Other information**

There are no data available on the preparation/mixture itself.

##### **Further information**

There are no data available on the preparation/mixture itself.

### **SECTION 12: Ecological information**

#### **12.1. Toxicity**

Harmful to aquatic life with long lasting effects.

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l**

Revision date: 06.07.2023

Product code: 34410

Page 11 of 15

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7697-37-2	nitric acid					
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry, other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009) Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977) Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008) OECD Guideline 209
13138-45-9	nickel dinitrate					
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003) other: not reported
	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Publication (2009) OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,2663	48 h	Ceriodaphnia dubia	Study report (2004) other: American society of testing and m
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent other: ASTM 1980, E-729
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2 other: not reported
	Crustacea toxicity	NOEC mg/l	0,04	42 d	Daphnia magna	Wat. Res. 24(7):845-852 (1990) Chronic exposure to sublethal concentrat
	Acute bacteria toxicity	(EC50	33 mg/l)	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332 ISO 8192
7761-88-8	silver nitrate					
	Acute fish toxicity	LC50 mg/l	0,0012	96 h	Pimephales promelas	Environmental Toxicology and Chemistry. A guideline was not specified. The test
	Acute algae toxicity	ErC50 mg/l	0,0099	96 h	Pseudokirchneriella subcapitata	Environmental Science and Technology. 44 eline: U.S. Environmental Protection Age
	Acute crustacea toxicity	EC50 mg/l	0,00022	48 h	Daphnia magna	Environmental Toxicology and Chemistry. The protective effect of reactive sulphi
	Fish toxicity	NOEC	> 0,00125 mg/l	73 d	Oncorhynchus mykiss	Environmental Toxicology and Chemistry 2 other: ASTM 1241-98
	Algae toxicity	NOEC mg/l	0,0012	14 d	Champia parvula	in Bishop WE, Cardwell RD Heidolph BB (E The toxicity tests lasted 11 days for th

## Safety Data Sheet

according to UK REACH Regulation

## Multielement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l

Revision date: 06.07.2023

Product code: 34410

Page 12 of 15

	Crustacea toxicity	NOEC mg/l	0,00031	20 d	Isonychia bicolour	Environmental Toxicology and Chemistry.	20 day sublethal effects on representati
--	--------------------	--------------	---------	------	--------------------	---	--

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**BCF**

CAS No	Chemical name	BCF	Species	Source
13138-45-9	nickel dinitrate	23	Spirodela polyrhiza	Ecotoxicology and en
7761-88-8	silver nitrate	70	Cyprinus carpio	Water, Air and Soil

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.  
Harmful effect due to pH shift.  
Forms corrosive mixtures with water even if diluted.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.  
Do not empty into drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 3264
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80

**Safety Data Sheet**

according to UK REACH Regulation

**Multielement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l**

Revision date: 06.07.2023

Product code: 34410

Page 13 of 15

Tunnel restriction code: E

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** UN 3264  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8  
 Classification code: C1  
 Special Provisions: 274  
 Limited quantity: 5 L  
 Excepted quantity: E1

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 3264  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8  
 Special Provisions: 223, 274  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 EmS: F-A, S-B  
 Segregation group: 1 - acids

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 3264  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8  
 Special Provisions: A3 A803  
 Limited quantity Passenger: 1 L  
 Passenger LQ: Y841  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 852  
 IATA-max. quantity - Passenger: 5 L  
 IATA-packing instructions - Cargo: 856  
 IATA-max. quantity - Cargo: 60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Authorisations (REACH, annex XIV):  
 Substances of very high concern, SVHC (REACH, article 59):  
 cobalt dinitrate

Restrictions on use (REACH, annex XVII):  
 Entry 3, Entry 27, Entry 28, Entry 75

**National regulatory information**

## Safety Data Sheet

according to UK REACH Regulation

### Multielement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l

Revision date: 06.07.2023

Product code: 34410

Page 14 of 15

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

#### SECTION 16: Other information

##### Abbreviations and acronyms

Ox. Liq: Oxidising liquids  
 Ox. Sol: Oxidising solids  
 Met. Corr: Corrosive to metals  
 Acute Tox: Acute toxicity  
 Skin Corr: Skin corrosion  
 Skin Irrit: Skin irritation  
 Eye Dam: Eye damage  
 Resp. Sens: Respiratory sensitisation  
 Skin Sens: Skin sensitisation  
 Muta: Germ cell mutagenicity  
 Carc: Carcinogenicity  
 Repr: Reproductive toxicity  
 STOT RE: Specific target organ toxicity - repeated exposure  
 Aquatic Acute: Acute aquatic hazard  
 Aquatic Chronic: Chronic aquatic hazard

##### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Carc. 1B; H350i	Calculation method
Aquatic Chronic 3; H412	Calculation method

##### Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser.  
 H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H331 Toxic if inhaled.  
 H332 Harmful if inhaled.  
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 H341 Suspected of causing genetic defects.  
 H350i May cause cancer by inhalation.  
 H360D May damage the unborn child.  
 H360F May damage fertility.  
 H372 Causes damage to organs through prolonged or repeated exposure.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H412 Harmful to aquatic life with long lasting effects.  
 EUH071 Corrosive to the respiratory tract.

## Safety Data Sheet

according to UK REACH Regulation

### **Multielement-Standardlösung 13 Elemente in Salpetersäure 0,5 mol/l**

Revision date: 06.07.2023

Product code: 34410

Page 15 of 15

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*