



according to Regulation (EC) No 1907/2006

### Pufferlösung A-1 pH 2,90 ± 0,03 (20 °C)

Revision date: 10.08.2023

Product code: 34477

Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Pufferlösung A-1 pH 2,90 ± 0,03 (20 °C)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMTF	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	anada: +1 703-741-5970 (collect calls

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

accepted)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Special labelling of certain mixtures

Safety data sheet available on request.

# EUH210 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

# **Chemical characterization**



## Pufferlösung A-1 pH 2,90 ± 0,03 (20 °C)

Revision date: 10.08.2023

Product code: 34477

Page 2 of 11

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	o 1272/2008)		
64-17-5	ethanol			1 - < 5 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H3	19		
5949-29-1	Citric acid 1-hydrate			1 - < 5 %
	201-069-1		01-2119457026-42	
	Eye Irrit. 2, STOT SE 3; H319 H3	35		

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Limits, M-factors and ATE			
64-17-5	200-578-6	ethanol	1 - < 5 %		
	inhalation: LC 100	50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg Eye Irrit. 2; H319: >= 50 -			
5949-29-1	201-069-1	Citric acid 1-hydrate	1 - < 5 %		
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 5400 mg/kg				

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General information No data available

After inhalation

Provide fresh air.

### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.



### Pufferlösung A-1 pH 2,90 ± 0,03 (20 °C)

Revision date: 10.08.2023

Product code: 34477

Page 3 of 11

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

No data available

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Handle and open container with care. Keep container tightly closed. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Usual measures for fire prevention.



### .

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Pufferlösung A-1 pH 2,90 ± 0,03 (20 °C)

Revision date: 10.08.2023

Product code: 34477

Page 4 of 11

#### Advice on general occupational hygiene

Wash contaminated clothing prior to re-use. Do not breathe vapour/aerosol. Avoid contact with skin, eves and clothes.

#### Further information on handling

Wash contaminated clothing before reuse. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No data available

#### Further information on storage conditions

Store in a dry place.

### 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-17-5	Ethyl alcohol	1000	-		STEL (15 min)	

### **DNEL/DMEL** values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
64-17-5	ethanol		-	-			
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³			
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day			
Consumer DNE	EL, long-term	inhalation	systemic	114 mg/m³			
Consumer DNE	EL, long-term	dermal	systemic	206 mg/kg bw/day			
Consumer DNE	EL, long-term	oral	systemic	87 mg/kg bw/day			



according to Regulation (EC) No 1907/2006

# Pufferlösung A-1 pH 2,90 ± 0,03 (20 °C)

Revision date: 10.08.2023

Product code: 34477

Page 5 of 11

#### **PNEC** values

CAS No	Substance			
Environmen	tal compartment	Value		
64-17-5	ethanol			
Freshwater	reshwater			
Freshwater	(intermittent releases)	2,75 mg/l		
Marine wate	r	0,79 mg/l		
Freshwater	sediment	3,6 mg/kg		
Marine sedir	ment	2,9 mg/kg		
Secondary poisoning		380 mg/kg		
Micro-organ	isms in sewage treatment plants (STP)	580 mg/l		
Soil		0,63 mg/kg		
5949-29-1	Citric acid 1-hydrate			
Freshwater		0,44 mg/l		
Marine wate	Marine water			
Freshwater sediment		34,6 mg/kg		
Marine sedir	Marine sediment			
Micro-organ	isms in sewage treatment plants (STP)	1000 mg/l		
Soil		33,1 mg/kg		

#### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

### Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact:

Recommended glove articles: KCL 890 Vitoject® Recommended material: FKM (fluoro rubber) 0,7 mm Wearing time with occasional contact (splashes): > 480 min

By short-term hand contact

Recommended glove articles: KCL 720 Camapren® Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 30 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing.



# AnalytiChem GmbH

### Pufferlösung A-1 pH 2,90 ± 0,03 (20 °C)

Revision date: 10.08.2023

Product code: 34477

Page 6 of 11

### Wash hands before breaks and after work.

### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

### Thermal hazards

No data available

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour: Odour:	colourless	
Odour: Odour threshold:	odourless No data available	
	No data avallable	No data available
Melting point/freezing point:		
Boiling point or initial boiling point and		No data available
boiling range: Flammability:		No data available
Lower explosion limits:		No data available
-		
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value (at 20 °C):		2,9
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		0,9997 g/cm <sup>3</sup>
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available
9.2. Other information		
Information with regard to physical h	azard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		No data available
Gas:		No data available
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:		No data available
Solvent separation test:		No data available
-		



according to Regulation (EC) No 1907/2006

Pufferlösung A-1 pH 2,90 ± 0,03 (20 °C)					
Revision date: 10.08.2023	Product code: 34477	Page 7 of 11			
Solvent content:	0				
Solid content:	0				
Sublimation point:	No data available				
Softening point:	No data available				
Pour point:	No data available				
No data available:					
Viscosity / dynamic:	No data available				
Flow time:	No data available				
Further Information					
No data available					

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

There are no data available on the mixture itself.

### 10.2. Chemical stability

There are no data available on the mixture itself.

### 10.3. Possibility of hazardous reactions

There are no data available on the mixture itself.

#### 10.4. Conditions to avoid

Heat

#### 10.5. Incompatible materials

There are no data available on the mixture itself.

#### 10.6. Hazardous decomposition products

There are no data available on the mixture itself.

### Further information

There are no data available on the mixture itself.

# SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

### Acute toxicity

Based on available data, the classification criteria are not met.

### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



# Pufferlösung A-1 pH 2,90 ± 0,03 (20 °C)

Revision date: 10.08.2023

Product code: 34477

Page 8 of 11

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
64-17-5	ethanol							
	oral	LD50 mg/kg	10470	Rat	Study report (197	76) OECD Guideline 401		
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	Study report (198	30) OECD Guideline 403		
5949-29-1	Citric acid 1-hydrate							
	oral	LD50 mg/kg	5400	Mouse	Study report (198	31) OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (200	06) OECD Guideline 402		

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### **Practical experience**

There are no data available on the mixture itself.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

There are no data available on the mixture itself.

#### Other information

There are no data available on the mixture itself.

#### **Further information**

There are no data available on the mixture itself.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# Pufferlösung A-1 pH 2,90 ± 0,03 (20 °C)

Revision date: 10.08.2023

Product code: 34477

Page 9 of 11

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
64-17-5	ethanol								
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975		
	Acute algae toxicity	ErC50 22000 mg/l	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11		
	Algae toxicity	NOEC mg/l	5400	5 d	Skeletonema costatum	Environ Toxicol Chem 8(5):451-455. (1989	Study to determine the sensitivity of a		
	Crustacea toxicity	NOEC	2 mg/l	10 d	Ceriodaphnia dubia	Arch Environ Contam Toxicol 20(2):211-21	Follows the basic methodology for the th		
5949-29-1	Citric acid 1-hydrate			-					
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Pimephales promelas	Photogr. Sci. Eng. 16(5):370-377 (1972)			
	Acute crustacea toxicity	EC50 mg/l	> 50	48 h	other aquatic crustacea: Dreissena polymorpha	Environ.Toxicol.C hem. 16(9): 1930-1934 (	other: ASTM		
	Algae toxicity	NOEC	425 mg/l	8 d	Scenedesmus quadricauda	Water Research 14: 231-241 (1980)	other: Bringmann and Kuhn		

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,77
5949-29-1	Citric acid 1-hydrate	-1,55
5949-29-1	Citric acid 1-hydrate	

# BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol	1	Cyprinus carpio	Comparative Biochemi
5949-29-1	Citric acid 1-hydrate	3,2		ln: (2009)

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

### AnalytiChem GmbH

### Pufferlösung A-1 pH 2,90 ± 0,03 (20 °C)

Revision date: 10.08.2023

Product code: 34477

Page 10 of 11

#### **Further information**

Do not allow to enter into surface water or drains.

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Do not allow to enter into surface water or drains.

#### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user	
No dangerous good in sense of this tra	insport regulation.
14.7. Maritime transport in bulk according to	o IMO instruments
No dangerous good in sense of this transport regulation.	

### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 40, Entry 75

### National regulatory information

Water hazard class (D): Additional information

1 - slightly hazardous to water



according to Regulation (EC) No 1907/2006

# Pufferlösung A-1 pH 2,90 ± 0,03 (20 °C)

Revision date: 10.08.2023

Product code: 34477

Page 11 of 11

No data available

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 8,9.

#### Abbreviations and acronyms

Flam. Liq: Flammable liquid Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
EUH210	Safety data sheet available on request.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)