

Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in Salpetersäure ~ 6,5 % Product code: 34501

Revision date: 10.08.2023

Page 1 of 17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in Salpetersäure ~ 6,5 %

UFI:

32J2-D374-J000-U152

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTR	ous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling nitric acid nickel dinitrate Signal word: Danger



Multielem	ent-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in Salpetersäure ~ 6,5 %	
Revision date: 10.08.2023	Product code: 34501	Page 2 of 17
Pictograms:		
Hazard statements	• • • • • • • • • • • • • • • • • • •	
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H412	Harmful to aquatic life with long lasting effects.	
Precautionary statemer	nts	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
Special labelling of cert	tain mixtures	
EUH071	Corrosive to the respiratory tract.	
<u>2.3. Other hazards</u> No data available		
SECTION 3: Compositio	n/information on ingredients	

3.2. Mixtures

Chemical characterization Mixtures in aqueous solution



Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in

Salpetersäure ~ 6,5 %

Revision date: 10.08.2023

Product code: 34501

Page 3 of 17

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	o 1272/2008)	·	
7697-37-2	nitric acid			5 - < 10 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute To:	k. 3, Skin Corr. 1A; H272 H290 I	H331 H314 EUH071	
7789-02-8	Chrom-III-nitrat-9-hydrat			1 - < 5 %
	Ox. Sol. 3, Skin Irrit. 2, Eye Irrit. 2	; H272 H315 H319		
10022-31-8	bariumnitrat	< 1 %		
	233-020-5	056-002-00-7		
	Ox. Sol. 2, Acute Tox. 3, Acute To			
10031-43-3	Copper(II) nitrate trihydrate	< 1 %		
			01-2119969290-34	
	Ox. Sol. 2, Acute Tox. 4, Skin Irrit H315 H319 H400 H410			
13138-45-9	nickel dinitrate			< 0.01 %
	236-068-5	028-012-00-1	01-2119492333-38	
	Ox. Sol. 2, Carc. 1A, Muta. 2, Rep Resp. Sens. 1, Skin Sens. 1, STC H360D H332 H302 H315 H318 H			
7761-88-8	silver nitrate			< 0.01 %
	231-853-9	047-001-00-2	01-2119513705-43	
	Ox. Sol. 2, Met. Corr. 1, Skin Corr H290 H314 H318 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	imits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	5 - < 10 %
		2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 rr. 1B; H314: >= 5 - < 20	
10022-31-8	233-020-5	bariumnitrat	< 1 %
	inhalation: ATE 50 - < 300 mg/k	= 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = > g	
10031-43-3		Copper(II) nitrate trihydrate	< 1 %
	oral: ATE = 50) mg/kg	
13138-45-9	236-068-5	nickel dinitrate	< 0.01 %
	361,9 mg/kg S		
7761-88-8	231-853-9	silver nitrate	< 0.01 %
		 > 348 mg/kg; oral: LD50 = > 2000 mg/kg Aquatic Acute 1; H400: M=1000 : 1; H410: M=100 	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006



Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in

Salpetersäure ~ 6,5 % Product code: 34501

Revision date: 10.08.2023

Page 4 of 17

(REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.



Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in

Salpetersäure ~ 6,5 %

Revision date: 10.08.2023

Product code: 34501

Page 5 of 17

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe vapour/aerosol. Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling


Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol. Use extractor hood (laboratory).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take





Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in

Salpetersäure ~ 6,5 %

Revision date: 10.08.2023

Product code: 34501

Page 6 of 17

a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	



Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in

Salpetersäure ~ 6,5 %

Revision date: 10.08.2023

Product code: 34501

Page 7 of 17

DNEL/DMEL values

CAS No Substance			
DNEL type	Exposure route	Effect	Value
10022-31-8 bariumnitrat			
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL, long-term	dermal	systemic	8,141 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,67 mg/m³
Consumer DNEL, long-term	dermal	systemic	4,07 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,58 mg/kg bw/day
13138-45-9 nickel dinitrate			
Consumer DNEL, acute	oral	systemic	0,012 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,02 mg/kg bw/day
Worker DNEL, acute	inhalation	systemic	104 mg/m ³
Worker DNEL, acute	inhalation	local	1,6 mg/m³
Consumer DNEL, acute	inhalation	systemic	8,8 mg/m³
Consumer DNEL, acute	inhalation	local	0,1 mg/m³
7761-88-8 silver nitrate			
Consumer DNEL, long-term	oral	systemic	0,02 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	0,016 mg/m ³
Consumer DNEL, long-term	inhalation	systemic	0,006 mg/m ³



Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in

Salpetersäure ~ 6,5 %

Revision date: 10.08.2023

Product code: 34501

Page 8 of 17

PNEC values

CAS No	Substance	
Environmenta	al compartment	Value
10022-31-8	bariumnitrat	
Freshwater		0,115 mg/l
Freshwater s	ediment	600 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	62,2 mg/l
Soil		207,7 mg/kg
10031-43-3	Copper(II) nitrate trihydrate	
Freshwater		0,0078 mg/l
Marine water		0,0052 mg/l
Freshwater s	ediment	87 mg/kg
Marine sedim	ent	676 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	0,23 mg/l
Soil		65 mg/kg
13138-45-9	nickel dinitrate	
Freshwater		0,0071 mg/l
Freshwater (i	ntermittent releases)	0 mg/l
Marine water		0,0086 mg/l
Freshwater s	ediment	109 mg/kg
Marine sedim	ent	109 mg/kg
Secondary po	bisoning	0,12 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	0,33 mg/l
Soil		29,9 mg/kg
7761-88-8	silver nitrate	
Freshwater		0,00004 mg/l
Marine water		0,00086 mg/l
Freshwater s	ediment	438,13 mg/kg
Marine sedim	ent	438,13 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	0,025 mg/l
Soil		1,41 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):



Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in

Salpetersäure ~ 6,5 %

Revision date: 10.08.2023

Product code: 34501

Page 9 of 17

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	clear	
Odour:	like: Nitric acid	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		No data available



Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in								
Salpetersäure ~ 6,5 %								
Revision date: 10.08.2023	Product code: 34501	Page 10 of 17						
Relative density:	No data available							
Bulk density:	No data available							
Relative vapour density:	No data available							
Particle characteristics:	No data available							
9.2. Other information								
Information with regard to physical hazard classe	S							
Explosive properties								
No data available								
Sustaining combustion:	No data available							
Self-ignition temperature								
Solid:	No data available							
Gas:	No data available							
Oxidizing properties								
Oxidising agent								
Other safety characteristics								
Evaporation rate:	No data available							
Solvent separation test:	No data available							
Solvent content:	0							
Solid content:	0							
Sublimation point:	No data available							
Softening point:	No data available							
Pour point:	No data available							
No data available:								
Viscosity / dynamic:	No data available							
Flow time:	No data available							
Further Information								

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals. Oxidising agent

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Cellulose Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures



Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in

Salpetersäure ~ 6,5 %

Revision date: 10.08.2023

Product code: 34501

Page 11 of 17

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 12824 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 40,77 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name									
	Exposure route	Dose		Species	Source	Method				
7697-37-2	nitric acid	nitric acid								
	inhalation vapour	ATE 2,65	mg/l							
10022-31-8	bariumnitrat									
	oral	LD50 300 mg/kg	> 50 - <	Rat	Study report (2013)	OECD Guideline 423				
	inhalation vapour	ATE	11 mg/l							
	inhalation dust/mist	ATE	1,5 mg/l							
10031-43-3	Copper(II) nitrate trihyc	Copper(II) nitrate trihydrate								
	oral	ATE mg/kg	500							
13138-45-9	nickel dinitrate									
	oral	LD50 mg/kg	361,9	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425				
	inhalation vapour	ATE	11 mg/l							
	inhalation dust/mist	ATE	1,5 mg/l							
7761-88-8	silver nitrate									
	oral LD50 > 2000 mg/kg		Rat	Study report (1993)	OECD Guideline 401					
	dermal	LD50 mg/kg	> 348	Guinea pig	J. Vet. Med. Sci.73: 1417 - 1423. (2011)	OECD Guideline 434				

Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage. Following ingestion Gastric perforation Irritating to respiratory system. Pulmonary oedema see also Section 4

Sensitising effects

May cause an allergic skin reaction. (nickel dinitrate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1"	in
Salpetersäure ~ 6,5 %Revision date: 10.08.2023Product code: 34501	Page 12 of 17
STOT-single exposure Based on available data, the classification criteria are not met.	
STOT-repeated exposure Based on available data, the classification criteria are not met.	
Aspiration hazard Based on available data, the classification criteria are not met.	
Information on likely routes of exposure There are no data available on the preparation/mixture itself.	
Specific effects in experiment on an animal	
There are no data available on the preparation/mixture itself.	
Additional information on tests There are no data available on the preparation/mixture itself.	
Practical experience There are no data available on the preparation/mixture itself.	
11.2. Information on other hazards	
Endocrine disrupting properties There are no data available on the preparation/mixture itself.	
Other information There are no data available on the preparation/mixture itself.	
Further information There are no data available on the preparation/mixture itself.	
SECTION 12: Ecological information	

12.1. Toxicity

Harmful to aquatic life with long lasting effects.



Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in

Salpetersäure ~ 6,5 %

Revision date: 10.08.2023

Product code: 34501

Page 13 of 17

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
7697-37-2	nitric acid								
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26		
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical		
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso		
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209		
10022-31-8	bariumnitrat				-				
	Acute fish toxicity	LC50 mg/l	> 3,5	96 h	Danio rerio	Study report (2010)	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	> 1,15	72 h	Pseudokirchneriella subcapitata	Study report (2010)	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	14,5	48 h	Daphnia magna	Journal of the Fisheries Research Board	Not a guideline study but meets generall		
	Fish toxicity	NOEC mg/l	>= 100	33 d	Danio rerio	Study report (2014)	OECD Guideline 210		
	Crustacea toxicity	NOEC	2,9 mg/l	21 d	Daphnia magna	Journal of the Fisheries Research Board	The test did not exacty follow an existi		
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209		
10031-43-3	Copper(II) nitrate trihydrate								
	Acute fish toxicity	LC50 mg/l	0,193	96 h	Pimephales promelas	Study report (1996)	measurements were conducted by standard		
	Acute algae toxicity	ErC50 mg/l	0,152	72 h	Pseudokirchneriella subcapitata	Publication (2005)	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	0,007	48 h	Daphnia magna	Study report (1978)	- Test were conducted on Daphnia magna t		
	Fish toxicity	NOEC mg/l	0,123	12 d	Atherinops affinis	Mar. Environ. Res. 31: 17-35 (1991)	Three tests are reported, designed to de		
	Algae toxicity	NOEC mg/l	0,0102	19 d	other aquatic plant: giant kelp Macrocystis pyrife	Mar. Ecol. Prog. Ser. 68: 147 - 156 (199	Tests were conducted to determine the ef		
	Crustacea toxicity	NOEC mg/l	0,033	14 d	Penaeus mergulensis and Penaeus monodon	Bull. Environ. Contain. Toxicol. (1995)	The effects of dissolved copper on the g		
13138-45-9	nickel dinitrate								
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003	other: not reported		



Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in

Salpetersäure ~ 6,5 %

Revision date: 10.08.2023

Product code: 34501

Page 14 of 17

	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Publication (2009)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,2663	48 h	Ceriodaphnia dubia	Study report (2004)	other: American society of testing and m
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent	other: ASTM 1980, E-729
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2	other: not reported
	Crustacea toxicity	NOEC mg/l	0,04	42 d	Daphnia magna	Wat. Res. 24(7):845-852 (1990)	Chronic exposure to sublethal concentrat
	Acute bacteria toxicity	(EC50	33 mg/l)	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332	ISO 8192
7761-88-8	silver nitrate						
	Acute fish toxicity	LC50 mg/l	0,0012	96 h	Pimephales promelas	Environmental Toxicology and Chemistry.	A guideline was not specified. The test
	Acute algae toxicity	ErC50 mg/l	0,0099	96 h	Pseudokirchneriella subcapitata	Environmental Science and Technology. 44	eline: U.S. Environmental Protection Age
	Acute crustacea toxicity	EC50 mg/l	0,00022	48 h	Daphnia magna	Environmental Toxicology and Chemistry.	The protective effect of reactive sulphi
	Fish toxicity	NOEC 0,00125 m	> g/l	73 d	Oncorhynchus mykiss	Environmental Toxicology and Chemistry 2	other: ASTM 1241-98
	Algae toxicity	NOEC mg/l	0,0012	14 d	Champia parvula	in Bishop WE, Cardwell RD Heidolph BB (E	The toxicity tests lasted 11 days for th
	Crustacea toxicity	NOEC mg/l	0,00031	20 d	Isonychia bicolour	Environmental Toxicology and Chemistry.	20 day sublethal effects on representati

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
10022-31-8	bariumnitrat	68,4	Lepomis macrochirus	Archives of Environm
10031-43-3	Copper(II) nitrate trihydrate	0,02 - 20	Crangon crangon	Symp. Biologica. Hun
13138-45-9	nickel dinitrate	23	Spirodela polyrhiza	Ecotoxicology and en
7761-88-8	silver nitrate	70	Cyprinus carpio	Water, Air and Soil

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in

Salpetersäure ~ 6,5 % Product code: 34501

Revision date: 10.08.2023

Page 15 of 17

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2



	U	· · · ·			
Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in Salpetersäure ~ 6,5 %					
Revision date: 10.08.2023	Product co	de: 34501	Page 16 of 17		
EmS: Segregation group:	F-A, S-B 1 - acids				
Air transport (ICAO-TI/IATA-DGR)					
14.1. UN number or ID number:	UN 2031				
14.2. UN proper shipping name:	NITRIC ACID				
14.3. Transport hazard class(es):	8				
14.4. Packing group:	II				
Hazard label:	8				
Special Provisions:	A212				
Limited quantity Passenger:	Forbidden				
Passenger LQ:	Forbidden				
Excepted quantity:	E0	Forhiddon			
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:		Forbidden Forbidden			
IATA-max. quality - T assenger. IATA-packing instructions - Cargo:		855			
IATA-max. quantity - Cargo:		30 L			
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	No				
SECTION 15: Regulatory information					
15.1. Safety, health and environmental regu	lations/legislation spe	ecific for the substance or mixture			
EU regulatory information					
,	Restrictions on use (REACH, annex XVII):				
Entry 3, Entry 27, Entry 75 Marketing and use of explosives precursors (Regulation (EU) 2019/1148):					
	n (EU) 2019/1148: all s	uspicious transactions, and significant			
National regulatory information					
Employment restrictions:	Observe restrictions	to employment for juveniles according to the 'juve	nile		
	work protection guid				
Water hazard class (D):	3 - highly hazardous				
SECTION 16: Other information					
Abbreviations and acronyms					
Ox. Liq: Oxidising liquid					
Ox. Sol: Oxidising solid					
Met. Corr: Substance or mixture corrosive to metals					
Acute Tox: Acute toxicity					
Skin Corr: Skin corrosion					
Skin Irrit: Skin irritation					
Eye Dam: Eye damage					
Eye Irrit: Eye irritation Resp. Sens: Respiratory sensitisation					
Skin Sens: Skin sensitisation					
Muta: Germ cell mutagenicity					
Carc: Carcinogenicity					
Repr: Reproductive toxicity					
STOT RE: Specific target organ toxicity - repeated exposure					
Aquatic Acute: Acute aquatic hazard					
Aquatic Chronic: Chronic aquatic haza	ard				



Multielement-Standardlösung 14 Elemente "Spike-Lösung parenterale Form 1" in

Salpetersäure ~ 6,5 %

Revision date: 10.08.2023

Product code: 34501

Page 17 of 17

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

e	evalle h and EUH Stat	ements (number and fun text)
	H272	May intensify fire; oxidiser.
	H290	May be corrosive to metals.
	H301	Toxic if swallowed.
	H302	Harmful if swallowed.
	H314	Causes severe skin burns and eye damage.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H319	Causes serious eye irritation.
	H331	Toxic if inhaled.
	H332	Harmful if inhaled.
	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	H341	Suspected of causing genetic defects.
	H350i	May cause cancer by inhalation.
	H360D	May damage the unborn child.
	H372	Causes damage to organs through prolonged or repeated exposure.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
	H412	Harmful to aquatic life with long lasting effects.
	EUH071	Corrosive to the respiratory tract.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)