

Safety Data Sheet

according to UK REACH Regulation

Farbreagenz-Lösung zur photometrischen Kupfer-Bestimmung EZ1010...

Revision date: 23.11.2023

Product code: 34617

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Farbreagenz-Lösung zur photometrischen Kupfer-Bestimmung EZ1010...

UFI: 51V2-3396-200D-KMRJ

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|----------------------------------|------------------------------|
| Company name: | AnalytiChem GmbH | |
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation**

Signal word: Warning

Pictograms:

**Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Safety Data Sheet

according to UK REACH Regulation

Farbreagenz-Lösung zur photometrischen Kupfer-Bestimmung EZ1010...

Revision date: 23.11.2023

Product code: 34617

Page 2 of 11

P302+P352 IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.

Special labelling of certain mixtures

EUH208 Contains hydroxylammonium chloride. May produce an allergic reaction.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|-----------|--|--------------|------------------|-----------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) | | | |
| 1336-21-6 | Ammonia | | | 1 - < 5 % |
| | 215-647-6 | 007-001-01-2 | 01-2119488876-14 | |
| | Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 2; H314 H400 H411 | | | |
| 5470-11-1 | hydroxylammonium chloride | | | < 1 % |
| | 226-798-2 | 612-123-00-2 | 01-2120766309-45 | |
| | Met. Corr. 1, Carc. 2, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT RE 2, Aquatic Acute 1; H290 H351 H312 H302 H315 H319 H317 H373 H400 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|-----------|---|-----------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 1336-21-6 | 215-647-6 | Ammonia | 1 - < 5 % |
| | | inhalation: LC50 = 4230 mg/l (vapours); oral: LD50 = 350 mg/kg STOT SE 3; H335: >= 5 - 100 Aquatic Acute 1; H400: M=10 | |
| 5470-11-1 | 226-798-2 | hydroxylammonium chloride | < 1 % |
| | | dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.
Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.
In case of skin irritation, consult a physician.

Safety Data Sheet

according to UK REACH Regulation

Farbreagenz-Lösung zur photometrischen Kupfer-Bestimmung EZ1010...

Revision date: 23.11.2023

Product code: 34617

Page 3 of 11

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

Irritant

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO_x)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

No data available

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

Safety Data Sheet

according to UK REACH Regulation

Farbreagenz-Lösung zur photometrischen Kupfer-Bestimmung EZ1010...

Revision date: 23.11.2023

Product code: 34617

Page 4 of 11

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care.

Keep container tightly closed.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Wash contaminated clothing prior to re-use.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

Further information on handling

Wash contaminated clothing before reuse.

Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

national regulations

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|-----------|--------------------|-----|-------------------|-----------|---------------|--------|
| 7664-41-7 | Ammonia, anhydrous | 25 | 18 | | TWA (8 h) | WEL |
| | | 35 | 25 | | STEL (15 min) | WEL |

Safety Data Sheet

according to UK REACH Regulation

Farbreagenz-Lösung zur photometrischen Kupfer-Bestimmung EZ1010...

Revision date: 23.11.2023

Product code: 34617

Page 5 of 11

DNEL/DMEL values

| CAS No | Substance | | |
|--------------------------|----------------|----------|------------------------|
| DNEL type | Exposure route | Effect | Value |
| 1336-21-6 | Ammonia | | |
| Worker DNEL, long-term | inhalation | systemic | 47,6 mg/m ³ |
| Worker DNEL, acute | inhalation | systemic | 47,6 mg/m ³ |
| Worker DNEL, long-term | inhalation | local | 14 mg/m ³ |
| Worker DNEL, acute | inhalation | local | 36 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 6,8 mg/kg bw/day |
| Worker DNEL, acute | dermal | systemic | 6,8 mg/kg bw/day |
| Consumer DNEL, long-term | inhalation | systemic | 23,8 mg/m ³ |
| Consumer DNEL, acute | inhalation | systemic | 23,8 mg/m ³ |
| Consumer DNEL, long-term | inhalation | local | 2,8 mg/m ³ |
| Consumer DNEL, acute | inhalation | local | 7,2 mg/m ³ |
| Consumer DNEL, long-term | dermal | systemic | 68 mg/kg bw/day |
| Consumer DNEL, acute | dermal | systemic | 68 mg/kg bw/day |
| Consumer DNEL, long-term | oral | systemic | 6,8 mg/kg bw/day |
| Consumer DNEL, acute | oral | systemic | 6,8 mg/kg bw/day |

PNEC values

| CAS No | Substance | |
|------------------------------------|------------|--|
| Environmental compartment | Value | |
| 1336-21-6 | Ammonia | |
| Freshwater | 0,001 mg/l | |
| Freshwater (intermittent releases) | 0,007 mg/l | |
| Marine water | 0,001 mg/l | |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11mm
Wearing time with permanent contact: >480min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11mm
Wearing time with occasional contact (splashes): >480min

Safety Data Sheet

according to UK REACH Regulation

Farbreagenz-Lösung zur photometrischen Kupfer-Bestimmung EZ1010...

Revision date: 23.11.2023

Product code: 34617

Page 6 of 11

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.
Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|---|-------------------|--------------------------|
| Physical state: | Liquid | |
| Colour: | colourless | |
| Odour: | characteristic | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and boiling range: | | No data available |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | No data available |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value: | | 11,8 |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | No data available |
| Solubility in other solvents | | No data available |
| | No data available | |
| Dissolution rate: | | No data available |
| Partition coefficient n-octanol/water: | | No data available |
| Dispersion stability: | | No data available |
| Vapour pressure: | | No data available |
| Vapour pressure: | | No data available |
| Density: | | 0,9948 g/cm ³ |
| Relative density: | | No data available |
| Bulk density: | | No data available |
| Relative vapour density: | | No data available |
| Particle characteristics: | | No data available |

9.2. Other information

Information with regard to physical hazard classes

| | |
|---------------------------|-------------------|
| Explosive properties | |
| | No data available |
| Sustaining combustion: | No data available |
| Self-ignition temperature | |

Safety Data Sheet

according to UK REACH Regulation

Farbreagenz-Lösung zur photometrischen Kupfer-Bestimmung EZ1010...

Revision date: 23.11.2023

Product code: 34617

Page 7 of 11

Solid: No data available
Gas: No data available
Oxidizing properties
No data available

Other safety characteristics

Evaporation rate: No data available
Solvent separation test: No data available
Solvent content: 0
Solid content: 0
Sublimation point: No data available
Softening point: No data available
Pour point: No data available
No data available:
Viscosity / dynamic: No data available
Flow time: No data available

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no data available on the mixture itself.

10.2. Chemical stability

There are no data available on the mixture itself.

10.3. Possibility of hazardous reactions

Acid

10.4. Conditions to avoid

heat.

10.5. Incompatible materials

Metal

10.6. Hazardous decomposition products

In case of fire may be liberated: Nitrogen oxides (NO_x)

Further information

There are no data available on the mixture itself.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Safety Data Sheet

according to UK REACH Regulation

Farbreagenz-Lösung zur photometrischen Kupfer-Bestimmung EZ1010...

Revision date: 23.11.2023

Product code: 34617

Page 8 of 11

| CAS No | Chemical name | | | | |
|-----------|---------------------------|---------------|-----------|--------|--|
| | Exposure route | Dose | Species | Source | Method |
| 1336-21-6 | Ammonia | | | | |
| | oral | LD50 mg/kg | 350 | Rat | Journal of Industrial Hygiene and Toxicology |
| | inhalation (1 h) vapour | LC50 | 4230 mg/l | Mouse | Bull. Environm. Contam. Toxicol., 1982, 2 |
| 5470-11-1 | hydroxylammonium chloride | | | | |
| | oral | ATE mg/kg | 500 | | |
| | dermal | ATE mg/kg | 1100 | | |

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains hydroxylammonium chloride. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to UK REACH Regulation

Farbreagenz-Lösung zur photometrischen Kupfer-Bestimmung EZ1010...

Revision date: 23.11.2023

Product code: 34617

Page 9 of 11

| CAS No | Chemical name | | | | | |
|-----------|--------------------------|------------------|-----------|---------|------------------------|---|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 1336-21-6 | Ammonia | | | | | |
| | Acute fish toxicity | LC50 3,4 mg/l | 0,75 - | 96 h | Pimephales promelas | Trans Amer Fish Soc; 112 (5). 1983. 705- |
| | Acute crustacea toxicity | EC50 | 101 mg/l | 48 h | Daphnia magna | Environ. Toxicol. Chem. 5: 443-447 (1986) |
| | Fish toxicity | NOEC | 1,2 mg/l | 61 d | Oncorhynchus gorbuscha | Fish. Bull. 78(3): 641-648 (1980) |
| | | | | | | Assessment of acute toxicity in the fath |
| | | | | | | other: ASTM E729-80 |
| | | | | | | OECD Guideline 210 |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|---------------|---------|
| 1336-21-6 | Ammonia | -1,38 |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to UK REACH Regulation

Farbreagenz-Lösung zur photometrischen Kupfer-Bestimmung EZ1010...

Revision date: 23.11.2023

Product code: 34617

Page 10 of 11

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Additional information

No data available

SECTION 16: Other information

Abbreviations and acronyms

Met. Corr: Corrosive to metals

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Irrit: Eye irritation

Skin Sens: Skin sensitisation

Carc: Carcinogenicity

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|---------------------|--------------------------|
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |

Relevant H and EUH statements (number and full text)

Safety Data Sheet

according to UK REACH Regulation

Farbreagenz-Lösung zur photometrischen Kupfer-Bestimmung EZ1010...

Revision date: 23.11.2023

Product code: 34617

Page 11 of 11

| | |
|--------|---|
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H351 | Suspected of causing cancer. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| EUH208 | Contains hydroxylammonium chloride. May produce an allergic reaction. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)