

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multiement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 1 of 17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Multiement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

UFI: H973-D3Q6-6007-7C30

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|----------------------------------|------------------------------|
| Company name: | AnalytiChem GmbH | |
| | ACD | |
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290
Skin Corr. 1B; H314
Eye Dam. 1; H318
Skin Sens. 1; H317
Carc. 1B; H350
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

nitric acid, beryllium nitrate, cobalt dinitrate, cadmium nitrate; cadmium dinitrate

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multiement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 2 of 17

Pictograms:



Hazard statements

| | |
|------|--|
| H290 | May be corrosive to metals. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H350 | May cause cancer. |
| H412 | Harmful to aquatic life with long lasting effects. |

Precautionary statements

| | |
|----------------|--|
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor. |

Special labelling of certain mixtures

| | |
|--------|--|
| EUH071 | Corrosive to the respiratory tract. Restricted to professional users. |
|--------|--|

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 3 of 17

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|------------|--|--------------|------------------|------------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 7697-37-2 | nitric acid | | | 5 - < 10 % |
| | 231-714-2 | 007-030-00-3 | 01-2119487297-23 | |
| | Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071 | | | |
| - | beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex | | | < 1 % |
| | - | 004-002-00-2 | | |
| | Carc. 1B, Acute Tox. 2, Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3, STOT RE 1, Aquatic Chronic 2; H350i H330 H301 H315 H319 H317 H335 H372 H411 | | | |
| 13138-45-9 | nickel dinitrate | | | < 0.1 % |
| | 236-068-5 | 028-012-00-1 | 01-2119492333-38 | |
| | Ox. Sol. 2, Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350i H341 H360D H332 H302 H315 H318 H334 H317 H372 H400 H410 | | | |
| 10141-05-6 | cobalt dinitrate | | | < 0.1 % |
| | 233-402-1 | 027-009-00-2 | | |
| | Carc. 1B, Muta. 2, Repr. 1B, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360F H334 H317 H400 H410 | | | |
| 10325-94-7 | cadmium nitrate; cadmium dinitrate | | | < 0.1 % |
| | 233-710-6 | 048-014-00-6 | | |
| | Carc. 1B, Muta. 1B, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350 H340 H360 H332 H312 H302 H372 H400 H410 | | | |
| 7761-88-8 | silver nitrate | | | < 0.1 % |
| | 231-853-9 | 047-001-00-2 | 01-2119513705-43 | |
| | Ox. Sol. 2, Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H290 H314 H318 H400 H410 | | | |
| 7664-39-3 | hydrofluoric acid ... % | | | < 0.01 % |
| | 231-634-8 | 009-003-00-1 | | |
| | Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A; H310 H330 H300 H314 | | | |

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 4 of 17

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|-----------|---|------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 7697-37-2 | 231-714-2 | nitric acid | 5 - < 10 % |
| | | inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20 | |
| - | - | beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex | < 1 % |
| | | inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = 100 mg/kg | |
| 13138-45-9 | 236-068-5 | nickel dinitrate | < 0.1 % |
| | | inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 361,9 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1 | |
| 10141-05-6 | 233-402-1 | cobalt dinitrate | < 0.1 % |
| | | Carc. 1B; H350i: >= 0,01 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10 | |
| 10325-94-7 | 233-710-6 | cadmium nitrate; cadmium dinitrate | < 0.1 % |
| | | inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg Carc. 1B; H350: >= 0,01 - 100 | |
| 7761-88-8 | 231-853-9 | silver nitrate | < 0.1 % |
| | | dermal: LD50 = > 348 mg/kg; oral: LD50 = > 2000 mg/kg Aquatic Acute 1; H400: M=1000 Aquatic Chronic 1; H410: M=100 | |
| 7664-39-3 | 231-634-8 | hydrofluoric acid ... % | < 0.01 % |
| | | inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: LC50 = 2240 ppm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: >= 7 - 100 Skin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1 | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multiement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 5 of 17

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns.
Irritant
Cough
Dyspnoea
Vomiting
Methaemoglobinaemia
Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids
Hazardous combustion products
In case of fire may be liberated:
Nitrogen oxides (NO_x)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.
In case of fire and/or explosion do not breathe fumes.
Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Move undamaged containers from immediate hazard area if it can be done safely.
Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe vapour/aerosol. Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multiement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 6 of 17

Prevent spread over a wide area (e.g. by containment or oil barriers).
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Collect in closed and suitable containers for disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.
When using do not eat, drink, smoke, sniff. Use personal protection equipment.
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.
Do not breathe vapour/aerosol. Use extractor hood (laboratory).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary.
Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals.
Unsuitable container/equipment material: Metal
The product develops hydrogen in an aqueous solution in contact with metals.

Further information on storage conditions

Keep container tightly closed.
Store in a place accessible by authorized persons only.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 7 of 17

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|-----------|--------------------------|-----|-------------------|---------------------|---------------|--------|
| 7440-36-0 | Antimony | - | 0.5 | | TWA (8 h) | |
| 7664-39-3 | Hydrogen fluoride (as F) | 1.8 | 1.5 | | TWA (8 h) | |
| | | 3 | 2.5 | | STEL (15 min) | |
| 7697-37-2 | Nitric acid | 1 | 2.6 | | STEL (15 min) | |

Biological limit values

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|-----------|-------------------|-----------|--------|---------------|----------------|
| 7664-39-3 | Hydrogen fluoride | Fluoride | 2 mg/L | Urine | Prior to shift |

DNEL/DMEL values

| CAS No | Substance | DNEL type | Exposure route | Effect | Value |
|------------|-------------------------|--------------------------|----------------|----------|-------------------------|
| 13138-45-9 | nickel dinitrate | Consumer DNEL, acute | oral | systemic | 0,012 mg/kg bw/day |
| | | Consumer DNEL, long-term | oral | systemic | 0,02 mg/kg bw/day |
| | | Worker DNEL, acute | inhalation | systemic | 104 mg/m ³ |
| | | Worker DNEL, acute | inhalation | local | 1,6 mg/m ³ |
| | | Consumer DNEL, acute | inhalation | systemic | 8,8 mg/m ³ |
| | | Consumer DNEL, acute | inhalation | local | 0,1 mg/m ³ |
| 7761-88-8 | silver nitrate | Consumer DNEL, long-term | oral | systemic | 0,02 mg/kg bw/day |
| | | Worker DNEL, long-term | inhalation | systemic | 0,016 mg/m ³ |
| | | Consumer DNEL, long-term | inhalation | systemic | 0,006 mg/m ³ |
| 7664-39-3 | hydrofluoric acid ... % | Worker DNEL, long-term | inhalation | systemic | 1,5 mg/m ³ |
| | | Worker DNEL, acute | inhalation | systemic | 2,5 mg/m ³ |
| | | Worker DNEL, long-term | inhalation | local | 1,5 mg/m ³ |
| | | Worker DNEL, acute | inhalation | local | 2,5 mg/m ³ |
| | | Consumer DNEL, long-term | inhalation | systemic | 0,03 mg/m ³ |
| | | Consumer DNEL, acute | inhalation | systemic | 0,03 mg/m ³ |
| | | Consumer DNEL, long-term | inhalation | local | 0,2 mg/m ³ |
| | | Consumer DNEL, acute | inhalation | local | 1,25 mg/m ³ |
| | | Consumer DNEL, long-term | oral | systemic | 0,01 mg/kg bw/day |
| | | Consumer DNEL, acute | oral | systemic | 0,01 mg/kg bw/day |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 8 of 17

PNEC values

| CAS No | Substance | Value |
|--|-------------------------|--------------|
| Environmental compartment | | |
| 13138-45-9 | nickel dinitrate | |
| Freshwater | | 0,0071 mg/l |
| Freshwater (intermittent releases) | | 0 mg/l |
| Marine water | | 0,0086 mg/l |
| Freshwater sediment | | 109 mg/kg |
| Marine sediment | | 109 mg/kg |
| Secondary poisoning | | 0,12 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 0,33 mg/l |
| Soil | | 29,9 mg/kg |
| 7761-88-8 | silver nitrate | |
| Freshwater | | 0,00004 mg/l |
| Marine water | | 0,00086 mg/l |
| Freshwater sediment | | 438,13 mg/kg |
| Marine sediment | | 438,13 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 0,025 mg/l |
| Soil | | 1,41 mg/kg |
| 7664-39-3 | hydrofluoric acid ... % | |
| Freshwater | | 0,89 mg/l |
| Marine water | | 0,089 mg/l |
| Freshwater sediment | | 3,38 mg/kg |
| Marine sediment | | 0,338 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 51 mg/l |
| Soil | | 10,6 mg/kg |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11mm

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 9 of 17

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|---|-------------------|-------------------------|
| Physical state: | Liquid | |
| Colour: | grey | |
| Odour: | like: Nitric acid | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and boiling range: | | No data available |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | No data available |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value: | | 0 |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | completely miscible |
| Solubility in other solvents | | |
| No data available | | |
| Dissolution rate: | | No data available |
| Partition coefficient n-octanol/water: | | No data available |
| Dispersion stability: | | No data available |
| Vapour pressure: | | No data available |
| Vapour pressure: | | No data available |
| Density: | | 1,028 g/cm ³ |
| Relative density: | | No data available |
| Bulk density: | | No data available |
| Relative vapour density: | | No data available |
| Particle characteristics: | | No data available |

9.2. Other information

Information with regard to physical hazard classes

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multiement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 10 of 17

Explosive properties

No data available

Sustaining combustion:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

Oxidising agent

Other safety characteristics

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

0

Solid content:

0

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available:

Viscosity / dynamic:

No data available

Flow time:

No data available

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

Oxidising agent

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals.

Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide

Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Cellulose

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 11 of 17

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 72202 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 45,39 mg/l; ATE (inhalation dust/mist) 36,10 mg/l

| CAS No | Chemical name | | | | |
|------------|---|-------------------|------------|--|--------------------|
| | Exposure route | Dose | Species | Source | Method |
| 7697-37-2 | nitric acid | | | | |
| | inhalation vapour | ATE 2,65 mg/l | | | |
| - | beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex | | | | |
| | oral | ATE 100 mg/kg | | | |
| | inhalation vapour | ATE 0,5 mg/l | | | |
| | inhalation dust/mist | ATE 0,05 mg/l | | | |
| 13138-45-9 | nickel dinitrate | | | | |
| | oral | LD50 361,9 mg/kg | Rat | Regul Toxicol and Pharmacol (doi.org/10. | OECD Guideline 425 |
| | inhalation vapour | ATE 11 mg/l | | | |
| | inhalation dust/mist | ATE 1,5 mg/l | | | |
| 10325-94-7 | cadmium nitrate; cadmium dinitrate | | | | |
| | oral | ATE 500 mg/kg | | | |
| | dermal | ATE 1100 mg/kg | | | |
| | inhalation vapour | ATE 11 mg/l | | | |
| | inhalation dust/mist | ATE 1,5 mg/l | | | |
| 7761-88-8 | silver nitrate | | | | |
| | oral | LD50 > 2000 mg/kg | Rat | Study report (1993) | OECD Guideline 401 |
| | dermal | LD50 > 348 mg/kg | Guinea pig | J. Vet. Med. Sci.73: 1417 - 1423. (2011) | OECD Guideline 434 |
| 7664-39-3 | hydrofluoric acid ... % | | | | |
| | oral | ATE 5 mg/kg | | | |
| | dermal | ATE 5 mg/kg | | | |
| | inhalation vapour | ATE 0,5 mg/l | | | |
| | inhalation dust/mist | ATE 0,05 mg/l | | | |
| | inhalation (1 h) gas | LC50 2240 ppm | Rat | Study report (1990) | OECD Guideline 403 |

Irritation and corrosivity

Causes severe skin burns and eye damage.
Causes serious eye damage.
Corrosive to the respiratory tract.
Following ingestion Gastric perforation
Irritating to respiratory system.
Pulmonary oedema
see also Section 4

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multiement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 12 of 17

Sensitising effects

May cause an allergic skin reaction. (beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex; nickel dinitrate; cobalt dinitrate)

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer. (beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex; nickel dinitrate; cobalt dinitrate; cadmium nitrate; cadmium dinitrate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 13 of 17

| CAS No | Chemical name | | | | | |
|------------|--------------------------|------------------|----------------|---------|--|---|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 7697-37-2 | nitric acid | | | | | |
| | Acute fish toxicity | LC50 mg/l | 1559 | 96 h | Topeka shiner | Environmental Toxicology and Chemistry, other: ASTM E729-26 |
| | Fish toxicity | NOEC | 268 mg/l | 30 d | juvenile Topeka shiner and with juvenile Fathead m | Study report (2009) Growth tests estimated the test chemical |
| | Algae toxicity | NOEC mg/l | > 419 | 10 d | several benthic diatoms; see results | Marine Biology 43:307-315 (1977) Ten cultures of benthic diatoms were iso |
| | Acute bacteria toxicity | EC50 mg/l () | > 1000 | 3 h | Activated sludge | Study report (2008) OECD Guideline 209 |
| 13138-45-9 | nickel dinitrate | | | | | |
| | Acute fish toxicity | LC50 mg/l | 15,3 | 96 h | Oncorhynchus mykiss | Aquatic Toxicology 63 (2003) 65-82 (2003) other: not reported |
| | Acute algae toxicity | ErC50 mg/l | 0,237 | 72 h | Ankistrodesmus falcatus | Publication (2009) OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 mg/l | 0,2663 | 48 h | Ceriodaphnia dubia | Study report (2004) other: American society of testing and m |
| | Fish toxicity | NOEC mg/l | 0,057 | 32 d | Pimephales promelas | Water Resources Research Institute. Kent other: ASTM 1980, E-729 |
| | Algae toxicity | NOEC | 0,6 mg/l | 14 d | Anabaena cylindrica | Environ. Pollut. (Series A). 25(4):241-2 other: not reported |
| | Crustacea toxicity | NOEC mg/l | 0,04 | 42 d | Daphnia magna | Wat. Res. 24(7):845-852 (1990) Chronic exposure to sublethal concentrat |
| | Acute bacteria toxicity | EC50) | 33 mg/l () | 0,5 h | Activated sludge | Journal of Hazardous Materials. B139:332 ISO 8192 |
| 7761-88-8 | silver nitrate | | | | | |
| | Acute fish toxicity | LC50 mg/l | 0,0012 | 96 h | Pimephales promelas | Environmental Toxicology and Chemistry. A guideline was not specified. The test |
| | Acute algae toxicity | ErC50 mg/l | 0,0099 | 96 h | Pseudokirchneriella subcapitata | Environmental Science and Technology. 44 eline: U.S. Environmental Protection Age |
| | Acute crustacea toxicity | EC50 mg/l | 0,00022 | 48 h | Daphnia magna | Environmental Toxicology and Chemistry. The protective effect of reactive sulphhi |
| | Fish toxicity | NOEC | > 0,00125 mg/l | 73 d | Oncorhynchus mykiss | Environmental Toxicology and Chemistry 2 other: ASTM 1241-98 |
| | Algae toxicity | NOEC mg/l | 0,0012 | 14 d | Champia parvula | in Bishop WE, Cardwell RD Heidolph BB (E The toxicity tests lasted 11 days for th |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 14 of 17

| | | | | | | | |
|-----------|-------------------------|------------------|----------|------|-----------------------|---|--|
| | Crustacea toxicity | NOEC mg/l | 0,00031 | 20 d | Isonychia bicolor | Environmental Toxicology and Chemistry. | 20 day sublethal effects on representati |
| 7664-39-3 | hydrofluoric acid ... % | | | | | | |
| | Acute fish toxicity | LC50 | 299 mg/l | 96 h | Salmo trutta | REACH Registration Dossier | other: U.S Environmental Protection Agen |
| | Acute algae toxicity | ErC50 | 43 mg/l | 96 h | various algae species | REACH Registration Dossier | Methods not detailed in the review. |
| | Crustacea toxicity | NOEC | 3,7 mg/l | 21 d | Daphnia magna | REACH Registration Dossier | The publication is a review article of v |
| | Acute bacteria toxicity | EC50 mg/l () | 2930 | 3 h | Activated sludge | REACH Registration Dossier | ISO 8192 |

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|-------------------------|---------|---------------------|----------------------|
| 13138-45-9 | nickel dinitrate | 23 | Spirodela polyrhiza | Ecotoxicology and en |
| 7761-88-8 | silver nitrate | 70 | Cyprinus carpio | Water, Air and Soil |
| 7664-39-3 | hydrofluoric acid ... % | 53 - 58 | not specified | REACH Registration D |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 15 of 17

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2031
14.2. UN proper shipping name: NITRIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8
 Classification code: C1
 Limited quantity: 1 L
 Excepted quantity: E2
 Transport category: 2
 Hazard No: 80
 Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2031
14.2. UN proper shipping name: NITRIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8
 Classification code: C1
 Limited quantity: 1 L
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2031
14.2. UN proper shipping name: NITRIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8
 Special Provisions: -
 Limited quantity: 1 L
 Excepted quantity: E2
 EmS: F-A, S-B
 Segregation group: 1 - acids

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2031
14.2. UN proper shipping name: NITRIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8
 Special Provisions: A212
 Limited quantity Passenger: Forbidden
 Passenger LQ: Forbidden
 Excepted quantity: E0
 IATA-packing instructions - Passenger: Forbidden
 IATA-max. quantity - Passenger: Forbidden
 IATA-packing instructions - Cargo: 855
 IATA-max. quantity - Cargo: 30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 16 of 17

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):
cobalt dinitrate; cadmium nitrate; cadmium dinitrate

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 23, Entry 27, Entry 28, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

3 - highly hazardous to water

SECTION 16: Other information

Abbreviations and acronyms

- Ox. Liq: Oxidising liquid
- Ox. Sol: Oxidising solid
- Met. Corr: Substance or mixture corrosive to metals
- Acute Tox: Acute toxicity
- Skin Corr: Skin corrosion
- Skin Irrit: Skin irritation
- Eye Dam: Eye damage
- Eye Irrit: Eye irritation
- Resp. Sens: Respiratory sensitisation
- Skin Sens: Skin sensitisation
- Muta: Germ cell mutagenicity
- Carc: Carcinogenicity
- Repr: Reproductive toxicity
- STOT SE: Specific target organ toxicity - single exposure
- STOT RE: Specific target organ toxicity - repeated exposure
- Aquatic Acute: Acute aquatic hazard
- Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data |
| Skin Corr. 1B; H314 | Calculation method |
| Eye Dam. 1; H318 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |
| Carc. 1B; H350 | Calculation method |
| Aquatic Chronic 3; H412 | Calculation method |

Relevant H and EUH statements (number and full text)

- H272 May intensify fire; oxidiser.
- H290 May be corrosive to metals.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5 % mit Spuren HF

Revision date: 08.04.2024

Product code: 34748

Page 17 of 17

| | |
|--------|--|
| H310 | Fatal in contact with skin. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation. |
| H340 | May cause genetic defects. |
| H341 | Suspected of causing genetic defects. |
| H350 | May cause cancer. |
| H350i | May cause cancer by inhalation. |
| H360 | May damage fertility or the unborn child. |
| H360D | May damage the unborn child. |
| H360F | May damage fertility. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH071 | Corrosive to the respiratory tract. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)