



according to Regulation (EC) No 1907/2006

## Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 1 of 17

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

UFI: J283-X3WR-X00P-5EAK

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

**1.4. Emergency telephone** For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## Regulation (EC) No 1272/2008

### Hazard components for labelling

nitric acid

methanesulphonic acid

nickel dinitrate

Signal word: Danger





according to Regulation (EC) No 1907/2006

## Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 2 of 17

#### Pictograms:





#### **Hazard statements**

H290 May be corrosive to metals. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

#### **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Mixtures in aqueous solution



according to Regulation (EC) No 1907/2006

# Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 3 of 17

## Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation	on (EC) No 1272/2008)		
7697-37-2	nitric acid			1 - < 5 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1,	Acute Tox. 3, Skin Corr. 1A; H272 H	1290 H331 H314 EUH071	
75-75-2	methanesulphonic acid			1 - < 5 %
	200-898-6	607-145-00-4	01-2119491166-34	
	Met. Corr. 1, Acute Tox H302 H314 H318 H335	. 4, Acute Tox. 4, Skin Corr. 1B, Eye	Dam. 1, STOT SE 3; H290 H312	
10196-18-6	zinc(II) nitrate hexahydr	rate		< 1 %
	231-943-8		01-2119488498-16	
	Ox. Sol. 2, Acute Tox. 4 2; H272 H302 H315 H3	l, Skin Irrit. 2, Eye Dam. 1, STOT SE 18 H335 H400 H411	3, Aquatic Acute 1, Aquatic Chronic	
10031-43-3	Copper(II) nitrate trihyd	< 1 %		
			01-2119969290-34	
	Ox. Sol. 2, Acute Tox. 4 H315 H319 H400 H410		ute 1, Aquatic Chronic 1; H272 H302	
7647-01-0	Hydrochloric acid	< 0.1 %		
	231-595-7	017-002-01-X	01-2119484862-27	
	Skin Corr. 1B, STOT SI	E 3; H314 H335		
13138-45-9	nickel dinitrate			< 0.1 %
	236-068-5	028-012-00-1	01-2119492333-38	
	Resp. Sens. 1, Skin Se	uta. 2, Repr. 1B, Acute Tox. 4, Acute ns. 1, STOT RE 1, Aquatic Acute 1, A 15 H318 H334 H317 H372 H400 H41	Aquatic Chronic 1; H272 H350i H341	
7664-38-2	phosphoric acid	< 0.01 %		
	231-633-2	015-011-00-6	01-2119485924-24	
	Met. Corr. 1, Acute Tox			

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

# Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 4 of 17

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	1 - < 5 %
	1	E 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 orr. 1B; H314: >= 5 - < 20	
75-75-2	200-898-6	methanesulphonic acid	1 - < 5 %
	dermal: ATE =	1100 mg/kg; oral: ATE = 500 mg/kg	
10196-18-6	231-943-8	zinc(II) nitrate hexahydrate	< 1 %
	dermal: LD50 =	= > 2000 mg/kg; oral: LD50 = > 300 mg/kg	
10031-43-3		Copper(II) nitrate trihydrate	< 1 %
	oral: ATE = 50	0 mg/kg	
7647-01-0	231-595-7	Hydrochloric acid	< 0.1 %
	1	H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 3; H335: >= 10 - 100	
13138-45-9	236-068-5	nickel dinitrate	< 0.1 %
	361,9 mg/kg		
7664-38-2	231-633-2	phosphoric acid	< 0.01 %
	oral: ATE = 50 Irrit. 2; H319: >	0 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye = 10 - < 25	

## **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### General information

No data available

## After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Methaemoglobinaemia

Allergic reactions





according to Regulation (EC) No 1907/2006

### Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 5 of 17

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx)

Sulphur oxides

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Corrosive to metals.

Do not breathe vapour/aerosol.

### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal.

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation.





according to Regulation (EC) No 1907/2006

### Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 6 of 17

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

## Further information on storage conditions

Keep container tightly closed.

## 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	



according to Regulation (EC) No 1907/2006

# Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 7 of 17

## **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
10196-18-6	zinc(II) nitrate hexahydrate			
Worker DNEL,	long-term	inhalation	systemic	1 mg/m³
Worker DNEL,	long-term	dermal	systemic	8,3 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,25 mg/m³
Consumer DN	EL, long-term	dermal	systemic	8,3 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,83 mg/kg bw/day
7647-01-0	Hydrochloric acid			
Worker DNEL,	long-term	inhalation	local	8 mg/m³
Worker DNEL,	acute	inhalation	local	15 mg/m³
Consumer DN	EL, long-term	inhalation	local	8 mg/m³
Consumer DN	EL, acute	inhalation	local	15 mg/m³
13138-45-9	nickel dinitrate			
Consumer DN	EL, acute	oral	systemic	0,012 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,02 mg/kg bw/day
Worker DNEL,	acute	inhalation	systemic	104 mg/m³
Worker DNEL,	acute	inhalation	local	1,6 mg/m³
Consumer DN	EL, acute	inhalation	systemic	8,8 mg/m³
Consumer DN	EL, acute	inhalation	local	0,1 mg/m³
7664-38-2	phosphoric acid			
Worker DNEL,	acute	inhalation	local	2 mg/m³
Worker DNEL, long-term		inhalation	local	2,92 mg/m³
Consumer DNEL, long-term		inhalation	systemic	4,57 mg/m³
Consumer DNEL, long-term		inhalation	local	0,36 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,1 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	10,7 mg/m³



according to Regulation (EC) No 1907/2006

## Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 8 of 17

#### **PNEC values**

CAS No	Substance				
Environmental	compartment	Value			
10196-18-6	zinc(II) nitrate hexahydrate				
Freshwater		0,0206 mg/l			
Marine water	farine water				
Freshwater sed	diment	117,8 mg/kg			
Marine sedime	nt	60,5 mg/kg			
Micro-organisn	ns in sewage treatment plants (STP)	0,1 mg/l			
Soil		35,6 mg/kg			
10031-43-3	Copper(II) nitrate trihydrate				
Freshwater		0,0078 mg/l			
Marine water		0,0052 mg/l			
Freshwater sed	diment	87 mg/kg			
Marine sedime	nt	676 mg/kg			
Micro-organisn	ns in sewage treatment plants (STP)	0,23 mg/l			
Soil		65 mg/kg			
13138-45-9	nickel dinitrate				
Freshwater		0,0071 mg/l			
Freshwater (in	termittent releases)	0 mg/l			
Marine water		0,0086 mg/l			
Freshwater sediment 109 m					
Marine sediment 109 mg/kg					
Secondary poisoning 0,12 mg/kg					
Micro-organisn	ns in sewage treatment plants (STP)	0,33 mg/l			
Soil		29,9 mg/kg			

#### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles

Wear eye/face protection.

### **Hand protection**

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm



according to Regulation (EC) No 1907/2006

## Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 9 of 17

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Thermal hazards

No data available

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: yellow
Odour: odourless

Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

No data available
Upper explosion limits:

No data available
Flash point:

No data available
Auto-ignition temperature:

No data available
Decomposition temperature:

No data available
pH-Value:

0

Viscosity / kinematic:

Water solubility:

No data available completely miscible

Solubility in other solvents

No data available

Dissolution rate: No data available No data available Partition coefficient n-octanol/water: Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: No data available Density: 1,070 g/cm3 Relative density: No data available Bulk density: No data available Relative vapour density: No data available Particle characteristics: No data available

#### 9.2. Other information

## Information with regard to physical hazard classes





according to Regulation (EC) No 1907/2006

### Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 10 of 17

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

Solvent content:

Solid content:

Sublimation point:

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information
Corrosive to metals.

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Alkali (lye)

#### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Cellulose

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

## 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### **Further information**

No data available

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 11 of 17

#### **ATEmix calculated**

ATE (oral) 25010 mg/kg; ATE (dermal) 55022 mg/kg; ATE (inhalation vapour) 90,28 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7697-37-2	nitric acid	nitric acid						
	inhalation vapour	ATE 2,65	mg/l					
75-75-2	methanesulphonic acid							
	oral	ATE mg/kg	500					
	dermal	ATE mg/kg	1100					
10196-18-6	zinc(II) nitrate hexahydra	te						
	oral	LD50 mg/kg	> 300	Rat	Study report (2007)	OECD Guideline 423		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1999)	OECD Guideline 402		
10031-43-3	Copper(II) nitrate trihydrate							
	oral	ATE mg/kg	500					
13138-45-9	nickel dinitrate							
	oral	LD50 mg/kg	361,9	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425		
	inhalation vapour	ATE	11 mg/l					
	inhalation dust/mist	ATE	1,5 mg/l					
7664-38-2	phosphoric acid							
	oral	ATE mg/kg	500					

#### Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

## Sensitising effects

May cause an allergic skin reaction. (nickel dinitrate)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.





according to Regulation (EC) No 1907/2006

## Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 12 of 17

### **Practical experience**

There are no data available on the preparation/mixture itself.

## 11.2. Information on other hazards

## **Endocrine disrupting properties**

There are no data available on the preparation/mixture itself.

#### Other information

There are no data available on the preparation/mixture itself.

#### **Further information**

There are no data available on the preparation/mixture itself.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 13 of 17

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 mg/l ( )	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209
10196-18-6	zinc(II) nitrate hexahydrat	е					
	Acute fish toxicity	LC50 mg/l	0,315	96 h	Thymallus arcticus	Ecotoxicology and environmental safety 2	other: American Society for testing matr
	Acute crustacea toxicity	EC50 mg/l	2,14	48 h	Daphnia magna	Environm. Toxicol. & Chemistry 24 nr 5,	OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,44	72 d	Oncorhynchus mykiss	Trans. Am. Fish. Soc. 111, 70-77 (1982)	lab -designed dose response test with sm
	Algae toxicity	NOEC mg/l	1,071	16 d	Macrocystis pyrifera	Mar Environ Res 26(2):113-134 (1988)	16-d and 2-d toxicity test to early life
	Crustacea toxicity	NOEC mg/l	0,031	50 d	Daphnia magna	Aquatic Toxicologhy 12,273-290 (1988)	chronic tests were performed for an exte
	Acute bacteria toxicity	EC50	5,2 mg/l	3 h	activated sludge of a predominantly domestic sewag	Water research volume 17, nr10, 1363-136	OECD Guideline 209
10031-43-3	Copper(II) nitrate trihydraf	te					
	Acute fish toxicity	LC50 mg/l	0,193	96 h	Pimephales promelas	Study report (1996)	measurements were conducted by standard
	Acute algae toxicity	ErC50 mg/l	0,152	72 h	Pseudokirchneriella subcapitata	Publication (2005)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,007	48 h	Daphnia magna	Study report (1978)	- Test were conducted on Daphnia magna t
	Fish toxicity	NOEC mg/l	0,123	12 d	Atherinops affinis	Mar. Environ. Res. 31: 17-35 (1991)	Three tests are reported, designed to de
	Algae toxicity	NOEC mg/l	0,0102	19 d	other aquatic plant: giant kelp Macrocystis pyrife	Mar. Ecol. Prog. Ser. 68: 147 - 156 (199	Tests were conducted to determine the ef
	Crustacea toxicity	NOEC mg/l	0,033	14 d	Penaeus mergulensis and Penaeus monodon	Bull. Environ. Contain. Toxicol. (1995)	The effects of dissolved copper on the g
7647-01-0	Hydrochloric acid						
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		
13138-45-9	nickel dinitrate						



according to Regulation (EC) No 1907/2006

# Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 14 of 17

	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003	other: not reported
	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Publication (2009)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,2663	48 h	Ceriodaphnia dubia	Study report (2004)	other: American society of testing and m
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent	other: ASTM 1980, E-729
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2	other: not reported
	Crustacea toxicity	NOEC mg/l	0,04	42 d	Daphnia magna	Wat. Res. 24(7):845-852 (1990)	Chronic exposure to sublethal concentrat
	Acute bacteria toxicity	EC50 )	33 mg/l (	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332	ISO 8192
7664-38-2	phosphoric acid						
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2010)	EU Method C.3
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2010)	OECD Guideline 202
	Acute bacteria toxicity	EC50 mg/l ( )	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209

## 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
10196-18-6	zinc(II) nitrate hexahydrate	96,05	Danio rerio	Chemosphere 128:125-
10031-43-3	Copper(II) nitrate trihydrate	0,02 - 20	Crangon crangon	Symp. Biologica. Hun
13138-45-9	nickel dinitrate	23	Spirodela polyrhiza	Ecotoxicology and en

## 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

### Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 15 of 17

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 8 Classification code: C<sub>1</sub> Special Provisions: 274 Limited quantity: 5 L Excepted quantity: E1 Transport category: 3 Hazard No: 80 Tunnel restriction code: Ε

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C1Special Provisions:274Limited quantity:5 LExcepted quantity:E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223, 274Limited quantity:5 LExcepted quantity:E1EmS:F-A, S-BSegregation group:1 - acids

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)

14.3. Transport hazard class(es):





according to Regulation (EC) No 1907/2006

## Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 16 of 17

14.4. Packing group:IIIHazard label:8

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

1 L

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 27, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

## **SECTION 16: Other information**

## Abbreviations and acronyms

Ox. Liq: Oxidising liquid Ox. Sol: Oxidising solid

Met. Corr: Substance or mixture corrosive to metals

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation

Resp. Sens: Respiratory sensitisation

Skin Sens: Skin sensitisation Muta: Germ cell mutagenicity Carc: Carcinogenicity

Repr: Reproductive toxicity

STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard



according to Regulation (EC) No 1907/2006

## Multielement-Standard 10 Elemente in Salpetersäure ~ 0,5 mol/l

Revision date: 08.04.2024 Product code: 34757 Page 17 of 17

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method

## Relevant H and EUH statements (number and full text)

е	levant H and EUH stat	ements (number and full text)
	H272	May intensify fire; oxidiser.
	H290	May be corrosive to metals.
	H302	Harmful if swallowed.
	H312	Harmful in contact with skin.
	H314	Causes severe skin burns and eye damage.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H319	Causes serious eye irritation.
	H331	Toxic if inhaled.
	H332	Harmful if inhaled.
	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	H335	May cause respiratory irritation.
	H341	Suspected of causing genetic defects.
	H350i	May cause cancer by inhalation.
	H360D	May damage the unborn child.
	H372	Causes damage to organs through prolonged or repeated exposure.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
	H411	Toxic to aquatic life with long lasting effects.
	EUH071	Corrosive to the respiratory tract.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)