

# **Safety Data Sheet**

according to UK REACH Regulation

# **Reagent 781324**

Revision date: 27.09.2023 Product code: 781324 Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Reagent 781324

UFI: Y5VS-M75P-D204-G5K6

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Laboratory chemicals

# Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analvtichem.de

www.analytichem.de Internet:

Responsible Department: Abteilung Produktsicherheit

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, 1.4. Emergency telephone

Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: number:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# **GB CLP Regulation**

Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

# **GB CLP Regulation**

## Hazard components for labelling

Diisopropylamine hydrochloride diisopropylamine

Signal word: Warning

Pictograms:





# according to UK REACH Regulation

# **Reagent 781324**

Revision date: 27.09.2023 Product code: 781324 Page 2 of 12

#### **Hazard statements**

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

## **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

# P310 **2.3. Other hazards**

No data available

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

# **Chemical characterization**

Mixtures in aqueous solution

#### **Hazardous components**

| CAS No    | Chemical name   | Chemical name                       |                   |             |  |  |
|-----------|---|-------------------------------------|-------------------|-------------|--|--|
|           | EC No   | Index No                            | REACH No          |             |  |  |
|           | Classification (GB CLP Regulation)  | )                                   | •                 |             |  |  |
| 819-79-4  | Diisopropylamine hydrochloride  |                                     | 5 - < 10 %        |             |  |  |
|           | Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H302 H315 H319 H335 |                                     |                   |             |  |  |
| 108-18-9  | diisopropylamine  |                                     |                   | 5 - < 10 %  |  |  |
|           | 203-558-5   | 612-129-00-5                        | 01-2119485846-20  |             |  |  |
|           | Flam. Liq. 2, Acute Tox. 3, Acute T<br>H335                               | ox. 4, Skin Corr. 1B, STOT SE 3; H2 | 25 H331 H302 H314 |             |  |  |
| 7647-14-5 | sodium chloride   |                                     |                   | < 0.00001 % |  |  |
|           | 231-598-3   |                                     | 01-2119485491-33  |             |  |  |
|           |   |                                     |                   |             |  |  |

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

| CAS No    | EC No          | Chemical name  | Quantity    |
|-----------|----------------|--|-------------|
|           | Specific Conc. | Limits, M-factors and ATE  |             |
| 819-79-4  |                | Diisopropylamine hydrochloride   | 5 - < 10 %  |
|           | oral: ATE = 50 | 0 mg/kg  |             |
| 108-18-9  | 203-558-5      | diisopropylamine   | 5 - < 10 %  |
|           |                | 60 = 5,35 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal:<br>- < 5000 mg/kg; oral: LD50 = 420 mg/kg STOT SE 3; H335: >= 5 - 100 |             |
| 7647-14-5 | 231-598-3      | sodium chloride  | < 0.00001 % |
|           | dermal: LD50 : | = > 10000 mg/kg; oral: LD50 = 3550 mg/kg   |             |

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).



# according to UK REACH Regulation

# **Reagent 781324**

Revision date: 27.09.2023 Product code: 781324 Page 3 of 12

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### General information

No data available

#### After inhalation

Provide fresh air.

Call a physician immediately.

## After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Hydrogen chloride (HCI)

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

# For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.



# **Safety Data Sheet**

# according to UK REACH Regulation

# **Reagent 781324**

Revision date: 27.09.2023 Product code: 781324 Page 4 of 12

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

# For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

## Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

## Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

# Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed.

# Hints on joint storage

national regulations

# Further information on storage conditions

Keep tightly closed in new PE/PP-containers.

storage temperature: <= +8°C



according to UK REACH Regulation

# **Reagent 781324**

Revision date: 27.09.2023 Product code: 781324 Page 5 of 12

Protect against: Light, Heat

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# **Exposure limits (EH40)**

| CAS No   | Substance        | ppm | mg/m³ | fibres/ml | Category  | Origin |
|----------|------------------|-----|-------|-----------|-----------|--------|
| 108-18-9 | Diisopropylamine | 5   | 21    |           | TWA (8 h) | WEL    |

## **DNEL/DMEL values**

| CAS No       | Substance          |                |          |                         |
|--------------|--------------------|----------------|----------|-------------------------|
| DNEL type    |                    | Exposure route | Effect   | Value                   |
| 108-18-9     | diisopropylamine   |                |          |                         |
| Worker DNEL, | long-term          | inhalation     | systemic | 5 mg/m³                 |
| Worker DNEL, | acute              | inhalation     | systemic | 18 mg/m³                |
| Worker DNEL, | long-term          | inhalation     | local    | 5 mg/m³                 |
| Worker DNEL, | acute              | inhalation     | local    | 18 mg/m³                |
| Worker DNEL, | long-term          | dermal         | systemic | 0,5 mg/kg bw/day        |
| Worker DNEL, | long-term          | dermal         | local    | 0,22 mg/cm <sup>2</sup> |
| Consumer DNI | EL, long-term      | inhalation     | systemic | 0,6 mg/m³               |
| Consumer DNI | EL, long-term      | inhalation     | local    | 0,6 mg/m³               |
| Consumer DNI | EL, long-term      | oral           | systemic | 0,083 mg/kg<br>bw/day   |
| 7647-14-5    | sodium chloride    |                |          |                         |
| Consumer DNI | EL, long-term      | dermal         | systemic | 126,65 mg/kg<br>bw/day  |
| Consumer DNI | EL, acute          | dermal         | systemic | 126,65 mg/kg<br>bw/day  |
| Consumer DNI | EL, long-term      | oral           | systemic | 126,65 mg/kg<br>bw/day  |
| Consumer DNI | EL, acute          | oral           | systemic | 126,65 mg/kg<br>bw/day  |
| Worker DNEL, | long-term          | inhalation     | systemic | 2068,62 mg/m³           |
| Worker DNEL, | acute              | inhalation     | systemic | 2068,62 mg/m³           |
| Worker DNEL, | Worker DNEL, acute |                | systemic | 295,52 mg/kg<br>bw/day  |
| Consumer DNI | EL, long-term      | inhalation     | systemic | 443,28 mg/m³            |
| Consumer DNI | EL, acute          | inhalation     | systemic | 443,28 mg/m³            |
| Worker DNEL, | long-term          | dermal         | systemic | 295,52 mg/kg<br>bw/day  |



# **Safety Data Sheet**

according to UK REACH Regulation

# **Reagent 781324**

Revision date: 27.09.2023 Product code: 781324 Page 6 of 12

#### **PNEC** values

| CAS No   | Substance                            |            |  |
|--|--------------------------------------|------------|--|
| Environmental compartment Val                    |                                      | Value      |  |
| 108-18-9   | diisopropylamine                     |            |  |
| Freshwater                                       |                                      | 0,5 mg/l   |  |
| Freshwater (i                                    | intermittent releases)               | 0,2 mg/l   |  |
| Marine water                                     |                                      | 0,05 mg/l  |  |
| Freshwater sediment                              |                                      | 5,1 mg/kg  |  |
| Marine sediment                                  |                                      | 0,51 mg/kg |  |
| Micro-organis                                    | sms in sewage treatment plants (STP) | 28,6 mg/l  |  |
| Soil   |                                      | 0,56 mg/kg |  |
| 7647-14-5  | sodium chloride                      |            |  |
| Freshwater                                       |                                      | 5 mg/l     |  |
| Micro-organisms in sewage treatment plants (STP) |                                      | 500 mg/l   |  |
| Soil   |                                      | 4,86 mg/kg |  |

## 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles

Wear eye/face protection.

# Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Recommended glove articles: KCL 730 Camatril® Velours Recommended material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 730 Camatril® Velours Recommended material: NBR (Nitrile rubber) 0,4 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation



# **Safety Data Sheet**

# according to UK REACH Regulation

# **Reagent 781324**

Revision date: 27.09.2023 Product code: 781324 Page 7 of 12

## **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:

Colour:

Odour:

Odour threshold:

Liquid

colourless

like: Amines

No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

No data available Flammability: No data available Lower explosion limits: Upper explosion limits: No data available Flash point: No data available Auto-ignition temperature: No data available No data available Decomposition temperature: pH-Value: 11.6 No data available Viscosity / kinematic: Water solubility: completely miscible

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Relative vapour density:

No data available

# 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic:

No data available
Flow time:

No data available

# **Further Information**

No data available



# **Safety Data Sheet**

according to UK REACH Regulation

# **Reagent 781324**

Revision date: 27.09.2023 Product code: 781324 Page 8 of 12

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No data available

# 10.2. Chemical stability

Keep tightly closed in new PE/PP-containers.

storage temperature: <= +8°C

Protect against:

Light, Heat

# 10.3. Possibility of hazardous reactions

No data available

#### 10.4. Conditions to avoid

No data available

# 10.5. Incompatible materials

No data available

# 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### **Further information**

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

## **Acute toxicity**

Based on available data, the classification criteria are not met.

## **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to UK REACH Regulation

# **Reagent 781324**

Revision date: 27.09.2023 Product code: 781324 Page 9 of 12

| CAS No    | Chemical name           |                   |                 |         |                     |   |
|-----------|-------------------------|-------------------|-----------------|---------|---------------------|---|
|           | Exposure route          | Dose              |                 | Species | Source              | Method  |
| 819-79-4  | Diisopropylamine hydrod | hloride           |                 |         |                     |   |
|           | oral                    | ATE<br>mg/kg      | 500             |         |                     |   |
| 108-18-9  | diisopropylamine        |                   |                 |         |                     |   |
|           | oral                    | LD50<br>mg/kg     | 420             | Rat     | Study report (1985) | EPA OPP 81-1                                  |
|           | dermal                  | LD50<br>< 5000 mg | > 2000 -<br>/kg | Rat     | Study report (1977) | OECD Guideline 402                            |
|           | inhalation (4 h) vapour | LC50              | 5,35 mg/l       | Rat     | Study report (1979) | OECD Guideline 403                            |
|           | inhalation dust/mist    | ATE               | 0,5 mg/l        |         |                     |   |
| 7647-14-5 | sodium chloride         |                   |                 |         |                     |   |
|           | oral                    | LD50<br>mg/kg     | 3550            | Rat     | Study report        | The study<br>methodology followed<br>appeared |
|           | dermal                  | LD50<br>mg/kg     | > 10000         | Rabbit  | Study report        | The study methology followed appeared to      |

# Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

## Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (diisopropylamine)

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

## Additional information on tests

There are no data available on the preparation/mixture itself.

# **Practical experience**

There are no data available on the preparation/mixture itself.

## 11.2. Information on other hazards

#### Other information

There are no data available on the preparation/mixture itself.

#### **Further information**

There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

There are no data available on the preparation/mixture itself.



according to UK REACH Regulation

# **Reagent 781324**

Revision date: 27.09.2023 Product code: 781324 Page 10 of 12

| CAS No    | Chemical name            |                 |          |           |                           |  |   |
|-----------|--------------------------|-----------------|----------|-----------|---------------------------|--|---|
|           | Aquatic toxicity         | Dose            |          | [h]   [d] | Species                   | Source   | Method  |
| 108-18-9  | diisopropylamine         |                 |          |           |                           |  |   |
|           | Acute fish toxicity      | LC50<br>31 mg/l | > 21 - < | 96 h      | Leuciscus idus            | Other company<br>data (1985)                   | other: German<br>industrial<br>standard test g    |
|           | Acute algae toxicity     | ErC50           | 20 mg/l  | 96 h      | Selenastrum sp.           | Publication (1980)                             | other: EPA,<br>National<br>Eutrophication<br>Rese |
|           | Fish toxicity            | NOEC            | 582 mg/l | 35 d      | Gasterosteus<br>aculeatus | Publication (1989)                             | OECD Guideline<br>210                             |
|           | Acute bacteria toxicity  | (EC50<br>mg/l)  | > 100    | 3 h       | Activated sludge          | Study report<br>(2010)                         | OECD Guideline<br>209                             |
| 7647-14-5 | sodium chloride          |                 |          |           |                           |  |   |
|           | Acute fish toxicity      | LC50<br>mg/l    | 5840     | 96 h      | Lepomis macrochirus       | Study report<br>(1985)                         | other: ASTM<br>E729                               |
|           | Acute crustacea toxicity | EC50<br>mg/l    | 4136     | 48 h      | Daphnia magna             | J. fish. Res. Bd.<br>Canada, 29:<br>1691-1700. | OECD Guideline<br>202                             |
|           | Fish toxicity            | NOEC            | 252 mg/l | 33 d      | Pimephales promelas       | Study report<br>(1985)                         | OECD Guideline<br>210                             |
|           | Crustacea toxicity       | NOEC            | 314 mg/l | 21 d      | Daphnia pulex             | Memorandum of agreement No. 5429, Kentuc       | OECD Guideline<br>211                             |

## 12.2. Persistence and degradability

There are no data available on the preparation/mixture itself.

# 12.3. Bioaccumulative potential

There are no data available on the preparation/mixture itself.

## Partition coefficient n-octanol/water

| CAS No   | Chemical name    | Log Pow |
|----------|------------------|---------|
| 108-18-9 | diisopropylamine | 0,4     |

# 12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations.



# **Safety Data Sheet**

according to UK REACH Regulation

## **Reagent 781324**

Revision date: 27.09.2023 Product code: 781324 Page 11 of 12

Do not allow to enter into surface water or drains.

#### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

| I and | transi  | nort ( | (ADR | /RID |
|-------|---------|--------|------|------|
| ∟anu  | เเลเเจเ | υσιι   | MUN  | /NID |

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

## Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

# 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

## **National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 3,9.



according to UK REACH Regulation

# **Reagent 781324**

Revision date: 27.09.2023 Product code: 781324 Page 12 of 12

## Abbreviations and acronyms

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

## Classification for mixtures and used evaluation method according to GB CLP Regulation

| a                   |                          |
|---------------------|--------------------------|
| Classification      | Classification procedure |
| Skin Irrit. 2; H315 |                          |
| Eye Irrit. 2; H319  |                          |
| STOT SE 3; H335     | Calculation method       |

## Re

| OT SE 3; H335    |                | Calculation method                  |  |
|------------------|----------------|-------------------------------------|--|
| Relevant H and E | EUH statements | (number and full text)              |  |
| H225             | Highly         | flammable liquid and vapour.        |  |
| H302             | Harmfu         | l if swallowed.                     |  |
| H314             | Causes         | s severe skin burns and eye damage. |  |
| H315             | Causes         | s skin irritation.                  |  |

H319 Causes serious eye irritation.

H331

Toxic if inhaled.

H335 May cause respiratory irritation.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)