

according to Regulation (EC) No 1907/2006

# Reduction solution 205 g potassium disulfite + 20 g 4-(methylamino)-phenol sulfate/I for photometric

Revision date: 05.02.2025 Product code: 01417 Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Reduction solution 205 g potassium disulfite + 20 g 4-(methylamino)-phenol sulfate/l for photometric

UFI: YPW3-C0TJ-C008-5V7M

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

AnalytiChem GmbH Company name:

ACD

Street: Stempelstraße 6 Place: D-47167 Duisburg Telephone:

0203/5194-0

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

produktsicherheit@analytichem.de E-mail:

Internet: www.analvtichem.de

Responsible Department: Abteilung Produktsicherheit

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, 1.4. Emergency telephone Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: number:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

Telefax: 0203/5194-290

accepted)

## **Further Information**

This product is a mixture. REACH Registration Number see section 3.

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

### Regulation (EC) No 1272/2008

## Hazard components for labelling

dipotassium disulphite

bis(4-hydroxy-N-methylanilinium) sulphate

Signal word: Danger

Pictograms:







according to Regulation (EC) No 1907/2006

# Reduction solution 205 g potassium disulfite + 20 g 4-(methylamino)-phenol sulfate/l for photometric

Revision date: 05.02.2025 Product code: 01417 Page 2 of 11

#### **Hazard statements**

H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

P273 Avoid release to the environment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves and eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses. if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

## 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

## Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
16731-55-8	8 dipotassium disulphite			15 - < 20 %
	240-795-3		01-2119537422-45	
	Eye Dam. 1, STOT SE 3; H318 H335 EUH031			
55-55-0	bis(4-hydroxy-N-methylanilinium) s	ulphate		1 - < 5 %
	200-237-1	650-031-00-4		
	Acute Tox. 4, Skin Sens. 1, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H302 H317 H373 H400 H410			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical name		Quantity		
	Specific Conc.	Specific Conc. Limits, M-factors and ATE			
16731-55-8	240-795-3	795-3 dipotassium disulphite 15 - <			
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg				
55-55-0	200-237-1 bis(4-hydroxy-N-methylanilinium) sulphate 1 - <		1 - < 5 %		
	dermal: LD50 = > 1000 mg/kg; oral: LD50 = 565 mg/kg				

## **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

No data available



according to Regulation (EC) No 1907/2006

# Reduction solution 205 g potassium disulfite + 20 g 4-(methylamino)-phenol sulfate/l for photometric

Revision date: 05.02.2025 Product code: 01417 Page 3 of 11

#### After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

## After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Allergic reactions

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-flammable.

# 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

## **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Do not breathe vapour/aerosol.

## For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

Print date: 07.02.2025



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Reduction solution 205 g potassium disulfite + 20 g 4-(methylamino)-phenol sulfate/l for photometric

Revision date: 05.02.2025 Product code: 01417 Page 4 of 11

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

## Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Read label before use.

When using do not eat, drink, smoke, sniff.

Handle and open container with care.

Use personal protection equipment.

Provide adequate ventilation.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

## Hints on joint storage

Do not store together with: Acid.

national regulations

## Further information on storage conditions

Store in a dry place.

## 7.3. Specific end use(s)



according to Regulation (EC) No 1907/2006

# Reduction solution 205 g potassium disulfite + 20 g 4-(methylamino)-phenol sulfate/l for photometric

Revision date: 05.02.2025 Product code: 01417 Page 5 of 11

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
16731-55-8	dipotassium disulphite			
Worker DNEL, long-term		inhalation	systemic	263 mg/m³
Consumer DNEL, long-term		inhalation	systemic	78 mg/m³
Consumer DNEL, long-term		oral	systemic	10 mg/kg bw/day

## PNEC values

CAS No	Substance		
Environmental compartment Value		Value	
16731-55-8	dipotassium disulphite		
Freshwater 1,17 mg/l		1,17 mg/l	
Marine water 0,12 mg/		0,12 mg/l	
Micro-organisms in sewage treatment plants (STP)  88,1 mg/l		88,1 mg/l	

### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

## Eye/face protection

Suitable eye protection: goggles.

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min



according to Regulation (EC) No 1907/2006

# Reduction solution 205 g potassium disulfite + 20 g 4-(methylamino)-phenol sulfate/l for photometric

Revision date: 05.02.2025 Product code: 01417 Page 6 of 11

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

## Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: characteristic
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flammability: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined
Flash point: X
Auto-ignition temperature: No data available
Decomposition temperature: not determined
pH-Value: 4,2

Solubility in other solvents

not determined

Viscosity / kinematic:

Dissolution rate:

Partition coefficient n-octanol/water:

Dispersion stability:

Vapour pressure:

No data available

No data available

No data available

(at 50 °C)

Vapour pressure:

Density:

Relative density:

Bulk density:

Relative vapour density:

Relative vapour density:

No data available

Relative vapour density:

not determined

Particle characteristics:

No data available

## 9.2. Other information

Information with regard to physical hazard classes

No data available



according to Regulation (EC) No 1907/2006

# Reduction solution 205 g potassium disulfite + 20 g 4-(methylamino)-phenol sulfate/l for photometric

Revision date: 05.02.2025 Product code: 01417 Page 7 of 11

Explosive properties

No data available

Sustaining combustion:

No data available

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solvent separation test: No data available Solvent content: 0 Solid content: not determined Sublimation point: No data available Softening point: No data available Pour point: No data available No data available No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information
Corrosive to metals.

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Decomposition with: Acid.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Acids

## 10.4. Conditions to avoid

none

## 10.5. Incompatible materials

Do not mix with acids.

# 10.6. Hazardous decomposition products

Contact with acids liberates toxic gas.

## **Further information**

No data available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

Contact with acids liberates toxic gas.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

# Reduction solution 205 g potassium disulfite + 20 g 4-(methylamino)-phenol sulfate/l for photometric

Revision date: 05.02.2025 Product code: 01417 Page 8 of 11

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
16731-55-8	dipotassium disulphite	dipotassium disulphite				
	oral	LD50 mg/kg	> 2000	Rat	Study report (1974)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2009)	OECD Guideline 402
55-55-0	bis(4-hydroxy-N-methylanilinium) sulphate					
	oral	LD50 mg/kg	565	Mouse	ChemIDplusA TOXNET Database, 2017 (2017)	other: As mentioned below
	dermal	LD50 mg/kg	> 1000	Guinea pig	ChemIDplusA TOXNET Database, 2017 (2017)	other: As mentioned below

#### Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

May cause an allergic skin reaction. (bis(4-hydroxy-N-methylanilinium) sulphate)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

## Additional information on tests

There are no data available on the preparation/mixture itself.

## **Practical experience**

There are no data available on the preparation/mixture itself.

## 11.2. Information on other hazards

# **Endocrine disrupting properties**

There are no data available on the preparation/mixture itself.

#### Other information

There are no data available on the preparation/mixture itself.

#### **Further information**

There are no data available on the preparation/mixture itself.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

# Reduction solution 205 g potassium disulfite + 20 g 4-(methylamino)-phenol sulfate/l for photometric

Revision date: 05.02.2025 Product code: 01417 Page 9 of 11

CAS No	Chemical name									
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method			
16731-55-8	dipotassium disulphite									
	Acute fish toxicity	LC50 464 mg/l	> 215 - <	96 h	Leuciscus idus	Study report (1989)	other: German industrial standard test g			
	Acute algae toxicity	ErC50 mg/l	43,8	72 h	Desmodesmus subspicatus	Study report (1989)	OECD Guideline 201			
	Acute crustacea toxicity	EC50	89 mg/l	48 h	Daphnia magna	Study report (1990)	other: 79/831/EEC, appendix V, part C			
	Fish toxicity	NOEC mg/l	>= 316	34 d	Danio rerio	Study report (2010)	OECD Guideline 210			
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna	Study report (1993)	OECD Guideline 211			
	Acute bacteria toxicity	EC50 mg/l ( )	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209			
55-55-0	bis(4-hydroxy-N-methylanilinium) sulphate									
	Acute fish toxicity	LC50 mg/l	0,925	96 h	Oryzias latipes	J-check (Japan Chemicals Collaborative K	OECD Guideline 203			
	Acute algae toxicity	ErC50 mg/l	0,506	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	other: Predicted data			
	Acute crustacea toxicity	EC50 mg/l	0,724	48 h	Daphnia magna	REACh Registration Dossier	other: Predicted data			

## 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55-55-0	bis(4-hydroxy-N-methylanilinium) sulphate	0,79

# BCF

CAS No	Chemical name	BCF	Species	Source
	bis(4-hydroxy-N-methylanilinium) sulphate	3,162	Fish	REACh Registration D

## 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.

Print date: 07.02.2025



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Reduction solution 205 g potassium disulfite + 20 g 4-(methylamino)-phenol sulfate/l for photometric

Revision date: 05.02.2025 Product code: 01417 Page 10 of 11

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

Send to a physico-chemical treatment facility under observation of official regulations.

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No information available.

## 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII): Entry 3

#### **National regulatory information**



according to Regulation (EC) No 1907/2006

# Reduction solution 205 g potassium disulfite + 20 g 4-(methylamino)-phenol sulfate/l for photometric

Revision date: 05.02.2025 Product code: 01417 Page 11 of 11

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,9,12.

## Abbreviations and acronyms

Acute Tox: Acute toxicity Eye Dam: Eye damage Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration. 50%

LD50: Lethal dose, 50%

## Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH031 Contact with acids liberates toxic gas.

# **Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)