

Copper(II) sulfate solution 100 g CuSO4 * 5 H2O/I in diluted sulfuric acid according to ASTM A 262					
Revision date: 19.12.2024	Product code: 0152	8	Page 1 of 13		
SECTION 1: Identification of the	substance/mixture and of the com	pany/undertaking			
<u>1.1. Product identifier</u> Copper(II) sulfate solution 100	g CuSO4 * 5 H2O/l in diluted sulfuric ad	id according to ASTM A 262			
UFI:	F674-J0EM-C006-KRWS				
1.2. Relevant identified uses of the	substance or mixture and uses advise	<u>d against</u>			
	ances as such or in preparations at indu ain (administration, education, entertain				
Uses advised against Do not use for private purpose	s (household).				
1.3. Details of the supplier of the sa	fety data sheet				
Company name:	AnalytiChem GmbH ACD				
Street: Place:	Stempelstraße 6 D-47167 Duisburg				
Telephone: E-mail:	0203/5194-0 info@analytichem.de	Telefax: 0203/5194-290			
Contact person: E-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone:0203/5194-107/117			
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTF	ous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada anada: +1 703-741-5970 (collect calls	:		
Further Information					

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling sulphuric acid copper sulphate pentahydrate Signal word: Danger



Copper(II) sulfa	te solution 100 g CuSO4 * 5 H2O/I in diluted sulfuric acid according to A A 262	STM
Revision date: 19.12.2024	Product code: 01528	Page 2 of 13
Pictograms:		
Hazard statements		
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H410	Very toxic to aquatic life with long lasting effects.	
Precautionary statemer	nts	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
2.3. Other hazards		
No data available		

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) N	o 1272/2008)		
7664-93-9	sulphuric acid			15 - < 20 %
	231-639-5	016-020-00-8	01-2119458838-20	
	Met. Corr. 1, Skin Corr. 1A, Eye	Dam. 1; H290 H314 H318		
7758-99-8	copper sulphate pentahydrate			5 - < 10 %
	231-847-6	029-023-00-4	01-2119520566-40	
	Acute Tox. 4, Skin Irrit. 2, Eye Da H400 H410	am. 1, Aquatic Acute 1, Aquatic Chro	nic 1; H302 H315 H318	

Full text of H and EUH statements: see section 16.

CAS No	EC No	Chemical name	Quantity
	Specific Cond	. Limits, M-factors and ATE	
7664-93-9	231-639-5	sulphuric acid	15 - < 20 %
		2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 319: >= 5 - < 15	
7758-99-8	231-847-6	copper sulphate pentahydrate	5 - < 10 %
		0 = > 2000 mg/kg; oral: ATE 481 mg/kg_Aquatic Acute 1; H400: M=10 nic 1; H410: M=1	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006



Revision date: 19.12.2024

according to Regulation (EC) No 1907/2006

Copper(II) sulfate solution 100 g CuSO4 * 5 H2O/I in diluted sulfuric acid according to ASTM

A 262

Product code: 01528

Page 3 of 13

(REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

corrosive Irritant

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Sulphur oxides Metal oxide smoke, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Avoid contact with skin, eyes and clothes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



Copper(II) sulfate solution 100 g CuSO4 * 5 H2O/I in diluted sulfuric acid according to ASTM

A 262

Revision date: 19.12.2024

Product code: 01528

Page 4 of 13

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe vapour/aerosol. Read label before use.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals.



Copper(II) sulfate solution 100 g CuSO4 * 5	H2O/I in o A 262	liluted sul	furic acio	d according t	o ASTM
Revision date: 19.12.2024 Prod	luct code: 01	528			Page 5 of 13
Unsuitable container/equipment material: Metal Store in a dry place.					
Hints on joint storage national regulations					
Further information on storage conditions Keep container tightly closed.					
7.3. Specific end use(s)					
Laboratory chemicals					
SECTION 8: Exposure controls/personal protection					
8.1. Control parameters					
Occupational exposure limits					
CAS No Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-93-9 Sulphuric acid	-	0.05		TWA (8 h)	
DNEL/DMEL values	-				
CAS No Substance					
DNEL type	Expo	sure route	Effect	Val	ue
•	Expo	sure route	Effect	Val	ue
DNEL type	Expo inhala		Effect local		ue 5 mg/m³
DNEL type 7664-93-9 sulphuric acid		ation		0,0	
DNEL type 7664-93-9 Sulphuric acid Worker DNEL, long-term	inhala	ation	local	0,0	5 mg/m³
DNEL type 7664-93-9 sulphuric acid Worker DNEL, long-term Worker DNEL, acute	inhala	ation	local	0,0	5 mg/m³
DNEL type 7664-93-9 sulphuric acid Worker DNEL, long-term Worker DNEL, acute PNEC values	inhala	ation	local	0,0	5 mg/m³ mg/m³
DNEL type 7664-93-9 Sulphuric acid Worker DNEL, long-term Worker DNEL, acute PNEC values CAS No Substance	inhala	ation	local	0,0	5 mg/m³ mg/m³
DNEL type 7664-93-9 sulphuric acid Worker DNEL, long-term Worker DNEL, acute PNEC values CAS No Substance Environmental compartment	inhala	ation	local	0,0 0,1 Valu	5 mg/m³ mg/m³
DNEL type 7664-93-9 sulphuric acid Worker DNEL, long-term Worker DNEL, acute PNEC values CAS No Substance Environmental compartment 7664-93-9 sulphuric acid	inhala	ation	local	0,0 0,1 Valu	5 mg/m ³ mg/m ³ le l3 mg/l
DNEL type 7664-93-9 sulphuric acid Worker DNEL, long-term Worker DNEL, acute PNEC values CAS No Substance Environmental compartment 7664-93-9 sulphuric acid Freshwater	inhala	ation	local	0,0 0,1 Valu 0,00 0 m	5 mg/m ³ mg/m ³ le l3 mg/l
DNEL type 7664-93-9 sulphuric acid Worker DNEL, long-term Worker DNEL, acute PNEC values CAS No Substance Environmental compartment 7664-93-9 sulphuric acid Freshwater Marine water	inhala	ation	local	0,0 0,1 Valu 0,00 0 mi 0,00	5 mg/m ³ mg/m ³ le le l3 mg/l g/l
DNEL type 7664-93-9 sulphuric acid Worker DNEL, long-term Worker DNEL, acute PNEC values CAS No Substance Environmental compartment 7664-93-9 sulphuric acid Freshwater Marine water Freshwater sediment	inhala	ation	local	0,0 0,1 Valu 0,00 0 mi 0,00	5 mg/m ³ mg/m ³ le le l3 mg/l g/l l2 mg/kg l2 mg/kg
DNEL type 7664-93-9 sulphuric acid Worker DNEL, long-term Worker DNEL, acute PNEC values CAS No Substance Environmental compartment 7664-93-9 sulphuric acid Freshwater Marine water Freshwater sediment Marine sediment	inhala	ation	local	0,0 0,1 Valu 0,00 0 m 0,00 0,00 0,00	5 mg/m ³ mg/m ³ le le l3 mg/l g/l l2 mg/kg l2 mg/kg
DNEL type 7664-93-9 sulphuric acid Worker DNEL, long-term Worker DNEL, acute PNEC values CAS No Substance Environmental compartment 7664-93-9 sulphuric acid Freshwater Marine water Freshwater sediment Marine sediment Marine sediment Marine sediment	inhala	ation	local	0,0 0,1 Valu 0,00 0 mg 0,00 0,00 8,8 f	5 mg/m ³ mg/m ³ le le l3 mg/l g/l l2 mg/kg l2 mg/kg
DNEL type 7664-93-9 sulphuric acid Worker DNEL, long-term Worker DNEL, acute PNEC values CAS No Substance Environmental compartment 7664-93-9 sulphuric acid Freshwater Marine water Freshwater sediment Marine sediment Micro-organisms in sewage treatment plants (STP) 7758-99-8 copper sulphate pentahydrate	inhala	ation	local	0,0 0,1 0,1 Valu 0,00 0 mg 0,00 0,00 8,8 m 0,00	5 mg/m ³ mg/m ³ le l3 mg/l g/l l2 mg/kg l2 mg/kg mg/l

8.2. Exposure controls

Marine sediment

Soil

Appropriate engineering controls

Micro-organisms in sewage treatment plants (STP)

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

676 mg/kg

0,23 mg/l

65 mg/kg



Copper(II) sulfate solution 100 g CuSO4 * 5 H2O/I in diluted sulfuric acid according to ASTM

A 262

Revision date: 19.12.2024

Product code: 01528

Page 6 of 13

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 730 Camatril® Velours Recommended material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designationKCL 720 Camapren®Recommended material:CR (polychloroprene, chloroprene rubber) 0,65 mmWearing time with occasional contact (splashes):> 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.


Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold:	Liquid blue odourless not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and	not determined	
boiling range:		
Flammability:		not determined
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable





Copper(II) sulfate solution 100 g CuSC	04 * 5 H2O/I in diluted sulfuric acid A 262	according to ASTM
Revision date: 19.12.2024	Product code: 01528	Page 7 of 13
Flash point: Auto-ignition temperature: Decomposition temperature:	not applicable not determined No data available	
pH-Value:	acidic	
Viscosity / kinematic:	not determined	
Water solubility: Solubility in other solvents not determined	completely miscible	
Dissolution rate:	not determined	
Partition coefficient n-octanol/water:	No data available	
Dispersion stability: Vapour pressure: Vapour pressure:	not determined No data available not determined	
Density:	1,1691 g/cm ³	
Relative density:	not determined	
Bulk density:	No data available	
Relative vapour density:	not determined	
Particle characteristics:	not determined	
9.2. Other information		
Information with regard to physical hazard classes Explosive properties No data available Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties	No data available not determined not applicable	
No data available		
Other safety characteristics Evaporation rate: Solvent separation test: Solvent content: Solid content: Sublimation point: Softening point: Pour point: not determined: Viscosity / dynamic: Flow time: Further Information	not determined not determined not determined 0 not determined not determined not determined not determined	
not determined		
SECTION 10: Stability and reactivity		

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)



Copper(II) sulfate solution 100 g CuSO4 * 5 H2O/I in diluted sulfuric acid according to ASTM

			A 262		, and the second s
Revision da	te: 19.12.2024		Product code: 015	528	Page 8 of
	tions to avoid				
No d	ata available				
10.5. Incom Meta	patible materials				
10.6. Hazar	dous decomposition	products			
	se of fire may be libera				
	TION 5: Firefighting m	easures			
Further info					
NO d	ata available				
SECTION '	11: Toxicological in	formation			
11.1. Inform	nation on hazard class	ses as defined in Regu	lation (EC) No 12	72/2008	
Toxicoc	inetics, metabolism a	nd distribution			
Ther	e are no data available	e on the mixture itself.			
Acute to Base		ne classification criteria	are not met.		
ATE	calculated (oral) > 2000 mg/kg; <i>A</i> /mist) > 5 mg/l	ATE (dermal) > 2000 mູ	g/kg; ATE (inhalatio	on vapour) > 20 mg/l; ATE (in	halation
CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7664-93-9	sulphuric acid				
	oral	LD50 2140 mg/kg	Rat	Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5):	The study was performed as part of a ser
7758-99-8	copper sulphate pent	ahydrate			
	oral	ATE 481 mg/kg			
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1993)	OECD Guideline 402

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. Serious eye damage/eye irritation: Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.



Сор	oper(II) sulfate soluti	on 100 g	J CuSO4 *	* 5 H2C A 2		ric acid accordir	ng to ASTM
Revision date	e: 19.12.2024		Pr	roduct co	ode: 01528		Page 9 of
-	effects in experiment on are no data available on						
	al information on tests are no data available on	the mixtur	e itself.				
	experience are no data available on	the mixtur	e itself.				
1.2. Information	ation on other hazards						
	e disrupting properties are no data available on	the mixtur	e itself.				
Other info There	ormation are no data available on	the mixtur	e itself.				
Further info							
corros							
Irritan	l						
SECTION 1	2: Ecological informat	tion					
12.1. Toxicit There	y are no data available on	the mixtur	e itself				
CAS No	Chemical name						
0/10/110	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7664-93-9	sulphuric acid	0000		[[1]] [[4]	opeoles	oouroo	Motilod
1004-00-0	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2009)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2009)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,025	65 c	Jordanella floridae	Water Research Vol. 11, 612 - 626, 1977	Groups of sexually mature flagfish
7758-99-8	copper sulphate pentahyo	drate			1		-
	Acute fish toxicity	LC50 mg/l	0,193	96 h	Pimephales promelas	Study report (1996)	measurements were conducted by standard
	Acute algae toxicity	ErC50 mg/l	0,152	72 h	Pseudokirchneriella subcapitata	Publication (2005)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,007	48 h	Daphnia magna	Study report (1978)	- Test were conducted on Daphnia magna t
	Fish toxicity	NOEC mg/l	0,123	12 c	Atherinops affinis	Mar. Environ. Res. 31: 17-35 (1991)	Three tests are reported, designed to de
	Algae toxicity	NOEC mg/l	0,0102	19 c	other aquatic plant: giant kelp Macrocystis pyrife	Mar. Ecol. Prog. Ser. 68: 147 - 156 (199	Tests were conducted to determine the ef
	Crustacea toxicity	NOEC mg/l	0,033	14 c	Penaeus mergulensis and Penaeus monodon	Bull. Environ. Contain. Toxicol. (1995)	The effects of dissolved copper on the g

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential



Copper(II) sulfate solution 100 g CuSO4 * 5 H2O/I in diluted sulfuric acid according to ASTM

A 262

Revision date: 19.12.2024

Product code: 01528

Page 10 of 13

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
7758-99-8	copper sulphate pentahydrate	0,02 - 20	Crangon crangon	Symp. Biologica. Hun

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	1 L



Copper(II) sulfate solution 100 g CuSO4 * 5 H2O/I in diluted sulfuric acid according to ASTM A 262		
Revision date: 19.12.2024	Product code: 01528	Page 11 of 13
Excepted quantity:	E2	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:		
Hazard label:	8	
Special Provisions: Limited quantity:	274 1 L	
Excepted quantity:	E2	
EmS:	Г-2 F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Special Provisions: Limited quantity Passenger:	A3 A803 0.5 L	
Passenger LQ:	V840	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	851	
IATA-max. quantity - Passenger:	1 L	
IATA-packing instructions - Cargo:	855	
IATA-max. quantity - Cargo:	30 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Yes	
Danger releasing substance:	copper sulphate pentahydrate	
14.7. Maritime transport in bulk according to	o IMO instruments	
not applicable		
SECTION 15: Regulatory information		
	lations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 75	E1 Hozardova to the Aquatia Environment	
Information according to Directive 2012/18/EU (SEVESO III):	E1 Hazardous to the Aquatic Environment	
Marketing and use of explosives precurso	rs (Regulation (EU) 2019/1148):	
Acquisition, introduction, possession o	r use of this product by the general public is restricted by Regulation ctions, and significant disappearances and thefts should be reported to	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC). Observe employment restriction under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	
Water hazard class (D):	3 - highly hazardous to water	



Product code: 01528

Copper(II) sulfate solution 100 g CuSO4 * 5 H2O/I in diluted sulfuric acid according to ASTM

A 262

Page 12 of 13

Revision date: 19.12.2024

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,9.

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 1; H410	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users



Copper(II) sulfate solution 100 g CuSO4 * 5 H2O/I in diluted sulfuric acid according to ASTM

Revision date: 19.12.2024

A 262 Product code: 01528

Page 13 of 13

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)