

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

Revision date: 28.10.2021

Product code: 01623

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|---------------------------------|------------------------------|
| Company name: | Fa. Bernd Kraft GmbH | |
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| e-mail: | info@berndkraft.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| e-mail: | produktsicherheit@berndkraft.de | |
| Internet: | www.berndkraft.de | |
| Responsible Department: | Abteilung Produktsicherheit | |

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290
Flam. Liq. 2; H225
Acute Tox. 3; H301
Acute Tox. 3; H311
Acute Tox. 3; H331
STOT SE 1; H370

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

methanol

Signal word: Danger

Pictograms:



Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

Revision date: 28.10.2021

Product code: 01623

Page 2 of 14

Hazard statements

H225 Highly flammable liquid and vapour.
H290 May be corrosive to metals.
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H370 Causes damage to organs.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.
P403+P235 Store in a well-ventilated place. Keep cool.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | | | Quantity |
|-----------|---|--------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 67-56-1 | methanol | | | 80 - < 85 % |
| | 200-659-6 | 603-001-00-X | 01-2119433307-44 | |
| | Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370 | | | |
| 7647-01-0 | Hydrochloric acid | | | 5 - < 10 % |
| | 231-595-7 | 017-002-01-X | 01-2119484862-27 | |
| | Skin Corr. 1B, STOT SE 3; H314 H335 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|--|-------------------|-------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 67-56-1 | 200-659-6 | methanol | 80 - < 85 % |
| | inhalation: LC50 = 128,2 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: LD50 = 6000 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10 | | |
| 7647-01-0 | 231-595-7 | Hydrochloric acid | 5 - < 10 % |
| | Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100 | | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!
Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air.

Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

Revision date: 28.10.2021

Product code: 01623

Page 3 of 14

If breathing is irregular or stopped, administer artificial respiration.
Call a physician immediately.

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.
Call a physician immediately.

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water.
Remove contact lenses, if present and easy to do. Continue rinsing.
Consult an ophthalmologist.

After ingestion

Provide fresh air.
Call a physician immediately.
Notes for the doctor : Methanol

4.2. Most important symptoms and effects, both acute and delayed

Irritant, Dizziness, Anaesthetic state, Agitation, Spasms, Inebriation, Vomiting, Headache,
Impairment of vision
Repeated exposure may cause skin dryness or cracking.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO₂), Foam, Extinguishing powder.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquids
Highly flammable.
Hazardous combustion products
In case of fire may be liberated:
Carbon dioxide, Carbon monoxide
Hydrogen chloride (HCl)
Vapours are heavier than air, spread along floors and form explosive mixtures with air.
Beware of reignition.
Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.
Wear full chemical protective clothing.
In case of fire and/or explosion do not breathe fumes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.
Move undamaged containers from immediate hazard area if it can be done safely.
Suppress gases/vapours/mists with water spray jet.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

Revision date: 28.10.2021

Product code: 01623

Page 4 of 14

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

Revision date: 28.10.2021

Product code: 01623

Page 5 of 14

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

Further information on storage conditions

Keep cool. Protect from sunlight.
Corrosive to metals.
Unsuitable container/equipment material: Metal

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|-----------|-------------------|-----|-------------------|---------------------|---------------|--------|
| 7647-01-0 | Hydrogen chloride | 5 | 8 | | TWA (8 h) | |
| | | 10 | 15 | | STEL (15 min) | |
| 67-56-1 | Methyl alcohol | 200 | 260 | | TWA (8 h) | |

Biological limit values

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|---------|-----------|-----------|---------|---------------|---------------|
| 67-56-1 | Methanol | Methanol | 15 mg/L | Urine | End of shift |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

Revision date: 28.10.2021

Product code: 01623

Page 6 of 14

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|-------------------|----------------|----------|-----------------------|
| 67-56-1 | methanol | | | |
| Consumer DNEL, acute | | inhalation | systemic | 50 mg/m ³ |
| Worker DNEL, long-term | | inhalation | systemic | 260 mg/m ³ |
| Worker DNEL, acute | | inhalation | systemic | 260 mg/m ³ |
| Worker DNEL, long-term | | inhalation | local | 260 mg/m ³ |
| Worker DNEL, acute | | inhalation | local | 260 mg/m ³ |
| Worker DNEL, long-term | | dermal | systemic | 40 mg/kg bw/day |
| Worker DNEL, acute | | dermal | systemic | 40 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | systemic | 50 mg/m ³ |
| Consumer DNEL, long-term | | inhalation | local | 50 mg/m ³ |
| Consumer DNEL, acute | | inhalation | local | 50 mg/m ³ |
| Consumer DNEL, long-term | | dermal | systemic | 8 mg/kg bw/day |
| Consumer DNEL, acute | | dermal | systemic | 8 mg/kg bw/day |
| Consumer DNEL, long-term | | oral | systemic | 8 mg/kg bw/day |
| Consumer DNEL, acute | | oral | systemic | 8 mg/kg bw/day |
| 7647-01-0 | Hydrochloric acid | | | |
| Worker DNEL, long-term | | inhalation | local | 8 mg/m ³ |
| Worker DNEL, acute | | inhalation | local | 15 mg/m ³ |
| Consumer DNEL, long-term | | inhalation | local | 8 mg/m ³ |
| Consumer DNEL, acute | | inhalation | local | 15 mg/m ³ |

PNEC values

| CAS No | Substance | Value |
|--|-----------|-----------|
| 67-56-1 | methanol | |
| Freshwater | | 20,8 mg/l |
| Freshwater (intermittent releases) | | 1540 mg/l |
| Marine water | | 2,08 mg/l |
| Freshwater sediment | | 77 mg/kg |
| Marine sediment | | 7,7 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 100 mg/l |
| Soil | | 100 mg/kg |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

Revision date: 28.10.2021

Product code: 01623

Page 7 of 14

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 897 Butoject®
Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 890 Vitoject®
Suitable material: FKM (fluoro rubber) 0,7mm
Wearing time with occasional contact (splashes): > 120 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Take off immediately all contaminated clothing and wash it before reuse.
Wear fire resistant or flame retardant clothing. Material, acid-resistant
Wash hands and face before breaks and after work and take a shower if necessary.
Draw up and observe skin protection programme.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.
Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.
Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|------------------|-------------------|
| Physical state: | Liquid |
| Colour: | colourless |
| Odour: | like: Methanol |
| Odour threshold: | No data available |

Changes in the physical state

| | |
|---|-------------------|
| Melting point/freezing point: | No data available |
| Boiling point or initial boiling point and boiling range: | No data available |
| Sublimation point: | No data available |
| Softening point: | No data available |
| Pour point: | No data available |
| No data available: | |

Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

Revision date: 28.10.2021

Product code: 01623

Page 8 of 14

Flash point: ~ 17 °C

Flammability

Solid/liquid: not applicable

Gas: not applicable

Explosive properties

Vapours can form explosive mixtures with air.

Lower explosion limits: No data available

Upper explosion limits: No data available

Auto-ignition temperature: No data available

Self-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: No data available

pH-Value: acidic

Viscosity / dynamic: No data available

Viscosity / kinematic: No data available

Flow time: No data available

Solubility in other solvents

not determined

Dissolution rate: No data available

Partition coefficient n-octanol/water: No data available

Dispersion stability: No data available

Vapour pressure: No data available

Vapour pressure: No data available

Density: 0,857 g/cm³

Relative density: No data available

Bulk density: No data available

Relative vapour density: No data available

Particle characteristics: No data available

9.2. Other information

Information with regard to physical hazard classes

Sustaining combustion: Sustaining combustion

Oxidizing properties

not determined

Other safety characteristics

Solvent separation test: No data available

Solvent content: No data available

Solid content: No data available

Evaporation rate: No data available

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

Revision date: 28.10.2021

Product code: 01623

Page 9 of 14

Vapours can form explosive mixtures with air.
Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent

10.4. Conditions to avoid

Vapours can form explosive mixtures with air.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Metal
Plastic articles

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Toxic if swallowed.
Toxic in contact with skin.
Toxic if inhaled.

ATEmix calculated

ATE (oral) 125,0 mg/kg; ATE (dermal) 375,0 mg/kg; ATE (inhalation vapour) 3,75 mg/l; ATE (inhalation dust/mist) 0,625 mg/l

| CAS No | Chemical name | | | | |
|---------|-------------------------|--------------------|---------|--|--|
| | Exposure route | Dose | Species | Source | Method |
| 67-56-1 | methanol | | | | |
| | oral | LD50 mg/kg 6000 | Monkey | Amer J Ophthalmol 40: 76-83 (cited in DG) | Determination of the acute toxicity of t |
| | dermal | ATE mg/kg 300 | | | |
| | inhalation (4 h) vapour | LC50 mg/l 128,2 | Rat | Study report (1980) | Study performed according to internal co |
| | inhalation dust/mist | ATE 0,5 mg/l | | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Causes damage to organs. (methanol)

Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

Revision date: 28.10.2021

Product code: 01623

Page 10 of 14

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

Irritation to respiratory tract

Causes damage to organs.

Organs affected:

Liver and kidney damage,

Further information

Irritant, Dizziness, Dizziness, Anaesthetic state, Agitation, Spasms, Inebriation, Vomiting, Headache,

Impairment of vision

Repeated exposure may cause skin dryness or cracking.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

| CAS No | Chemical name | | | | | |
|-----------|--------------------------|----------------------|-----------|---------------------------------|--|--|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 67-56-1 | methanol | | | | | |
| | Acute fish toxicity | LC50 15400 mg/l | 96 h | Lepomis macrochirus | Bulletin of Environmental Contamination | other: EPA-660/3-75-009, 1975 |
| | Acute algae toxicity | ErC50 ca. 22000 mg/l | 96 h | Pseudokirchneriella subcapitata | Ecotoxicology and Environmental Safety 7 | OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 > 10000 mg/l | 48 h | Daphnia magna | Water Research 23(4): 495-499 (1989) | other: DIN 38412 Teil 11 |
| | Fish toxicity | NOEC 446,7 mg/l | 28 d | Pimephales promelas | SAR and QSAR in Environmental Research, | Calculation performed with ECOSAR |
| | Crustacea toxicity | NOEC 208 mg/l | 21 d | Daphnia magna | OECD QSAR Toolbox Report (2013) | Toxicity of the target chemical is predi |
| 7647-01-0 | Hydrochloric acid | | | | | |
| | Acute fish toxicity | LC50 862 mg/l | 96 h | Leuciscus idus | | |

12.2. Persistence and degradability

Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

Revision date: 28.10.2021

Product code: 01623

Page 11 of 14

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|---------|---------------|---------|
| 67-56-1 | methanol | -0,77 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|---------|---------------|-----|-----------------|----------------------|
| 67-56-1 | methanol | 1 | Cyprinus carpio | Comparative Biochemi |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

There are no data available on the mixture itself.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Contaminated packaging

This material and its container must be disposed of as hazardous waste.

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|--|--|
| 14.1. UN number or ID number: | UN 3286 |
| 14.2. UN proper shipping name: | FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (methanol, Hydrochloric acid) |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3+6.1+8 |
| Classification code: | FTC |
| Special Provisions: | 274 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| Transport category: | 2 |
| Hazard No: | 368 |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

Revision date: 28.10.2021

Product code: 01623

Page 12 of 14

Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3286
14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (methanol, Hydrochloric acid)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
Hazard label: 3+6.1+8
Classification code: FTC
Special Provisions: 274 802
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 3286
14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (methanol, Hydrochloric acid)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
Hazard label: 3+6.1+8
Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3286
14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (methanol, Hydrochloric acid)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
Hazard label: 3+6.1+8
Limited quantity Passenger: 0.5 L
Passenger LQ: Y340
Excepted quantity: E2
IATA-packing instructions - Passenger: 352
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 363
IATA-max. quantity - Cargo: 5 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid. Toxic.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 69

Information according to 2012/18/EU (SEVESO III): H2 ACUTE TOXIC

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

Revision date: 28.10.2021

Product code: 01623

Page 13 of 14

Additional information: P5c

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,9,11,12,14,15,16.

Abbreviations and acronyms

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service
- LC50: Lethal concentration, 50%
- LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|--------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data |
| Flam. Liq. 2; H225 | On basis of test data |
| Acute Tox. 3; H301 | Calculation method |
| Acute Tox. 3; H311 | Calculation method |
| Acute Tox. 3; H331 | Calculation method |
| STOT SE 1; H370 | Calculation method |

Relevant H and EUH statements (number and full text)

- H225 Highly flammable liquid and vapour.
- H290 May be corrosive to metals.
- H301 Toxic if swallowed.
- H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H370 Causes damage to organs.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Hydrochloric acid 1.5 mol/l - 1.5 N solution in methanol approx. 80 vol. %

Revision date: 28.10.2021

Product code: 01623

Page 14 of 14

product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)