

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sodium hydroxide solution approx. 68 g/l pure

Revision date: 02.03.2022

Product code: 01933

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Sodium hydroxide solution approx. 68 g/l pure

UFI: GYA5-H0YD-D00N-G0WW

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

###### Uses advised against

Do not use for private purposes (household).

##### 1.3. Details of the supplier of the safety data sheet

|                         |                                 |                              |
|-------------------------|---------------------------------|------------------------------|
| Company name:           | Fa. Bernd Kraft GmbH            |                              |
| Street:                 | Stempelstraße 6                 |                              |
| Place:                  | D-47167 Duisburg                |                              |
| Telephone:              | 0203/5194-0                     | Telefax: 0203/5194-290       |
| e-mail:                 | info@berndkraft.de              |                              |
| Contact person:         | Abteilung Produktsicherheit     | Telephone: 0203/5194-107/117 |
| e-mail:                 | produktsicherheit@berndkraft.de |                              |
| Internet:               | www.berndkraft.de               |                              |
| Responsible Department: | Abteilung Produktsicherheit     |                              |

##### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

##### Further Information

This product is a mixture. REACH Registration Number see section 3.

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Skin Corr. 1A; H314

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### Regulation (EC) No 1272/2008

###### Hazard components for labelling

sodium hydroxide

Signal word: Danger

Pictograms:



###### Hazard statements

H290

May be corrosive to metals.

**Sodium hydroxide solution approx. 68 g/l pure**

Revision date: 02.03.2022

Product code: 01933

Page 2 of 11

H314 Causes severe skin burns and eye damage.

**Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308 IF exposed or concerned:  
 P310 Immediately call a POISON CENTER/doctor.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**Hazardous components**

| CAS No    | Chemical name                                 |              |                  | Quantity   |
|-----------|---|--------------|------------------|------------|
|           | EC No   | Index No     | REACH No         |            |
|           | Classification (Regulation (EC) No 1272/2008) |              |                  |            |
| 1310-73-2 | sodium hydroxide                              |              |                  | 5 - < 10 % |
|           | 215-185-5                                     | 011-002-00-6 | 01-2119457892-27 |            |
|           | Met. Corr. 1, Skin Corr. 1A; H290 H314        |              |                  |            |

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

| CAS No    | EC No  | Chemical name    | Quantity   |
|-----------|--|------------------|------------|
|           | Specific Conc. Limits, M-factors and ATE   |                  |            |
| 1310-73-2 | 215-185-5  | sodium hydroxide | 5 - < 10 % |
|           | Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2 |                  |            |

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air.  
 Call a physician immediately.

**After contact with skin**

Wash immediately with: Water  
 Take off immediately all contaminated clothing and wash it before reuse.  
 Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**Sodium hydroxide solution approx. 68 g/l pure**

Revision date: 02.03.2022

Product code: 01933

Page 3 of 11

Remove contact lenses, if present and easy to do. Continue rinsing.  
Protect uninjured eye.

**After ingestion**

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

**4.2. Most important symptoms and effects, both acute and delayed**

corrosive  
Irritant  
Dyspnoea  
Cough  
Circulatory collapse  
Risk of serious damage to eyes.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-flammable.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.  
Avoid contact with skin, eyes and clothes.

**Additional information**

Suppress gases/vapours/mists with water spray jet.  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**General advice**

Corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

**For containment**

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).

**Sodium hydroxide solution approx. 68 g/l pure**

Revision date: 02.03.2022

Product code: 01933

Page 4 of 11

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Further information on handling**

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Corrosive to metals.

Unsuitable container/equipment material:

Metal, Aluminium, Zinc, tin

**Further information on storage conditions**

Store in a dry place.

Keep container tightly closed.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

| CAS No    | Substance        | ppm | mg/m <sup>3</sup> | fib/cm <sup>3</sup> | Category      | Origin |
|-----------|------------------|-----|-------------------|---------------------|---------------|--------|
| 1310-73-2 | Sodium hydroxide | -   | 2                 |                     | STEL (15 min) |        |

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium hydroxide solution approx. 68 g/l pure**

Revision date: 02.03.2022

Product code: 01933

Page 5 of 11

**DNEL/DMEL values**

| CAS No                   | Substance        |        |                     |
|--------------------------|------------------|--------|---------------------|
| DNEL type                | Exposure route   | Effect | Value               |
| 1310-73-2                | sodium hydroxide |        |                     |
| Worker DNEL, long-term   | inhalation       | local  | 1 mg/m <sup>3</sup> |
| Consumer DNEL, long-term | inhalation       | local  | 1 mg/m <sup>3</sup> |

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Suitable eye protection: goggles.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**Sodium hydroxide solution approx. 68 g/l pure**

Revision date: 02.03.2022

Product code: 01933

Page 6 of 11

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

|                  |                   |
|------------------|-------------------|
| Physical state:  | Liquid            |
| Colour:          | colourless        |
| Odour:           | odourless         |
| Odour threshold: | No data available |

**Changes in the physical state**

|   |                   |
|---|-------------------|
| Melting point/freezing point:                             | No data available |
| Boiling point or initial boiling point and boiling range: | No data available |
| Sublimation point:  | No data available |
| Softening point:  | No data available |
| Pour point:   | No data available |
| No data available:  |                   |
| Flash point:  | X                 |

**Flammability**

|               |                |
|---------------|----------------|
| Solid/liquid: | not applicable |
| Gas:          | not applicable |

**Explosive properties**

not applicable

|                            |                |
|----------------------------|----------------|
| Lower explosion limits:    | not applicable |
| Upper explosion limits:    | not applicable |
| Auto-ignition temperature: | not applicable |

**Self-ignition temperature**

|        |                |
|--------|----------------|
| Solid: | not applicable |
| Gas:   | not applicable |

Decomposition temperature: not determined

pH-Value: 14

Viscosity / dynamic: No data available

Viscosity / kinematic: No data available

Flow time: No data available

Water solubility: completely miscible

**Solubility in other solvents**

not determined

Dissolution rate: No data available

Partition coefficient n-octanol/water: not determined

Dispersion stability: No data available

Vapour pressure: No data available

Vapour pressure: No data available

Density (at 20 °C): 1,0688 g/cm<sup>3</sup>

Relative density: No data available

Bulk density: No data available

Relative vapour density: not determined

Particle characteristics: No data available

**9.2. Other information**

**Sodium hydroxide solution approx. 68 g/l pure**

Revision date: 02.03.2022

Product code: 01933

Page 7 of 11

**Information with regard to physical hazard classes**

Sustaining combustion: No data available  
Oxidizing properties  
Not oxidising.

**Other safety characteristics**

Solvent separation test: No data available  
Solvent content: No data available  
Solid content: not determined  
Evaporation rate: not determined

**Further Information**

Corrosive to metals.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Corrosive to metals.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

metals, Light metal (Formation of: Hydrogen)  
Combustible substance, Phenols  
Acid, Nitriles, Alkaline earth metal (Metal powder)

**10.4. Conditions to avoid**

No data available

**10.5. Incompatible materials**

Aluminium, Brass  
metals (including their alloys), Zinc  
Tin, Light metal  
Glass, plastics  
Material, containing silicate

**10.6. Hazardous decomposition products**

No data available

**Further information**

No data available

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.  
If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

**Irritation and corrosivity**

Causes severe skin burns and eye damage.  
Causes serious eye damage.  
Risk of serious damage to eyes.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Sodium hydroxide solution approx. 68 g/l pure**

Revision date: 02.03.2022

Product code: 01933

Page 8 of 11

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.  
There are no data available on the mixture itself.

**Aspiration hazard**

Based on available data, the classification criteria are not met.  
There are no data available on the mixture itself.

**Information on likely routes of exposure**

There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards**

**Endocrine disrupting properties**

There are no data available on the mixture itself.

**Other information**

There are no data available on the mixture itself.

**Further information**

- corrosive
- Irritant
- Dyspnoea
- Cough
- Circulatory collapse

**SECTION 12: Ecological information**

**12.1. Toxicity**

There are no data available on the mixture itself.

| CAS No    | Chemical name            |              |           |         |                  |  |
|-----------|--------------------------|--------------|-----------|---------|------------------|--|
|           | Aquatic toxicity         | Dose         | [h]   [d] | Species | Source           | Method   |
| 1310-73-2 | sodium hydroxide         |              |           |         |                  |  |
|           | Acute crustacea toxicity | EC50<br>mg/l | 40,4      | 48 h    | Ceriodaphnia sp. | Ecotoxicology and Environmental Safety,4<br>other: acute 48-h immobilization test ac |

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



**Sodium hydroxide solution approx. 68 g/l pure**

Revision date: 02.03.2022

Product code: 01933

Page 9 of 11

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.  
There are no data available on the mixture itself.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.  
Do not allow to enter into surface water or drains.  
Do not mix with other wastes.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

|  |                           |
|--|---------------------------|
| <b>14.1. UN number or ID number:</b>     | UN 1824                   |
| <b>14.2. UN proper shipping name:</b>    | SODIUM HYDROXIDE SOLUTION |
| <b>14.3. Transport hazard class(es):</b> | 8                         |
| <b>14.4. Packing group:</b>              | II                        |
| Hazard label:                            | 8                         |
| Classification code:                     | C5                        |
| Limited quantity:                        | 1 L                       |
| Excepted quantity:                       | E2                        |
| Transport category:                      | 2                         |
| Hazard No:                               | 80                        |
| Tunnel restriction code:                 | E                         |

**Inland waterways transport (ADN)**

|  |                           |
|--|---------------------------|
| <b>14.1. UN number or ID number:</b>     | UN 1824                   |
| <b>14.2. UN proper shipping name:</b>    | SODIUM HYDROXIDE SOLUTION |
| <b>14.3. Transport hazard class(es):</b> | 8                         |
| <b>14.4. Packing group:</b>              | II                        |
| Hazard label:                            | 8                         |
| Classification code:                     | C5                        |
| Limited quantity:                        | 1 L                       |
| Excepted quantity:                       | E2                        |

**Marine transport (IMDG)**

|  |                           |
|--|---------------------------|
| <b>14.1. UN number or ID number:</b>     | UN 1824                   |
| <b>14.2. UN proper shipping name:</b>    | SODIUM HYDROXIDE SOLUTION |
| <b>14.3. Transport hazard class(es):</b> | 8                         |
| <b>14.4. Packing group:</b>              | II                        |
| Hazard label:                            | 8                         |
| Special Provisions:                      | -                         |
| Limited quantity:                        | 1 L                       |

**Sodium hydroxide solution approx. 68 g/l pure**

Revision date: 02.03.2022

Product code: 01933

Page 10 of 11

Excepted quantity: E2  
EmS: F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 1824  
**14.2. UN proper shipping name:** SODIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8  
Special Provisions: A3 A803  
Limited quantity Passenger: 0.5 L  
Passenger LQ: Y840  
Excepted quantity: E2  
IATA-packing instructions - Passenger: 851  
IATA-max. quantity - Passenger: 1 L  
IATA-packing instructions - Cargo: 855  
IATA-max. quantity - Cargo: 30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):  
Entry 3, Entry 75

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 1,9,11,12,13.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sodium hydroxide solution approx. 68 g/l pure

Revision date: 02.03.2022

Product code: 01933

Page 11 of 11

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290  | On basis of test data    |
| Skin Corr. 1A; H314 | Calculation method       |
| Eye Dam. 1; H318    | Calculation method       |

#### Relevant H and EUH statements (number and full text)

|      |  |
|------|--|
| H290 | May be corrosive to metals.              |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage.               |

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*