

Mercury(II) sulfate soluti	on 200 g HgSO4 + 100 ml H2SO4 9 38409:1981	6 %/I for COD determination	DIN
Revision date: 20.09.2024	Product code: 05272		Page 1 of 13
SECTION 1: Identification of the su	ibstance/mixture and of the company	/undertaking	
<u>1.1. Product identifier</u> Mercury(II) sulfate solution 200 g UFI:	HgSO4 + 100 ml H2SO4 96 %/l for COD o 8NKF-H0MW-3001-6VNA	determination DIN 38409:1981	
1.2. Relevant identified uses of the su	bstance or mixture and uses advised again	inst	
	ces as such or in preparations at industrial s n (administration, education, entertainment,		
Uses advised against			
Do not use for private purposes	household).		
1.3. Details of the supplier of the safe	y data sheet		
Company name: Street: Place:	AnalytiChem GmbH ACD Stempelstraße 6 D-47167 Duisburg		
Telephone:	0203/5194-0	Telefax: 0203/5194-290	
E-mail: Contact person: E-mail: Internet: Responsible Department:	info@analytichem.de Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117	
1.4. Emergency telephone number:	For Hazardous Materials [or Dangerous G Exposure, or Accident Call CHEMTREC D 1-800-424-9300 Outside USA and Canada accepted)	ay or Night Within USA and Canada	
Further Information This product is a mixture. REAC	H Registration Number see section 3.		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Acute Tox. 1; H310 Acute Tox. 2; H300 Acute Tox. 2; H300 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT RE 2; H373 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

Danger

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling mercury sulphate

Signal word:



Mercury(II) sulfate solution 200 g HgSO4 + 100 ml H2SO4 96 %/I for COD determination DIN

Revision date: 20.09.2024

Pictograms:

38409:1981

Page 2 of 13



Hazard statements

~		
	H290	May be corrosive to metals.
	H300+H310+H330	Fatal if swallowed, in contact with skin or if inhaled.
	H315	Causes skin irritation.
	H319	Causes serious eye irritation.
	H373	May cause damage to organs through prolonged or repeated exposure.
	H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

countionaly statemen	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing and eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 P310	IF exposed or concerned: Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)				
7783-35-9	mercury sulphate					
	231-992-5 080-002-00-6					
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H310 H330 H300 H373 H400 H410					
7664-93-9	sulphuric acid			10 - < 15 %		
	231-639-5	016-020-00-8	01-2119458838-20			
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318					

Full text of H and EUH statements: see section 16.



Mercury(II) sulfate solution 200 g HgSO4 + 100 ml H2SO4 96 %/I for COD determination DIN 38409:1981

Revision date: 20.09.2024

Product code: 05272

Page 3 of 13

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Conc. I	imits, M-factors and ATE					
7783-35-9	231-992-5	mercury sulphate	15 - < 20 %				
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = 625 mg/kg; oral: LD50 = 57 mg/kg_STOT RE 2; H373: >= 0,1 - 100					
7664-93-9	231-639-5	31-639-5 sulphuric acid					
		oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15					

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant, Vomiting, Cardiac arrhythmias Gastrointestinal complaints, Abdominal pain Blood pressure drop, Circulatory collapse

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture Non-combustible liquids



Mercury(II) sulfate solution 200 g HgSO4 + 100 ml H2SO4 96 %/I for COD determination DIN

38409:1981

Revision date: 20.09.2024

Product code: 05272

Page 4 of 13

Hazardous combustion products In case of fire may be liberated: mercury and its compounds Metal oxide smoke, toxic Sulphur oxides

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Mercury(II) sulfate solution 200 g HgSO4 + 100 ml H2SO4 96 %/I for COD determination DIN

38409:1981

Revision date: 20.09.2024

Product code: 05272

Page 5 of 13

Advice on safe handling

Avoid exposure - obtain special instructions before use. Read label before use. Handle and open container with care. Do not breathe vapour/aerosol. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Avoid contact with skin, eves and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. Store in a place accessible by authorized persons only. Unsuitable container/equipment material: Metal

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-93-9	Sulphuric acid	-	0.05		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
7664-93-9 sulphuric acid								
Worker DNEL, long-term		inhalation	local	0,05 mg/m³				
Worker DNEL, acute		inhalation	local	0,1 mg/m³				



Mercury(II) sulfate solution 200 g HgSO4 + 100 ml H2SO4 96 %/I for COD determination DIN

Revision date: 20.09.2024

38409:1981 Product code: 05272

Page 6 of 13

PNEC values

CAS No	Substance				
Environmental compartment Valu					
7664-93-9 sulphuric acid					
Freshwater	0,003 mg/l				
Marine water	0 mg/l				
Freshwater see	0,002 mg/kg				
Marine sedime	0,002 mg/kg				
Micro-organisms in sewage treatment plants (STP) 8,8 mg/l					

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection

equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye protection/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 730 Camatril® Velours Thickness of the glove material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 720 Camapren® Thickness of the glove material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.



Mercury(II) sulfate solution 200 g HgSO4 + 100 ml H2SO4 96 %/I for COD determination DIN

Revision date: 20.09.2024

38409:1981 Product code: 05272

Page 7 of 13

ale. 20.09.2024

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and che	mical properties	
Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		not applicable
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		0
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,2922 g/cm³
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to physical haz	ard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		No data available
Gas:		No data available
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:		No data available
Solvent separation test:		No data available
Solvent content:		0%
Solid content:		0%
Sublimation point:		No data available



Mercury(II) sulfate solution 200 g HgSO4 + 100 ml H2SO4 96 %/I for COD determination DIN 38409:1981

Revision date: 20.09.2024

Product code: 05272

No data available

No data available

No data available

No data available

Page 8 of 13

Softening point: Pour point: No data available: Viscosity / dynamic: Flow time:

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals. Oxidising agent

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye) Ammonia (NH3) Metal

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Fatal in contact with skin.
Fatal if swallowed.
Fatal if inhaled.
If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).
Pulmonary oedema
The substance has delayed effects.

ATEmix calculated

ATE (oral) 32,40 mg/kg; ATE (dermal) 32,40 mg/kg; ATE (inhalation vapour) 3,240 mg/l; ATE (inhalation dust/mist) 0,3240 mg/l



Mercury(II) sulfate solution 200 g HgSO4 + 100 ml H2SO4 96 %/I for COD determination DIN 38409:1981

Revision date: 20.09.2024

Product code: 05272

Page 9 of 13

CAS No	Chemical name	Chemical name							
	Exposure route Dose			Species	Source	Method			
7783-35-9	mercury sulphate								
	oral LD50 57 mg/kg			Rat	Dictionary of Environmentally Important	other: as mentioned below			
	dermal	LD50 mg/kg	625	Rat	HSDB (Hazardous Substances Data Bank); U	other: as mentioned below			
	inhalation vapour	ATE	0,5 mg/l						
	inhalation dust/mist	ATE	0,05 mg/l						
7664-93-9	sulphuric acid	sulphuric acid							
	oral LD50 2140 mg/kg			Rat	Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5):	The study was performed as part of a ser			

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met. May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (mercury sulphate)

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

There are no data available on the mixture itself.

Further information

Irritant, Vomiting, Cardiac arrhythmias Gastrointestinal complaints, Abdominal pain



Mercury(II) sulfate solution 200 g HgSO4 + 100 ml H2SO4 96 %/I for COD determination DIN

Revision date: 20.09.2024

38409:1981 Product code: 05272

Page 10 of 13

Blood pressure drop, Circulatory collapse, Methaemoglobinaemia

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
7664-93-9	sulphuric acid							
	Acute algae toxicity ErC50 > 100 mg/l				Desmodesmus subspicatus	Study report (2009)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2009)	OECD Guideline 202	
	Fish toxicity	NOEC mg/l	0,025	65 d	Jordanella floridae	Water Research Vol. 11, 612 - 626, 1977	Groups of sexually mature flagfish	

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No Chemical name							
7783-35-9	mercury sulphate					-0,07	
BCF	BCF						
CAS No Chemical name BCF Species Source							
7783-35-9	mercury sulphate > 0 - < 5000 Ceriodaphnia dubia Environmental Pollu				tal Pollut		

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not allow to enter into surface water or drains. Do not mix with other wastes.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific



Mercury(II) sulfate solution 200 g HgSO4 + 100 ml H2SO4 96 %/I for COD determination DIN

Revision date: 20.09.2024

38409:1981 Product code: 05272

Page 11 of 13

to the industry and process. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3289
14.2. UN proper shipping name:	TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (sulphuric acid,
	mercury sulphate)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	II
Hazard label:	6.1+8
Classification code:	TC3
Special Provisions:	274
Limited quantity:	100 mL
Excepted quantity:	E4
Transport category:	2
Hazard No:	68
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3289
14.2. UN proper shipping name:	TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (sulphuric acid, mercury sulphate)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	II
Hazard label:	6.1+8
Classification code:	TC3
Special Provisions:	274 802
Limited quantity:	100 mL
Excepted quantity:	E4
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3289
14.2. UN proper shipping name:	TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (sulphuric acid,
	mercury sulphate)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	II
Hazard label:	6.1+8
Special Provisions:	274
Limited quantity:	100 mL
Excepted quantity:	E4
EmS:	F-A, S-B
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 3289
14.2. UN proper shipping name:	TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (sulphuric acid,
	mercury sulphate)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	I
Hazard label:	6.1+8
Special Provisions:	A4 A137
Limited quantity Passenger:	0.5 L
Passenger LQ:	Y640
Excepted quantity:	E4
IATA-packing instructions - Passenger:	653



Mercury(II) sulfate solution 200 g HgSO4 + 100 ml H2SO4 96 %/I for COD determination DIN 38409:1981				
Revision date: 20.09.2024	Product code: 05272	Page 12 of 13		
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	1 L 660 30 L			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	Yes			
Danger releasing substance:	mercury sulphate			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture				
EU regulatory information				
Restrictions on use (REACH, annex XVII):				
Entry 3, Entry 18				
Information according to Directive	H1 ACUTE TOXIC			
2012/18/EU (SEVESO III): Additional information:	F2			
Marketing and use of explosives precursors (Regulation (EU) 2019/1148): This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.				
Additional information				
SVHC substance.				
National regulatory information				
Employment restrictions:	Observe restrictions to employment for juveniles accordin work protection guideline' (94/33/EC). Observe employm under the Maternity Protection Directive (92/85/EEC) for nursing mothers. Observe employment restrictions for wo child-bearing age.	ent restrictions expectant or		
Water hazard class (D):	3 - highly hazardous to water			
SECTION 16: Other information				

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,8,9,11,12,15.

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard



Mercury(II) sulfate solution 200 g HgSO4 + 100 ml H2SO4 96 %/I for COD determination DIN

Revision date: 20.09.2024

38409:1981 Product code: 05272

Page 13 of 13

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 1; H310	Calculation method
Acute Tox. 2; H300	Calculation method
Acute Tox. 2; H330	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H300	Fatal if swallowed.
H300+H310+H330	Fatal if swallowed, in contact with skin or if inhaled.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)