

according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.01 mol/l - 0.01 N solution in ethanol

Revision date: 29.11.2023

Product code: 05332

Page 1 of 13

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Silver nitrate solution 0.01 mol/l - 0.01 N solution in ethanol

UFI:

FSRF-W01Q-F00R-VCM6

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	-	REC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

## **Further Information**

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

Danger

## 2.2. Label elements

## Regulation (EC) No 1272/2008

Signal word:

Pictograms:



## **Hazard statements**

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.



according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.01 mol/I - 0.01 N solution in ethanol

Revision date: 29.11.2023	Product code: 05332	Page 2 of 13		
H411	Toxic to aquatic life with long lasting effects.			
Precautionary statemer	nts			
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.			
P273	Avoid release to the environment.			
P391	Collect spillage.			
P403+P235	Store in a well-ventilated place. Keep cool.			

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

## **Relevant ingredients**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation	(EC) No 1272/2008)			
64-17-5	ethanol				
	200-578-6	603-002-00-5	01-2119457610-43		
	Flam. Liq. 2, Eye Irrit. 2; H				
7761-88-8	silver nitrate	< 1 %			
	231-853-9	047-001-00-2	01-2119513705-43		
	Ox. Sol. 2, Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H290 H314 H318 H400 H410				

# Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc.	Limits, M-factors and ATE		
64-17-5	200-578-6	ethanol	95 - < 100 %	
	inhalation: LC50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg Eye Irrit. 2; H319: >= 50 - 100			
7761-88-8	231-853-9	silver nitrate	< 1 %	
		= > 348 mg/kg; oral: LD50 = > 2000 mg/kg Aquatic Acute 1; H400: M=1000 ic 1; H410: M=100		

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

No data available

### After inhalation

Provide fresh air.

## After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an





according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.01 mol/l - 0.01 N solution in ethanol

Revision date: 29.11.2023

Product code: 05332

Page 3 of 13

# ophthalmologist immediately.

In case of fire: Wear self-contained breathing apparatus.

## After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Dizziness The product causes narcotic-like effects. Inebriation Vomiting

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

#### Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

#### Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide Nitrogen oxides (NOx) Beware of reignition.

# 5.3. Advice for firefighters

Remove persons to safety. Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers.

# Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Suppress gases/vapours/mists with water spray jet. Move undamaged containers from immediate hazard area if it can be done safely.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

# Take action to prevent static discharges.

# For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety.



AnalytiChem GmbH

according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.01 mol/I - 0.01 N solution in ethanol

Revision date: 29.11.2023

Product code: 05332

Page 4 of 13

Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

# For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

### 6.3. Methods and material for containment and cleaning up

# For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

#### Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



# Silver nitrate solution 0.01 mol/l - 0.01 N solution in ethanol

Revision date: 29.11.2023

Product code: 05332

Page 5 of 13

## Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

#### Further information on storage conditions

Vapours may form explosive mixtures with air. Protect against: Light

# 7.3. Specific end use(s)

Laboratory use Laboratory chemical

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-17-5	Ethyl alcohol	1000	-		STEL (15 min)	

# DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64-17-5	ethanol			
Worker DNEL	, long-term	inhalation	systemic	950 mg/m³
Worker DNEL	., long-term	dermal	systemic	343 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	114 mg/m <sup>3</sup>
Consumer DN	IEL, long-term	dermal	systemic	206 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	87 mg/kg bw/day
7761-88-8	silver nitrate			
Consumer DN	IEL, long-term	oral	systemic	0,02 mg/kg bw/day
Worker DNEL	., long-term	inhalation	systemic	0,016 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	systemic	0,006 mg/m <sup>3</sup>



according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.01 mol/l - 0.01 N solution in ethanol

Revision date: 29.11.2023

Product code: 05332

Page 6 of 13

#### **PNEC** values

CAS No	Substance	
Environmen	tal compartment	Value
64-17-5	ethanol	
Freshwater		0,96 mg/l
Freshwater	(intermittent releases)	2,75 mg/l
Marine wate	r	0,79 mg/l
Freshwater	sediment	3,6 mg/kg
Marine sedi	ment	2,9 mg/kg
Secondary p	poisoning	380 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	580 mg/l
Soil		0,63 mg/kg
7761-88-8	silver nitrate	
Freshwater		0,00004 mg/l
Marine wate	r	0,00086 mg/l
Freshwater sediment		438,13 mg/kg
Marine sediment		438,13 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,025 mg/l
Soil		1,41 mg/kg

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 897 Butoject® Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 720 Camapren® Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing



# Silver nitrate solution 0.01 mol/l - 0.01 N solution in ethanol

Revision date: 29.11.2023

Product code: 05332

Page 7 of 13

## **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

# **Environmental exposure controls**

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and che		
Physical state:	Liquid	
Colour:	colourless	
Odour:	like: Alcohol	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		~78 °C
boiling range:		
Flammability:		not applicable
Lower explosion limits:		~3,1 vol. %
Upper explosion limits:		~27,7 vol. %
Flash point:		~12 °C
Auto-ignition temperature:		~425 °C
Decomposition temperature:		not determined
pH-Value:		5,0
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
not determined		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		59 hPa
(at 50 °C)		
Vapour pressure:		No data available
Density:		0,798 g/cm³
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		not determined
Particle characteristics:		No data available
9.2. Other information		
Information with regard to physical ha	zard classes	
Explosive properties		
Vapours can form explosive mixtures	s with air.	
Sustaining combustion:		Sustaining combustion
Self-ignition temperature		-
Solid:		not applicable
Gas:		not applicable
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:		not determined
Solvent separation test:		No data available



Silver nitrate solution 0.01 mol/l - 0.01 N solution in ethanol							
Revision date: 29.11.2023	Product code: 05332	Page 8 of 13					
Solvent content:	No data available						
Solid content:	No data available						
Sublimation point:	No data available						
Softening point:	No data available						
Pour point:	No data available						
No data available:							
Viscosity / dynamic:	No data available						
(at 20 °C)							
Flow time:	No data available						
Further Information							

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Highly flammable. Vapours can form explosive mixtures with air.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures. Protect against: Light

### 10.3. Possibility of hazardous reactions

Oxidising agent

# 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Protect against: Light

#### 10.5. Incompatible materials

Plastic articles Rubber articles

### 10.6. Hazardous decomposition products

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide

# Further information

No data available

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

## Acute toxicity

Based on available data, the classification criteria are not met.

# **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



# Silver nitrate solution 0.01 mol/l - 0.01 N solution in ethanol

Revision date: 29.11.2023

Product code: 05332

Page 9 of 13

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
64-17-5	ethanol								
	oral LD50 10470 Rat Study report (1976) OECD Guideline 40 mg/kg								
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	Study report (1980)	OECD Guideline 403			
7761-88-8	silver nitrate								
	oral LD50 > 2000 Rat Study report (1993) OECD Guideline 40								
	dermal LD50 > 348 Guinea pig J. Vet. Med. Sci.73: OECD Guideline   mg/kg mg/kg 1417 - 1423. (2011) 0 0 0 0								

## Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the mixture itself.

## Specific effects in experiment on an animal

There are no data available on the mixture itself.

## Additional information on tests

There are no data available on the mixture itself.

### Practical experience

There are no data available on the mixture itself.

# 11.2. Information on other hazards

### **Endocrine disrupting properties**

There are no data available on the mixture itself.

### Other information

Irritant Dizziness The product causes narcotic-like effects. Inebriation Vomiting

#### Further information

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

## **SECTION 12: Ecological information**

#### 12.1. Toxicity



# Silver nitrate solution 0.01 mol/l - 0.01 N solution in ethanol

Revision date: 29.11.2023

Product code: 05332

Page 10 of 13

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name									
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method			
64-17-5	ethanol									
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975			
	Acute algae toxicity	ErC50 22000 mg/l	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201			
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11			
	Algae toxicity	NOEC mg/l	5400	5 d	Skeletonema costatum	Environ Toxicol Chem 8(5):451-455. (1989	Study to determine the sensitivity of a			
	Crustacea toxicity	NOEC	2 mg/l	10 d	Ceriodaphnia dubia	Arch Environ Contam Toxicol 20(2):211-21	Follows the basic methodology for the th			
7761-88-8	silver nitrate									
	Acute fish toxicity	LC50 mg/l	0,0012	96 h	Pimephales promelas	Environmental Toxicology and Chemistry.	A guideline was not specified. The test			
	Acute algae toxicity	ErC50 mg/l	0,0099	96 h	Pseudokirchneriella subcapitata	Environmental Science and Technology. 44	eline: U.S. Environmental Protection Age			
	Acute crustacea toxicity	EC50 mg/l	0,00022	48 h	Daphnia magna	Environmental Toxicology and Chemistry.	The protective effect of reactive sulphi			
	Fish toxicity	NOEC 0,00125 mg	> ]/l	73 d	Oncorhynchus mykiss	Environmental Toxicology and Chemistry 2	other: ASTM 1241-98			
	Algae toxicity	NOEC mg/l	0,0012	14 d	Champia parvula	in Bishop WE, Cardwell RD Heidolph BB (E	The toxicity tests lasted 11 days for th			
	Crustacea toxicity	NOEC mg/l	0,00031	20 d	Isonychia bicolour	Environmental Toxicology and Chemistry.	20 day sublethal effects on representati			

# 12.2. Persistence and degradability

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,77
BCF		

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol	1	Cyprinus carpio	Comparative Biochemi
7761-88-8	silver nitrate	70	Cyprinus carpio	Water, Air and Soil



# Silver nitrate solution 0.01 mol/l - 0.01 N solution in ethanol

Revision date: 29.11.2023

Product code: 05332

Page 11 of 13

## 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

Do not allow to enter into surface water or drains.

#### Further information

Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Do not allow to enter into surface water or drains.

Send to a physico-chemical treatment facility under observation of official regulations.

# Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (ethanol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601 640D
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (ethanol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601 640D
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
Marine transport (IMDG) <u>14.1. UN number or ID number:</u>	UN 1993
	UN 1993 FLAMMABLE LIQUID, N.O.S. (ethanol)



according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.01 mol/l - 0.01 N solution in ethanol

Silver mitrate solution 0.01 mol/1 - 0.01 N Solution in ethanol				
Revision date: 29.11.2023	Product code: 05332	Page 12 of 13		
14.3. Transport hazard class(es):	3			
14.4. Packing group:	II			
Hazard label:	3			
Special Provisions:	274			
Limited quantity:				
Excepted quantity: EmS:	E2 F-E, S-E			
Air transport (ICAO-TI/IATA-DGR)	1-L, 0-L			
<u>14.1. UN number or ID number:</u>	UN 1993			
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (ethanol)			
14.3. Transport hazard class(es):	3			
14.4. Packing group:	II			
Hazard label:	3			
Special Provisions:	A3			
Limited quantity Passenger:	1 L			
Passenger LQ:	Y341			
Excepted quantity:	E2			
IATA-packing instructions - Passenger:	353			
IATA-max. quantity - Passenger:	5 L			
IATA-packing instructions - Cargo:	364			
IATA-max. quantity - Cargo:	60 L			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	Yes			
Danger releasing substance:	silver nitrate			
14.6. Special precautions for user				
Warning: Combustible liquid.				
14.7. Maritime transport in bulk according to	IMO instruments			
not applicable				
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture			
EU regulatory information				
Restrictions on use (REACH, annex XVII):				
Entry 3, Entry 40, Entry 75				
Information according to Directive	E1 Hazardous to the Aquatic Environment			
2012/18/EU (SEVESO III):				
Additional information:	P5c			
National regulatory information				
	Observe restrictions to employment for investige according to the linus	nilo		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC).	IIIIE		
Water hazard class (D):	3 - highly hazardous to water			
15.2. Chemical safety assessment				
For this substance a chemical safety assessment has not been carried out.				

# **SECTION 16: Other information**

# Changes

This data sheet contains changes from the previous version in section(s): 1,9,12.



according to Regulation (EC) No 1907/2006

# Silver nitrate solution 0.01 mol/I - 0.01 N solution in ethanol

Revision date: 29.11.2023

Product code: 05332

Page 13 of 13

# Abbreviations and acronyms

Ox. Sol: Oxidising solid Met. Corr: Substance or mixture corrosive to metals Flam. Lig: Flammable liquid Skin Corr: Skin corrosion Eye Dam: Eye damage Eye Irrit: Eye irritation Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50%

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 2; H411	Calculation method

## Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)