

Ammonium iron(III) sulfate solution for determination of titanium dioxide content 1 ml equals 5.000						
Revision date: 12.11.2024	Product code: 05347		Page 1 of 11			
SECTION 1: Identification of t	ne substance/mixture and of the comp	any/undertaking				
1.1. Product identifier						
Ammonium iron(III) sulfate	solution for determination of titanium dioxide	content 1 ml equals 5.000				
UFI:	E2TF-G0DP-2005-TGC5					
1.2. Relevant identified uses of the	e substance or mixture and uses advised	<u>against</u>				
Use of the substance/mixture						
Laboratory chemicals						
	stances as such or in preparations at indust					
	omain (administration, education, entertainm	ient, services, craftsmen)				
Uses advised against						
Do not use for private purpo						
1.3. Details of the supplier of the						
Company name:	AnalytiChem GmbH ACD					
Street:	ACD Stempelstraße 6					
Place:	D-47167 Duisburg					
Telephone:	0203/5194-0	Telefax: 0203/5194-290				
E-mail:	info@analytichem.de					
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117				
E-mail:	produktsicherheit@analytichem.de					
Internet:	www.analytichem.de					
Responsible Department:	Abteilung Produktsicherheit					
1.4. Emergency telephone	For Hazardous Materials [or Dangerou					
<u>number:</u>	Exposure, or Accident Call CHEMTRE 1-800-424-9300 Outside USA and Ca accepted)	EC Day or Night Within USA and Canada nada: +1 703-741-5970 (collect calls	1:			
Further Information						

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:

P234



Hazard statements

H290

May be corrosive to metals.

Precautionary statements

Keep only in original packaging.



Ammonium iron(III) sulfate solution for determination of titanium dioxide content 1 ml

equals 5.000

Revision date: 12.11.2024

Product code: 05347

Page 2 of 11

P390 P406 Absorb spillage to prevent material damage. Store in a corrosion-resistant container with a resistant inner liner.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)					
7664-93-9	sulphuric acid	sulphuric acid				
	231-639-5	016-020-00-8	01-2119458838-20			
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
7664-93-9	231-639-5	sulphuric acid	1 - < 5 %
	oral: LD50 = 21 Eye Irrit. 2; H31	40 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 9: >= 5 - < 15	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.



Ammonium iron(III) sulfate solution for determination of titanium dioxide content 1 ml

equals 5.000

Revision date: 12.11.2024

Product code: 05347

Page 3 of 11

4.2. Most important symptoms and effects, both acute and delayed

Irritant

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx) Sulphur oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).



Ammonium iron(III) sulfate solution for determination of titanium dioxide content 1 ml

equals 5.000

Revision date: 12.11.2024

Product code: 05347

Page 4 of 11

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-93-9	Sulphuric acid	-	0.05		TWA (8 h)	



Ammonium iron(III) sulfate solution for determination of titanium dioxide content 1 ml equals 5.000

Revision date: 12.11.2024

Product code: 05347

Page 5 of 11

DNEL/DMEL values

CAS No	Substance	-	_	
DNEL type		Exposure route	Effect	Value
7664-93-9	sulphuric acid			
Worker DNEL,	long-term	inhalation	local	0,05 mg/m³
Worker DNEL,	acute	inhalation	local	0,1 mg/m³

PNEC values

CAS No	Substance		
Environmental compartment Value			
7664-93-9	sulphuric acid		
Freshwater 0,003 mg/l			
Marine water		0 mg/l	
Freshwater sediment		0,002 mg/kg	
Marine sediment		0,002 mg/kg	
Micro-organis	ms in sewage treatment plants (STP)	8,8 mg/l	

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances



Ammonium iron(III) sulfate solution for determination of titanium dioxide content 1 ml

equals 5.000

Revision date: 12.11.2024

Product code: 05347

Page 6 of 11

and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	brown	
Odour:	odourless	
Melting point/freezing point:		No data available
Boiling point or initial boiling point	and	No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/wate	er:	No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,031 g/cm ³
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to physi	cal hazard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		No data available
Gas:		No data available

Other safety characteristics

Oxidizing properties Oxidizing



Ammonium iron(III) sulfate solution for determination of titanium dioxide content 1 ml equals 5.000					
Revision date: 12.11.2024	Product code: 05347	Page 7 of 11			
Evaporation rate:	No data available				
Solvent separation test:	No data available				
Solvent content:	0				
Solid content:	0				
Sublimation point:	No data available				
Softening point:	No data available				
Pour point:	No data available				
No data available:					
Viscosity / dynamic:	No data available				
Flow time:	No data available				
Further Information					

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

- 10.4. Conditions to avoid No data available
- 10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name									
	Exposure route	Dose		Species	Source	Method				
7664-93-9	sulphuric acid									
	oral	LD50 mg/kg	2140		,,,	The study was performed as part of a ser				



Revision dat	te: 12.11.2024			equals Product co	ode: 05347		Page 8 of
							. 490 0 01
Skin	a and corrosivity corrosion/irritation: Based ous eye damage/eye irritat						
	ing effects ed on available data, the cl	assificatio	n criteria ar	e not me	t.		
Germ Carci	genic/mutagenic/toxic eff n cell mutagenicity: Based inogenicity: Based on ava oductive toxicity: Based of	on availat ilable data	ole data, th , the classi	e classifio fication c	riteria are not met.		
	ngle exposure ed on available data, the cl	assificatio	n criteria ar	re not me	t.		
	peated exposure ed on available data, the cl	assificatio	n criteria ar	e not me	t.		
Aspiratio	on hazard d on available data, the cl						
Informat	ion on likely routes of ex e are no data available on	posure					
Specific	effects in experiment on e are no data available on	an anima	I				
Addition	al information on tests						
	e are no data available on	the prepa	ration/mixtu	ure itself.			
	l experience	the prope	ration/mixt	ura itaalf			
	e are no data available on iation on other hazards	ille piepa		lie itsell.			
	ne disrupting properties						
	e are no data available on	the prepa	ration/mixtu	ure itself.			
	formation						
	e are no data available on	the prepa	ration/mixti	ure itself.			
urther info There	e are no data available on	the prepa	ration/mixtu	ure itself.			
			-				
ECTION	12: Ecological information	tion					
2.1. Toxici	<u>ty</u>						
	d on available data, the cl	assificatio	n criteria ar	re not me	.t.		
CAS No	Chemical name	1					
	Aquatic toxicity	Dose		[n] [d]	Species	Source	Method
004 00 0	sulphuric acid	5.052					
664-93-9	Acute algae toxicity	ErC50 mg/l	> 100	_	Desmodesmus subspicatus	Study report (2009)	OECD Guideline 201
664-93-9			> 100	48 h	Daphnia magna	Study report (2009)	OECD Guideline 202
7664-93-9	Acute crustacea toxicity	EC50 mg/l					
7664-93-9			0,025	65 c	Jordanella floridae	Water Research Vol. 11, 612 - 626, 1977	Groups of sexually mature flagfish
	Acute crustacea toxicity	mg/l NOEC	0,025	65 c	Jordanella floridae	Vol. 11, 612 - 626,	Groups of sexually mature



Ammonium iron(III) sulfate solution for determination of titanium dioxide content 1 ml

equals 5.000

Revision date: 12.11.2024

Product code: 05347

Page 9 of 11

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	



Ammonium iron(III) sulfate solution for determination of titanium dioxide content 1 ml					
	equals 5.000				
Revision date: 12.11.2024	Product code: 05347	Page 10 of 11			
14.1. UN number or ID number:	UN 3264				
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)				
14.3. Transport hazard class(es):	8				
14.4. Packing group:	III				
Hazard label:	8				
Special Provisions:	223, 274				
Limited quantity:	5 L				
Excepted quantity:	E1				
EmS:	F-A, S-B				
Air transport (ICAO-TI/IATA-DGR)					
14.1. UN number or ID number:	UN 3264				
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)				
14.3. Transport hazard class(es):	8				
14.4. Packing group:	III				
Hazard label:	8				
Special Provisions:	A3 A803				
Limited quantity Passenger:	1L				
Passenger LQ:	Y841				
Excepted quantity:	E1				
IATA-packing instructions - Passenger:	852				
IATA-max. quantity - Passenger:	5 L				
IATA-packing instructions - Cargo:	856				
IATA-max. quantity - Cargo:	60 L				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	No				
SECTION 15: Regulatory information					
15.1. Safety, health and environmental regu	ations/legislation specific for the substance or mixture				
EU regulatory information					
Restrictions on use (REACH, annex XVII):					
Entry 75					
Marketing and use of explosives precursor	s (Regulation (EU) 2010/11/8)				
	(EU) 2019/1148: all suspicious transactions, and significant				
	eported to the relevant national contact point.				
	sportod to the relevant national contact point.				
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve	nile			
	work protection guideline' (94/33/EC).				
Water hazard class (D):	1 - slightly hazardous to water				
SECTION 16: Other information					

Changes

This data sheet contains changes from the previous version in section(s): 1,9.

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Skin Corr: Skin corrosion

Eye Dam: Eye damage

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data



Ammonium iron(III) sulfate solution for determination of titanium dioxide content 1 ml

equals 5.000

 Revision date: 12.11.2024
 Product code: 05347
 Page 11 of 11

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)