

Potassium hydroxide 0.01 mol/l in ethanol 92% by volume denatured

Revision date: 26.02.2025

Product code: 06080

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Potassium hydroxide 0.01 mol/l in ethanol 92% by volume denatured

UFI:

K0UH-G0AN-J00W-PQGF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	•	REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling potassium hydroxide

Signal word:

Pictograms:



Hazard statements

H225 H319

Highly flammable liquid and vapour. Causes serious eye irritation.



Re

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Potassium hydroxide 0.01 mol/l in ethanol 92% by volume denatured

FUL	Polassium nyuloxide 0.01 moi/i m ethanol 92 % by volume denatured							
Revision date: 26.02.2025	Product code: 06080							
Precautionary statemer	nts							
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.							
P240	Ground and bond container and receiving equipment.							
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.							
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.							
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.							
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.							
P403+P233	Store in a well-ventilated place. Keep container tightly closed.							

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Chemical name					
	EC No	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)						
64-17-5	ethanol	ethanol					
	200-578-6	200-578-6 603-002-00-5 01-2119457610-43					
	Flam. Liq. 2, Eye Irrit. 2; H225 H319						

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc. Limits, M-factors and ATE					
64-17-5	200-578-6 ethanol					
	inhalation: LC5 100	0 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg				

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.



Potassium hydroxide 0.01 mol/l in ethanol 92% by volume denatured

Revision date: 26.02.2025

Product code: 06080

Page 3 of 12

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

corrosive Irritant Cough Dyspnoea Dizziness The product causes narcotic-like effects. Inebriation Vomiting

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide Beware of reignition.

5.3. Advice for firefighters

Remove persons to safety. Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Use water spray jet to protect personnel and to cool endangered containers.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Suppress gases/vapours/mists with water spray jet. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe). Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures



Potassium hydroxide 0.01 mol/l in ethanol 92% by volume denatured Product code: 06080 Revision date: 26.02.2025 Page 4 of 12 Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray. For emergency responders Precautionary statements For emergency responders : Personal protection equipment: see section 8 6.2. Environmental precautions Do not allow to enter into surface water or drains. The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration. Danger of explosion 6.3. Methods and material for containment and cleaning up For containment Cover drains Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). For cleaning up Clean contaminated articles and floor according to the environmental legislation. Other information Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe vapour/aerosol. Provide adequate ventilation.

Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



Potassium hydroxide 0.01 mol/l in ethanol 92% by volume denatured

Revision date: 26.02.2025

Product code: 06080

Page 5 of 12

Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances. national regulations

Further information on storage conditions

Vapours may form explosive mixtures with air. storage temperature $+15^{\circ}C - +25^{\circ}C$

7.3. Specific end use(s)

Laboratory use Laboratory chemical

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-17-5	Ethyl alcohol	1000	-		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
64-17-5	ethanol		-					
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³				
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day				
Consumer DNE	EL, long-term	inhalation	systemic	114 mg/m ³				
Consumer DNEL, long-term		dermal	systemic	206 mg/kg bw/day				
Consumer DNE	EL, long-term	oral	systemic	87 mg/kg bw/day				

PNEC values

CAS No	Substance					
Environmen	Environmental compartment Value					
64-17-5	ethanol					
Freshwater		0,96 mg/l				
Freshwater (intermittent releases) 2,75 mg/l						
Marine water 0,79 mg/l						
Freshwater sediment 3,6 mg/kg						
Marine sediment 2,9 mg/kg						
Secondary poisoning 380 mg/kg						
Micro-organisms in sewage treatment plants (STP) 580 mg/l						
Soil 0,63 mg/kg						

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.





Potassium hydroxide 0.01 mol/l in ethanol 92% by volume denatured

Revision date: 26.02.2025

Product code: 06080

Page 6 of 12

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 897 Butoject® Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles KCL 720 Camapren® Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Liquid clear / yellow like: Ethanol	
Odour threshold: Melting point/freezing point:	No data available	~114 °C
Boiling point or initial boiling point and boiling range:		~78 °C
Flammability:		not applicable
Lower explosion limits:		3,5 vol. %
Upper explosion limits:		15 vol. %
Flash point:		12 °C
Auto-ignition temperature:		425 °C
Decomposition temperature:		not determined
pH-Value:		alkaline
Viscosity / kinematic:		No data available
Water solubility:		Soluble in: Water
Solubility in other solvents not determined		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available



Potassium hydroxide 0.0 ^o	1 mol/l in ethanol 92% by volume denatur	red
Revision date: 26.02.2025	Product code: 06080	Page 7 of 12
Dispersion stability:	No data available	
Vapour pressure:	59 hPa	
(at 20 °C)		
Vapour pressure:	No data available	
Density:	~0,8 g/cm³	
Relative density:	No data available	
Bulk density:	No data available	
Relative vapour density:	not determined	
Particle characteristics:	No data available	
9.2. Other information		
Information with regard to physical hazard classe	S	
Explosive properties		
Vapours can form explosive mixtures with air.		
Sustaining combustion:	Sustaining combustion	
Self-ignition temperature	6 P 11	
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	not determined	
Sublimation point:	No data available No data available	
Softening point: Pour point:	No data available	
No data available:	No data available	
Viscosity / dynamic:	1,2 mPa⋅s	
(at 20 °C)	1,2 IIIFa'S	
Flow time:	No data available	
Further Information		
May be corrosive to metals.		
-		
SECTION 10: Stability and reactivity		

10.1. Reactivity

Highly flammable. Vapours can form explosive mixtures with air. May be corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent, Hydrogen peroxide, Nitric acid, Alkali metals, Alkaline earth metal Chlorine, Fluorine, silver, permanganates, e.g. potassium permanganate

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

Glass Plastic articles Metal



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Potassium hydroxide 0.01 mol/l in ethanol 92% by volume denatured

Revision date: 26.02.2025

Product code: 06080

Page 8 of 12

10.6. Hazardous decomposition products

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract. Resorption (by inhalation)

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
64-17-5	ethanol								
	oral	LD50 mg/kg	10470	Rat	Study report (1976)	OECD Guideline 401			
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	Study report (1980)	OECD Guideline 403			

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Risk of serious damage to eyes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Observe risk of aspiration if vomiting occurs.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.



Potassium hydroxide 0.01 mol/l in ethanol 92% by volume denatured

Revision date: 26.02.2025

Product code: 06080

Page 9 of 12

Practical experience There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

corrosive Irritant Cough Dyspnoea Dizziness The product causes narcotic-like effects. Inebriation Vomiting Risk of serious damage to eyes. Corneal opacity.

Further information

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
64-17-5	ethanol							
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975	
	Acute algae toxicity	ErC50 22000 mg/l	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11	
	Algae toxicity	NOEC mg/l	5400	5 d	Skeletonema costatum	Environ Toxicol Chem 8(5):451-455. (1989	Study to determine the sensitivity of a	
	Crustacea toxicity	NOEC	2 mg/l	10 d	Ceriodaphnia dubia	Arch Environ Contam Toxicol 20(2):211-21	Follows the basic methodology for the th	

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,77



Potassium hydroxide 0.01 mol/l in ethanol 92% by volume denatured

Revision date: 26.02.2025

Product code: 06080

Page 10 of 12

	-
вι.	-
	•

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol	1	Cyprinus carpio	Comparative Biochemi

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Avoid release to the environment.

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Send to a physico-chemical treatment facility under observation of official regulations.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

Land transport (ADR/RID)

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information


14.1. UN number or ID number:	UN 1170	
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Classification code:	F1	
Special Provisions:	144 601	
Limited quantity:	1 L	
Excepted quantity:	E2	
Transport category:	2	
Hazard No:	33	
Tunnel restriction code:	D/E	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 1170	
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Classification code:	F1	
Special Provisions:	144 601	
Limited quantity:	1 L	



Potassium hydroxide 0.01 mol/l in ethanol 92% by volume denatured			
Revision date: 26.02.2025	Product code: 06080 Page 11 of 12		
Excepted quantity:	E2		
Marine transport (IMDG)			
14.1. UN number or ID number:	UN 1170		
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	ll		
Hazard label:	3		
Special Provisions:	144		
Limited quantity:	1L		
Excepted quantity:	E2		
EmS:	F-E, S-D		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	UN 1170		
14.2. UN proper shipping name:	ETHANOL SOLUTION		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	ll		
Hazard label:	3		
Special Provisions:	A3 A58 A180		
Limited quantity Passenger:	1L		
Passenger LQ:	Y341		
Excepted quantity:	E2		
IATA-packing instructions - Passenger:	353		
IATA-max. quantity - Passenger:	5 L		
IATA-packing instructions - Cargo:	364		
IATA-max. quantity - Cargo:	60 L		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user			
Warning: Combustible liquid.			
14.7. Maritime transport in bulk according to	<u>) INIC Instruments</u>		
not applicable			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture		
EU regulatory information			
Restrictions on use (REACH, annex XVII):			
Entry 3, Entry 40, Entry 75			
Information according to Directive	P5c FLAMMABLE LIQUIDS		
2012/18/EU (SEVESO III):			
National regulatory information			
Employment restrictions:	Obconverse trictions to employment for investige according to the linvestig		
	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).		
Water hazard class (D):	1 - slightly hazardous to water		
SECTION 16: Other information			

Changes

This data sheet contains changes from the previous version in section(s): 9.





Safety Data Sheet

according to Regulation (EC) No 1907/2006

Potassium hydroxide 0.01 mol/l in ethanol 92% by volume denatured

Revision date: 26.02.2025

Product code: 06080

Page 12 of 12

Abbreviations and acronyms

Flam. Liq: Flammable liquid Eye Irrit: Eye irritation

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)