

AnalytiChem GmbH

according to Regulation (EC) No 1907/2006

## Deliming agent for boiler scale removal

Revision date: 14.05.2024

Product code: 06122

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Deliming agent for boiler scale removal

UFI:

#### NMXH-R0AA-E00Q-F1Y5

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH			
	ACD			
Street:	Stempelstraße 6			
Place:	D-47167 Duisburg			
Telephone:	0203/5194-0	Telefax: 0203/5194-290		
E-mail:	info@analytichem.de			
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117		
E-mail:	produktsicherheit@analytichem.de			
Internet:	www.analytichem.de			
Responsible Department:	Abteilung Produktsicherheit			
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTF	For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)		

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

## SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

Pictograms:

#### Regulation (EC) No 1272/2008

Signal word:



## Hazard statements

H319

P280

Causes serious eye irritation.

#### **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.



according to Regulation (EC) No 1907/2006

Deliming agent for boiler scale removal					
Revision date: 14.05.2024	Product code: 06122	Page 2 of 10			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P337+P313	If eye irritation persists: Get medical advice/attention.				
2.3. Other hazards					

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Chemical characterization**

Mixtures in aqueous solution

#### Relevant ingredients

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
5949-29-1	1 Citric acid 1-hydrate		40 - < 45 %	
	201-069-1		01-2119457026-42	
	Eye Irrit. 2, STOT SE 3; H319 H33	/e Irrit. 2, STOT SE 3; H319 H335		

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
5949-29-1	201-069-1	Citric acid 1-hydrate	40 - < 45 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 5400 mg/kg		

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### General information

No data available

#### After inhalation

Provide fresh air.

## After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids

apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

## After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed Irritant

#### **4.3. Indication of any immediate medical attention and special treatment needed** No data available



according to Regulation (EC) No 1907/2006

## Deliming agent for boiler scale removal

Revision date: 14.05.2024

Product code: 06122

Page 3 of 10

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

## Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**



according to Regulation (EC) No 1907/2006

## Deliming agent for boiler scale removal

Revision date: 14.05.2024

Product code: 06122

Page 4 of 10

## 7.1. Precautions for safe handling

## Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

## Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed.

#### Further information on storage conditions

No data available

## 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## **PNEC** values

CAS No	Substance			
Environmental	compartment	Value		
5949-29-1	Citric acid 1-hydrate			
Freshwater	Freshwater 0,44 mg/l			
Marine water		0,044 mg/l		
Freshwater sediment		34,6 mg/kg		
Marine sediment		3,46 mg/kg		
Micro-organisms in sewage treatment plants (STP) 10		1000 mg/l		
Soil 33,		33,1 mg/kg		

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles Wear eye/face protection.



according to Regulation (EC) No 1907/2006

## Deliming agent for boiler scale removal

Revision date: 14.05.2024

Product code: 06122

Page 5 of 10

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

## **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling po	oint and	No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available



according to Regulation (EC) No 1907/2006

Delimin	g agent for boiler scale removal	
Revision date: 14.05.2024	Product code: 06122	Page 6 of 10
Decomposition temperature:	No data available	
pH-Value:	acidic	
Viscosity / kinematic:	No data available	
Water solubility:	completely miscible	
Solubility in other solvents		
No data available		
Dissolution rate:	No data available	
Partition coefficient n-octanol/water:	No data available	
Dispersion stability:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density:	1,22 g/cm <sup>3</sup>	
Relative density:	No data available	
Bulk density:	No data available	
Relative vapour density:	No data available	
Particle characteristics:	No data available	
9.2. Other information		
Information with regard to physical hazard cla	sses	
Explosive properties		
No data available	<b>N</b> 1 1 2 11 11	
Sustaining combustion:	No data available	
Self-ignition temperature Solid:	No data available	
Solid: Gas:	No data available No data available	
Oxidizing properties		
Oxidizing		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:		
Solid content:	0	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		

#### **Further Information**

No data available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No data available

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No data available

#### 10.4. Conditions to avoid

No data available



an analyti**chem** brand

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## AnalytiChem GmbH

## Deliming agent for boiler scale removal

Revision date: 14.05.2024

Product code: 06122

Page 7 of 10

## 10.5. Incompatible materials

No data available

## 10.6. Hazardous decomposition products

# No data available

Further information

No data available

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation

dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
5949-29-1	Citric acid 1-hydrate					
	oral	LD50 mg/kg	5400	Mouse	Study report (1981)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2006)	OECD Guideline 402

#### Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

## Additional information on tests

There are no data available on the preparation/mixture itself.

#### Practical experience

There are no data available on the preparation/mixture itself.

## 11.2. Information on other hazards



according to Regulation (EC) No 1907/2006

## Deliming agent for boiler scale removal

Revision date: 14.05.2024

Product code: 06122

Page 8 of 10

#### Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

#### Other information

There are no data available on the preparation/mixture itself.

#### Further information

There are no data available on the preparation/mixture itself.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
5949-29-1	Citric acid 1-hydrate						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Pimephales promelas	Photogr. Sci. Eng. 16(5):370-377 (1972)	
	Acute crustacea toxicity	EC50 mg/l	> 50		other aquatic crustacea: Dreissena polymorpha	Environ.Toxicol.C hem. 16(9): 1930-1934 (	other: ASTM
	Algae toxicity	NOEC	425 mg/l		Scenedesmus quadricauda	Water Research 14: 231-241 (1980)	other: Bringmann and Kuhn

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
5949-29-1	Citric acid 1-hydrate	-1,55
BCF		-1,55

# CAS NoChemical nameBCFSpeciesSource5949-29-1Citric acid 1-hydrate3,2In: (2009)

## 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

There are no data available on the mixture itself.

#### Further information

There are no data available on the mixture itself.

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods



according to Regulation (EC) No 1907/2006

## Deliming agent for boiler scale removal

Revision date: 14.05.2024

Product code: 06122

Page 9 of 10

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### **Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group:

No

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

#### 14.6. Special precautions for user

## No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information	
Restrictions on use (REACH, annex XVII):	
Entry 3	
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water

## **SECTION 16: Other information**

#### Changes



according to Regulation (EC) No 1907/2006

## Deliming agent for boiler scale removal

Revision date: 14.05.2024

Product code: 06122

Page 10 of 10

This data sheet contains changes from the previous version in section(s): 1,9.

## Abbreviations and acronyms

Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

#### Relevant H and EUH statements (number and full text)

H319	Causes serious eye irritation.
	May cause respiratory irritation.
	, , ,

#### **Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)