

according to Regulation (EC) No 1907/2006

## Sulfuric acid 40 % for analysis

Revision date: 02.12.2024 Product code: 10315 Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Sulfuric acid 40 % for analysis

UFI: 6MJW-Y0EU-P00R-2FAP

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

### Regulation (EC) No 1272/2008

### Hazard components for labelling

sulphuric acid

Signal word: Danger

Pictograms:



## **Hazard statements**

H290 May be corrosive to metals.



according to Regulation (EC) No 1907/2006

## Sulfuric acid 40 % for analysis

Revision date: 02.12.2024 Product code: 10315 Page 2 of 12

H314 Causes severe skin burns and eye damage.

### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308 IF exposed or concerned:

P310 Immediately call a POISON CENTER/doctor.

### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

### Relevant ingredients

| CAS No    | Chemical name   | Chemical name                                 |                  |  |  |
|-----------|---|---|------------------|--|--|
|           | EC No   | Index No                                      | REACH No         |  |  |
|           | Classification (Regulation                              | Classification (Regulation (EC) No 1272/2008) |                  |  |  |
| 7664-93-9 | sulphuric acid  | sulphuric acid                                |                  |  |  |
|           | 231-639-5   | 016-020-00-8                                  | 01-2119458838-20 |  |  |
|           | Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318 |   |                  |  |  |

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

| CAS No    | EC No   | Chemical name  | Quantity    |
|-----------|---|----------------|-------------|
|           | Specific Conc. Limits, M-factors and ATE  |                |             |
| 7664-93-9 | 231-639-5   | sulphuric acid | 40 - < 45 % |
|           | oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15 |                |             |

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection!

## After inhalation

Provide fresh air.

Call a physician immediately.

## After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.



according to Regulation (EC) No 1907/2006

## Sulfuric acid 40 % for analysis

Revision date: 02.12.2024 Product code: 10315 Page 3 of 12

Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk

### 4.2. Most important symptoms and effects, both acute and delayed

Risk of serious damage to eyes.

Causes burns.

Irritant

Cough

Dyspnoea

Vomiting

Gastric perforation

Nausea

Abdominal pain

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Sulphur oxides

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Avoid contact with skin, eyes and clothes.

### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

Print date: 02.12.2024



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Sulfuric acid 40 % for analysis

Revision date: 02.12.2024 Product code: 10315 Page 4 of 12

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

## Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

Unsuitable container/equipment material: Metal

## Further information on storage conditions

Corrosive to metals.

The product develops hydrogen in an aqueous solution in contact with metals.

## 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**



according to Regulation (EC) No 1907/2006

## Sulfuric acid 40 % for analysis

Revision date: 02.12.2024 Product code: 10315 Page 5 of 12

### 8.1. Control parameters

### Occupational exposure limits

| CAS No    | Substance      | ppm | mg/m³ | fib/cm³ | Category  | Origin |
|-----------|----------------|-----|-------|---------|-----------|--------|
| 7664-93-9 | Sulphuric acid | -   | 0.05  |         | TWA (8 h) |        |

#### **DNEL/DMEL values**

| CAS No                 | Substance      |                |        |            |  |
|------------------------|----------------|----------------|--------|------------|--|
| DNEL type              |                | Exposure route | Effect | Value      |  |
| 7664-93-9              | sulphuric acid |                |        |            |  |
| Worker DNEL, long-term |                | inhalation     | local  | 0,05 mg/m³ |  |
| Worker DNEL, acute     |                | inhalation     | local  | 0,1 mg/m³  |  |

## **PNEC values**

| CAS No   | Substance                       |             |  |  |
|--|---------------------------------|-------------|--|--|
| Environmental  | Environmental compartment Value |             |  |  |
| 7664-93-9  | sulphuric acid                  |             |  |  |
| Freshwater   |                                 | 0,003 mg/l  |  |  |
| Marine water   |                                 | 0 mg/l      |  |  |
| Freshwater sediment  |                                 | 0,002 mg/kg |  |  |
| Marine sediment  |                                 | 0,002 mg/kg |  |  |
| Micro-organisms in sewage treatment plants (STP)  8,8 mg/l |                                 | 8,8 mg/l    |  |  |

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

## Eye/face protection

Suitable eye protection:

goggles

Face protection shield

### **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 730 Camatril® Velours Recommended material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 720 Camapren®



according to Regulation (EC) No 1907/2006

## Sulfuric acid 40 % for analysis

Revision date: 02.12.2024 Product code: 10315 Page 6 of 12

Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Filtering device with filter or ventilator filtering device of type: ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: odourless

Odour threshold: No data available

Melting point/freezing point:

No data available
Boiling point or initial boiling point and

No data available

boiling range:

Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available Auto-ignition temperature: Decomposition temperature: No data available pH-Value: Viscosity / kinematic: No data available Water solubility: very soluble (Heat)

Solubility in other solvents

No data available

No data available Dissolution rate: Partition coefficient n-octanol/water: No data available Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: No data available Density: 1.3028 a/cm3 Relative density: No data available No data available Bulk density: No data available Relative vapour density: Particle characteristics: No data available

#### 9.2. Other information



according to Regulation (EC) No 1907/2006

## Sulfuric acid 40 % for analysis

Revision date: 02.12.2024 Product code: 10315 Page 7 of 12

### Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion:

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

#### Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic: No data available Flow time: No data available

Further Information
No data available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals.
Oxidising agent, strong

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Violent reaction with:

Water, Alkali metals, Ammonia

aldehydes, Alkaline earth metal, Acids

Alkali (lye), Metal,

Phosphorus oxides, Combustible substance

Solvent, Aniline, permanganates, e.g. potassium permanganate

Peroxides, Amines, Carbide

peroxides, for example hydrogen peroxide, Nitriles

## 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

Cellulose

## 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

#### **Further information**

No data available



according to Regulation (EC) No 1907/2006

# Sulfuric acid 40 % for analysis

Revision date: 02.12.2024 Product code: 10315 Page 8 of 12

#### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Irritation to respiratory tract (Cough, Dyspnoea)

Other dangerous properties cannot be excluded.

### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No    | Chemical name  |               |      |         |                      |  |
|-----------|----------------|---------------|------|---------|----------------------|--|
|           | Exposure route | Dose          |      | Species | Source               | Method   |
| 7664-93-9 | sulphuric acid |               |      |         |                      |  |
|           | oral           | LD50<br>mg/kg | 2140 |         | 1969 Sep-Oct; 30(5): | The study was<br>performed as part of a<br>ser |

#### Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Risk of serious damage to eyes.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

### **Practical experience**

There are no data available on the mixture itself.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

There are no data available on the mixture itself.

## Other information

There are no data available on the mixture itself.

### **Further information**

Risk of serious damage to eyes.



according to Regulation (EC) No 1907/2006

## Sulfuric acid 40 % for analysis

Revision date: 02.12.2024 Product code: 10315 Page 9 of 12

Causes burns.

Irritant

Cough

Dyspnoea

Vomiting

Gastric perforation

Nausea

Abdominal pain

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No    | Chemical name            | Chemical name |       |           |                            |                        |  |
|-----------|--------------------------|---------------|-------|-----------|----------------------------|------------------------|--|
|           | Aquatic toxicity         | Dose          |       | [h]   [d] | Species                    | Source                 | Method                                   |
| 7664-93-9 | sulphuric acid           |               |       |           |                            |                        |  |
|           | Acute algae toxicity     | ErC50<br>mg/l | > 100 |           | Desmodesmus<br>subspicatus | Study report<br>(2009) | OECD Guideline<br>201                    |
|           | Acute crustacea toxicity | EC50<br>mg/l  | > 100 | 48 h      | Daphnia magna              | Study report (2009)    | OECD Guideline<br>202                    |
|           | Fish toxicity            | NOEC<br>mg/l  | 0,025 | 65 d      | Jordanella floridae        | Vol. 11, 612 - 626,    | Groups of<br>sexually mature<br>flagfish |

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Avoid release to the environment.

### **Further information**

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

Do not allow to enter into surface water or drains.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.



according to Regulation (EC) No 1907/2006

## Sulfuric acid 40 % for analysis

Revision date: 02.12.2024 Product code: 10315 Page 10 of 12

## **SECTION 14: Transport information**

| I and | trananart | (ADR/RID | ١ |
|-------|-----------|----------|---|
| Lanu  | Hansbort  | IAUR/RIU | 1 |

14.1. UN number or ID number: UN 2796

14.2. UN proper shipping name: SULPHURIC ACID

14.3. Transport hazard class(es): П 14.4. Packing group: Hazard label: 8 Classification code: C1 Limited quantity: 1 L Excepted quantity: F2 Transport category: 2 Hazard No: 80 Tunnel restriction code: Ε

Inland waterways transport (ADN)

14.1. UN number or ID number:UN 279614.2. UN proper shipping name:Sulphuric acid

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C1Limited quantity:1 LExcepted quantity:E2

### Marine transport (IMDG)

14.1. UN number or ID number:UN 279614.2. UN proper shipping name:Sulphuric acid

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2796

14.2. UN proper shipping name: SULPHURIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Limited quantity Passenger:0.5 LPassenger LQ:Y840Excepted quantity:E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable



according to Regulation (EC) No 1907/2006

## Sulfuric acid 40 % for analysis

Revision date: 02.12.2024 Product code: 10315 Page 11 of 12

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

#### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,9,11,12.

### Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals

Skin Corr: Skin corrosion Eye Dam: Eye damage

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification      | Classification procedure |  |  |  |  |
|---------------------|--------------------------|--|--|--|--|
| Met. Corr. 1; H290  | On basis of test data    |  |  |  |  |
| Skin Corr. 1A; H314 | Calculation method       |  |  |  |  |
| Eye Dam. 1; H318    | Calculation method       |  |  |  |  |

## Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users



Print date: 02.12.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Sulfuric acid 40 % for analysis

Revision date: 02.12.2024 Product code: 10315 Page 12 of 12

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)