

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sodium hypochlorite solution approx. 1 % active chlorine contains ca. 40 g NaOH/l

Revision date: 24.09.2024

Product code: 11277

Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Sodium hypochlorite solution approx. 1 % active chlorine contains ca. 40 g NaOH/l

UFI: A670-V1ER-A00T-EUWR

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH  
ACD  
Street: Stempelstraße 6  
Place: D-47167 Duisburg  
Telephone: 0203/5194-0  
Telefax: 0203/5194-290  
E-mail: info@analytichem.de  
Contact person: Abteilung Produktsicherheit  
Telephone: 0203/5194-107/117  
E-mail: produktsicherheit@analytichem.de  
Internet: www.analytichem.de  
Responsible Department: Abteilung Produktsicherheit

### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

### Further Information

This product is a mixture. REACH Registration Number see section 3.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290  
Skin Corr. 1B; H314  
Eye Dam. 1; H318  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Hazard components for labelling

sodium hydroxide  
sodium hypochlorite, solution

Signal word: Danger

#### Pictograms:



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium hypochlorite solution approx. 1 % active chlorine contains ca. 40 g NaOH/l**

Revision date: 24.09.2024

Product code: 11277

Page 2 of 12

**Hazard statements**

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1310-73-2	sodium hydroxide			1 - < 5 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A; H290 H314			
7681-52-9	sodium hypochlorite, solution			1 - < 5 %
	231-668-3	017-011-00-1	01-2119488154-34	
	Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H290 H314 H318 H335 H400 H410 EUH031			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1310-73-2	215-185-5	sodium hydroxide	1 - < 5 %
		Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2	
7681-52-9	231-668-3	sodium hypochlorite, solution	1 - < 5 %
		inhalation: LC50 = > 10,5 mg/l (vapours); dermal: LD50 = > 20000 mg/kg; oral: LD50 = 1100 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1 EUH; EUH031: >= 5 - 100	

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sodium hypochlorite solution approx. 1 % active chlorine contains ca. 40 g NaOH/l

Revision date: 24.09.2024

Product code: 11277

Page 3 of 12

#### General information

First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air.  
Call a physician immediately.

#### After contact with skin

Wash immediately with:  
Water  
Take off immediately all contaminated clothing and wash it before reuse.  
Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation  
Dyspnoea  
Cough  
Circulatory collapse

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.  
Hazardous combustion products  
In case of fire may be liberated: Hydrogen chloride (HCl)

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.  
Avoid contact with skin, eyes and clothes.

#### Additional information

Suppress gases/vapours/mists with water spray jet.  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Corrosive to metals.

##### For non-emergency personnel

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sodium hypochlorite solution approx. 1 % active chlorine contains ca. 40 g NaOH/l

Revision date: 24.09.2024

Product code: 11277

Page 4 of 12

Remove persons to safety.  
Emergency procedures  
Consult an expert  
Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Collect in closed and suitable containers for disposal.  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

##### Other information

Provide adequate ventilation.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Do not breathe vapour/aerosol.  
Read label before use.

##### Advice on protection against fire and explosion

No special fire protection measures are necessary.

##### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

##### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.  
If handled uncovered, arrangements with local exhaust ventilation have to be used.  
Draw up and observe skin protection programme. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Provide adequate ventilation as well as local exhaust at critical locations.  
Unsuitable container/equipment material:  
Metal.

##### Further information on storage conditions

Keep container tightly closed.

#### 7.3. Specific end use(s)

Laboratory chemicals

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium hypochlorite solution approx. 1 % active chlorine contains ca. 40 g NaOH/l**

Revision date: 24.09.2024

Product code: 11277

Page 5 of 12

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
1310-73-2	sodium hydroxide			
	Worker DNEL, long-term	inhalation	local	1 mg/m <sup>3</sup>
	Consumer DNEL, long-term	inhalation	local	1 mg/m <sup>3</sup>
7681-52-9	sodium hypochlorite, solution			
	Worker DNEL, long-term	inhalation	systemic	1,55 mg/m <sup>3</sup>
	Worker DNEL, acute	inhalation	systemic	3,1 mg/m <sup>3</sup>
	Worker DNEL, long-term	inhalation	local	1,55 mg/m <sup>3</sup>
	Worker DNEL, acute	inhalation	local	3,1 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	local	0,5 %
	Consumer DNEL, long-term	inhalation	systemic	1,55 mg/m <sup>3</sup>
	Consumer DNEL, acute	inhalation	systemic	3,1 mg/m <sup>3</sup>
	Consumer DNEL, long-term	inhalation	local	1,55 mg/m <sup>3</sup>
	Consumer DNEL, acute	inhalation	local	3,1 mg/m <sup>3</sup>
	Consumer DNEL, long-term	dermal	local	0,5 %
	Consumer DNEL, long-term	oral	systemic	0,26 mg/kg bw/day

**PNEC values**

CAS No	Substance	Value
7681-52-9	sodium hypochlorite, solution	
	Freshwater	0,00021 mg/l
	Freshwater (intermittent releases)	0,00026 mg/l
	Marine water	0,000042 mg/l
	Secondary poisoning	11,1 mg/kg
	Micro-organisms in sewage treatment plants (STP)	4,69 mg/l

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe gas/fumes/vapour/spray.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Suitable eye protection: goggles.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sodium hypochlorite solution approx. 1 % active chlorine contains ca. 40 g NaOH/l

Revision date: 24.09.2024

Product code: 11277

Page 6 of 12

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	light yellow	
Odour:	characteristic	
Odour threshold:	No data available	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		X
Auto-ignition temperature:		No data available
Decomposition temperature:		not determined
pH-Value:		12,2
Viscosity / kinematic:		No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sodium hypochlorite solution approx. 1 % active chlorine contains ca. 40 g NaOH/l

Revision date: 24.09.2024

Product code: 11277

Page 7 of 12

#### Solubility in other solvents

not determined

#### Dissolution rate:

No data available

#### Partition coefficient n-octanol/water:

not determined

#### Dispersion stability:

No data available

#### Vapour pressure:

No data available

#### Vapour pressure:

No data available

#### Density:

1,0535 g/cm<sup>3</sup>

#### Relative density:

No data available

#### Bulk density:

No data available

#### Relative vapour density:

not determined

#### Particle characteristics:

No data available

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Sustaining combustion:

No data available

##### Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

##### Oxidizing properties

Not oxidising.

#### Other safety characteristics

##### Evaporation rate:

not determined

##### Solvent separation test:

not determined

##### Solvent content:

not determined

##### Solid content:

not determined

##### Sublimation point:

No data available

##### Softening point:

No data available

##### Pour point:

No data available

##### Viscosity / dynamic:

No data available

##### Flow time:

No data available

#### Further Information

not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Corrosive to metals.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Alkali metals

Ammonia (NH<sub>3</sub>)

Metal

Acid

### 10.4. Conditions to avoid

none

### 10.5. Incompatible materials

Aluminium, Brass, Glass, Metal

Keep away from: Metal.

The product develops hydrogen in an aqueous solution in contact with metals.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium hypochlorite solution approx. 1 % active chlorine contains ca. 40 g NaOH/l**

Revision date: 24.09.2024

Product code: 11277

Page 8 of 12

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**Further information**

No data available

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7681-52-9	sodium hypochlorite, solution				
	oral	LD50 mg/kg	1100	Rat	Study report (1981) OECD Guideline 401
	dermal	LD50 mg/kg	> 20000	Rabbit	Study report (1978) OECD Guideline 402
	inhalation (1 h) vapour	LC50 mg/l	> 10,5	Rat	Study report (1962) OECD Guideline 403

**Irritation and corrosivity**

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

No data available

**11.2. Information on other hazards**



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium hypochlorite solution approx. 1 % active chlorine contains ca. 40 g NaOH/l**

Revision date: 24.09.2024

Product code: 11277

Page 9 of 12

**Endocrine disrupting properties**

There are no data available on the mixture itself.

**Other information**

Adverse human health effects and symptoms: Gastric perforation.

**Further information**

- Skin corrosion/irritation
- Dyspnoea
- Cough
- Circulatory collapse

**SECTION 12: Ecological information**

**12.1. Toxicity**

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
1310-73-2	sodium hydroxide					
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h	Ceriodaphnia sp.	Ecotoxicology and Environmental Safety,4 other: acute 48-h immobilization test ac
7681-52-9	sodium hypochlorite, solution					
	Acute fish toxicity	LC50 mg/l	0,05	96 h	different fish species	Publication (1978) Public available literature. No guidelin
	Acute algae toxicity	ErC50 mg/l	0,036	72 h	Pseudokirchneriella subcapitata	Study report (2013) OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,141	48 h	Daphnia magna	Study report (2009) OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,062	15 d	Brevoortia tyrannus	Publication (1980) Organisms were exposed to cooling waters
	Crustacea toxicity	NOEC mg/l	0,015	21 d	V. iris	Environmental Toxicology and Chemistry, 21 d long-term toxicity to mussel test.
	Acute bacteria toxicity	EC50 ( )	563 mg/l	3 h	activated sludge of a predominantly domestic sewage	Study report (2013) OECD Guideline 209

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
7681-52-9	sodium hypochlorite, solution	-3,42

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Sodium hypochlorite solution approx. 1 % active chlorine contains ca. 40 g NaOH/l**

Revision date: 24.09.2024

Product code: 11277

Page 10 of 12

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains.

Send to a physico-chemical treatment facility under observation of official regulations.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

**Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 1824
<b>14.2. UN proper shipping name:</b>	SODIUM HYDROXIDE SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Classification code:	C5
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 1824
<b>14.2. UN proper shipping name:</b>	SODIUM HYDROXIDE SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Classification code:	C5
Limited quantity:	1 L
Excepted quantity:	E2

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 1824
<b>14.2. UN proper shipping name:</b>	SODIUM HYDROXIDE, SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 1824
<b>14.2. UN proper shipping name:</b>	SODIUM HYDROXIDE, SOLUTION

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium hypochlorite solution approx. 1 % active chlorine contains ca. 40 g NaOH/l**

Revision date: 24.09.2024

Product code: 11277

Page 11 of 12

<b>14.3. Transport hazard class(es):</b>	8	
<b>14.4. Packing group:</b>	II	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	0.5 L	
Passenger LQ:	Y840	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:		851
IATA-max. quantity - Passenger:		1 L
IATA-packing instructions - Cargo:		855
IATA-max. quantity - Cargo:		30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 1,9,12.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium hypochlorite solution approx. 1 % active chlorine contains ca. 40 g NaOH/l**

Revision date: 24.09.2024

Product code: 11277

Page 12 of 12

**Abbreviations and acronyms**

- Met. Corr: Substance or mixture corrosive to metals
- Skin Corr: Skin corrosion
- Eye Dam: Eye damage
- STOT SE: Specific target organ toxicity - single exposure
- Aquatic Acute: Acute aquatic hazard
- Aquatic Chronic: Chronic aquatic hazard
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service
- LC50: Lethal concentration, 50%
- LD50: Lethal dose, 50%

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Chronic 3; H412	

**Relevant H and EUH statements (number and full text)**

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH031 Contact with acids liberates toxic gas.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Provide appropriate information, instructions and training to users

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*