

according to UK REACH Regulation

# **Cravetol Indicator Solution**

Revision date: 07.11.2023

Product code: 11525

Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Cravetol Indicator Solution** 

UFI:

GGW0-D1M6-900J-GHER

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

# Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and 0	Canada: +1 703-741-5970 (collect calls
	accepted)	

#### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

GB CLP Regulation Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

**GB CLP Regulation** 

Signal word:

Pictograms:



# Hazard statements

H290

May be corrosive to metals.

# Precautionary statements

recautionary state	ements
P234	Keep only in original packaging.
P390	Absorb spillage to prevent material damage.
P406	Store in a corrosion-resistant container with a resistant inner liner.



according to UK REACH Regulation

# **Cravetol Indicator Solution**

Revision date: 07.11.2023

Product code: 11525

Page 2 of 10

#### 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

#### Relevant ingredients

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
67-63-0	propan-2-ol; isopropyl alcohol; isop	ropanol		1 - < 5 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336		

Full text of H and EUH statements: see section 16.

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

**General information** 

No data available

# After inhalation

Provide fresh air.

# After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media



# according to UK REACH Regulation

Revision date: 07.11.2023

Product code: 11525

Page 3 of 10

# 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Sulphur oxides

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

Read label before use.

# Advice on protection against fire and explosion

Usual measures for fire prevention.



according to UK REACH Regulation

# **Cravetol Indicator Solution**

Revision date: 07.11.2023

Product code: 11525

Page 4 of 10

# Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

# Corrosive to metals.

Unsuitable container/equipment material: Metal, Light metal The product develops hydrogen in an aqueous solution in contact with metals.

#### Hints on joint storage

national regulations

# Further information on storage conditions

Keep container tightly closed.

## 7.3. Specific end use(s)

Laboratory chemicals

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol		-	
Worker DNEL,	long-term	inhalation	systemic	500 mg/m³
Worker DNEL,	long-term	dermal	systemic	888 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	89 mg/m³
Consumer DNE	EL, long-term	dermal	systemic	319 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	26 mg/kg bw/day



according to UK REACH Regulation

# **Cravetol Indicator Solution**

Revision date: 07.11.2023

Product code: 11525

Page 5 of 10

#### **PNEC** values

CAS No	Substance	
Environmen	tal compartment	Value
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	
Freshwater		140,9 mg/l
Freshwater	(intermittent releases)	140,9 mg/l
Marine wate	r	140,9 mg/l
Freshwater	sediment	552 mg/kg
Marine sedi	ment	552 mg/kg
Secondary p	poisoning	160 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	2251 mg/l
Soil		28 mg/kg

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

# Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

Wear eye/face protection.

#### Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Recommended glove articles: KCL 730 Camatril® Velours Recommended material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 720 Camapren® Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 120 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.



# according to UK REACH Regulation

# **Cravetol Indicator Solution**

Revision date: 07.11.2023

Product code: 11525

Page 6 of 10

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Colour:	Liquid	
	colourless	
Odour:	characteristic	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidio
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		·····, ·····,
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
2. Other information		
Information with regard to physical ha	azard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Sustaining combustion: Self-ignition temperature		
Sustaining combustion: Self-ignition temperature Solid:		No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas:		No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties		
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing		No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics		No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate:		No data available No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate: Solvent separation test:		No data available No data available No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate: Solvent separation test: Solvent content:		No data available No data available No data available No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate: Solvent separation test: Solvent content: Solid content:		No data available No data available No data available No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate: Solvent separation test: Solvent content: Solid content: Sublimation point:		No data available No data available No data available No data available No data available C No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate: Solvent separation test: Solvent separation test: Solvent content: Solid content: Sublimation point: Softening point:		No data available No data available No data available No data available No data available C No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate: Solvent separation test: Solvent separation test: Solvent content: Solid content: Sublimation point: Softening point: Pour point:		No data available No data available No data available No data available No data available C No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate: Solvent separation test: Solvent separation test: Solvent content: Solid content: Solid content: Sublimation point: Softening point: Pour point: No data available:		No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate: Solvent separation test: Solvent separation test: Solvent content: Solid content: Sublimation point: Softening point: Pour point:		No data available No data available No data available No data available No data available C No data available No data available

Corrosive to metals.



according to UK REACH Regulation

# **Cravetol Indicator Solution**

Revision date: 07.11.2023

Product code: 11525

Page 7 of 10

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.4. Conditions to avoid

No data available

#### 10.5. Incompatible materials

Cellulose Metal

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### **Further information**

No data available

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

# Additional information on tests

There are no data available on the preparation/mixture itself.



# according to UK REACH Regulation

# **Cravetol Indicator Solution**

Revision date: 07.11.2023

Product code: 11525

Page 8 of 10

# **Practical experience**

There are no data available on the preparation/mixture itself.

# 11.2. Information on other hazards

#### Other information

There are no data available on the preparation/mixture itself.

#### Further information

There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d] Species	Source	Method
67-63-0	propan-2-ol; isopropyl alco	ohol; isopropanol			
	Acute fish toxicity	LC50 10000 mg/l	96 h Pimephales promelas		OECD Guideline 203

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	0,05

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

There are no data available on the mixture itself.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)



according to UK REACH Regulation

	Cravetol Indicator Solution	
Revision date: 07.11.2023	Product code: 11525	Page 9 of 10
14.1. UN number or ID number:	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Classification code:	C1	
Special Provisions:	274	
Limited quantity:	5 L	
Excepted quantity:	E1	
Transport category:	3	
Hazard No: Tunnel restriction code:	80 F	
	E	
Inland waterways transport (ADN)		
14.1. UN number or ID number:		
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Classification code:	C1	
Special Provisions:	274	
Limited quantity:	5 L E1	
Excepted quantity:	EI	
Marine transport (IMDG)	101.0004	
14.1. UN number or ID number:		
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Special Provisions: Limited quantity:	223, 274 5 L	
Excepted quantity:	5L E1	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)	UN 3264	
14.1. UN number or ID number:		
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)	
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	8 III	
Hazard label:	8	
Special Provisions:	o A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulatory information



# according to UK REACH Regulation

# **Cravetol Indicator Solution**

	oravetor indicator oblition	
Revision date: 07.11.2023	Product code: 11525	Page 10 of 10
Restrictions on use (REACH, annex XV	/II):	
Entry 40 Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
	rsors (Regulation (EU) 2019/1148): tion (EU) 2019/1148: all suspicious transactions, and significant be reported to the relevant national contact point.	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'j work protection guideline' (94/33/EC).	uvenile
Water hazard class (D):	1 - slightly hazardous to water	

# **SECTION 16: Other information**

# Changes

This data sheet contains changes from the previous version in section(s): 1,9,12.

#### Abbreviations and acronyms

Met. Corr: Corrosive to metals Flam. Liq: Flammable liquids Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
	-

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)