

AnalytiChem GmbH

according to Regulation (EC) No 1907/2006

# Potassium permanganate solution 0.005 mol/l - 0.025 N solution

Revision date: 17.08.2023

Product code: 11550

Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Potassium permanganate solution 0.005 mol/l - 0.025 N solution

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls

#### Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

#### Regulation (EC) No 1272/2008

Hazard statements

H412

Harmful to aquatic life with long lasting effects.

# Precautionary statements

Avoid release to the environment.

# P273 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution



# Potassium permanganate solution 0.005 mol/l - 0.025 N solution

Revision date: 17.08.2023

Product code: 11550

Page 2 of 9

#### Hazardous components

CAS No	Chemical name				
	EC No	Index No	Index No REACH No		
	Classification (Regulation	(EC) No 1272/2008)			
7722-64-7	7 potassium permanganate		< 0.1 %		
	231-760-3	025-002-00-9	01-2119480139-34		
	Ox. Sol. 2, Repr. 2, Acute H272 H361d H302 H314 H	, , ,	, Aquatic Acute 1, Aquatic Chronic 1;		

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name			
	Specific Conc. L	imits, M-factors and ATE			
7722-64-7	231-760-3 potassium permanganate				
dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10					

## **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

### **General information**

No data available

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

# After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available

**4.3. Indication of any immediate medical attention and special treatment needed** No data available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# Unsuitable extinguishing media

no restriction



# Potassium permanganate solution 0.005 mol/l - 0.025 N solution

Revision date: 17.08.2023

Product code: 11550

Page 3 of 9

### 5.2. Special hazards arising from the substance or mixture

# Non-combustible liquids

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

# Advice on protection against fire and explosion

Usual measures for fire prevention.



# Potassium permanganate solution 0.005 mol/I - 0.025 N solution

Revision date: 17.08.2023

an analytichem brand

dkraft

Product code: 11550

Page 4 of 9

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

# Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

# Further information on storage conditions

storage temperature: +15°C - +25°C

# 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **DNEL/DMEL** values

CAS No	Substance		-	
DNEL type		Exposure route	Effect	Value
7722-64-7 potassium permanganate				
Worker DNEL, long-term		inhalation	systemic	0,218 mg/m³
Consumer DNEL, long-term		inhalation	systemic	0,039 mg/m³
Consumer DNEL, long-term		oral		0,011 mg/kg bw/day

**PNEC** values

CAS No	Substance	
Environmental compartment Value		Value
7722-64-7 potassium permanganate		
Freshwater	Freshwater 0,00006 mg/l	
Freshwater (inter	Freshwater (intermittent releases) 0,0006 mg/l	
Micro-organism	Micro-organisms in sewage treatment plants (STP) 1,64 mg/l	

#### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles

Wear eye/face protection.

### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Potassium permanganate solution 0.005 mol/l - 0.025 N solution

Revision date: 17.08.2023

Product code: 11550

Page 5 of 9

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

# **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	violet	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		~1 g/cm³
Bulk density:		No data available
Relative vapour density:		No data available

# 9.2. Other information



Potassium permanganate solution 0.005 mol/I - 0.025 N solution			
evision date: 17.08.2023	Product code: 11550	Page 6 of 9	
Information with regard to physical hazard class	es		
Explosive properties			
No data available			
Sustaining combustion:	No data available		
Self-ignition temperature			
Solid:	No data available		
Gas:	No data available		
Oxidizing properties			
Oxidizing			
Other safety characteristics			
Evaporation rate:	No data available		
Solvent separation test:	No data available		
Solvent content:	No data available		
Solid content:	0		
Sublimation point:	No data available		
Softening point:	No data available		
Pour point:	No data available		
No data available:			
Viscosity / dynamic:	No data available		
Flow time:	No data available		
Further Information			
No data available			

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No data available

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

No data available

#### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

No data available

#### 10.6. Hazardous decomposition products

No data available

#### **Further information**

No data available

### **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



# Potassium permanganate solution 0.005 mol/l - 0.025 N solution

Revision date: 17.08.2023

Product code: 11550

Page 7 of 9

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7722-64-7	potassium permanganate					
	oral	LD50 mg/kg	> 2000	Rat	Study report (2006)	EU Method B.1 tris
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2006)	EU Method B.3

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### Practical experience

There are no data available on the preparation/mixture itself.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

#### Other information

There are no data available on the preparation/mixture itself.

### Further information

There are no data available on the preparation/mixture itself.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d] Species	Source	Method
7722-64-7	potassium permanganate				
	Acute bacteria toxicity	(EC50 164 mg/l)	3 h activated sludge of a predominantly domestic sewag	Study report (2006)	EU Method C.11

# 12.2. Persistence and degradability

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.



# Potassium permanganate solution 0.005 mol/l - 0.025 N solution

Revision date: 17.08.2023

Product code: 11550

Page 8 of 9

### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

There are no data available on the mixture itself.

# 12.7. Other adverse effects

There are no data available on the mixture itself.

### **Further information**

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

Do not allow to enter into surface water or drains.

#### **Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Inland waterways transport (ADN) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Marine transport (IMDG) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es):

14.4. Packing group:

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.



# Potassium permanganate solution 0.005 mol/l - 0.025 N solution

Revision date: 17.08.2023

Product code: 11550

Page 9 of 9

# 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

#### EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to 2012/18/EU Not subject to (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

#### National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

# **SECTION 16: Other information**

### Abbreviations and acronyms

Ox. Sol: Oxidising solid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Repr: Reproductive toxicity STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)