

Multielement-Standardlösung 2 3 Elemente in Salzsäure 10 ml/l

Revision date: 16.04.2024

Product code: 11913

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Multielement-Standardlösung 2 3 Elemente in Salzsäure 10 ml/l

UFI:

FTY1-S1E7-400J-4YHS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| Company name: | AnalytiChem GmbH | |
|--------------------------|--|---|
| | ACD | |
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |
| 1.4. Emergency telephone | For Hazardous Materials [or Dangero | us Goods] Incidents Spill, Leak, Fire, |
| number: | Exposure, or Accident Call CHEMTRI 1-800-424-9300 Outside USA and Ca accepted) | EC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls |

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Pictograms:

Regulation (EC) No 1272/2008

Signal word:





Hazard statements

H290

May be corrosive to metals.

Precautionary statements

| P234 | Keep only in original packaging. |
|------|---|
| P390 | Absorb spillage to prevent material damage. |



Multielement-Standardlösung 2 3 Elemente in Salzsäure 10 ml/l

Revision date: 16.04.2024

Product code: 11913

Page 2 of 11

P406

Store in a corrosion-resistant container with a resistant inner liner.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

Relevant ingredients

| CAS No | Chemical name | | | |
|-----------|--------------------------|--|----------------------|----------|
| | EC No | Index No | REACH No | |
| | Classification (Regulat | ion (EC) No 1272/2008) | · | |
| 7647-01-0 | Hydrochloric acid | | | < 1 % |
| | 231-595-7 | 017-002-01-X | 01-2119484862-27 | |
| | Skin Corr. 1B, STOT S | E 3; H314 H335 | • | |
| 7697-37-2 | nitric acid | | | < 0.01 % |
| | 231-714-2 | 007-030-00-3 | 01-2119487297-23 | |
| | Ox. Liq. 3, Met. Corr. 1 | , Acute Tox. 3, Skin Corr. 1A; H272 H2 | 290 H331 H314 EUH071 | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|------------------|--|----------|
| | Specific Conc. I | imits, M-factors and ATE | |
| 7647-01-0 | 231-595-7 | Hydrochloric acid | < 1 % |
| | , | i 1314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 3; H335: >= 10 - 100 | |
| 7697-37-2 | 231-714-2 | nitric acid | < 0.01 % |
| | | 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 rr. 1B; H314: >= 5 - < 20 | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.



Multielement-Standardlösung 2 3 Elemente in Salzsäure 10 ml/l

according to Regulation (EC) No 1907/2006

Revision date: 16.04.2024

Product code: 11913

Page 3 of 11

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrochloric gas

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.



according to Regulation (EC) No 1907/2006 Multielement-Standardlösung 2 3 Elemente in Salzsäure 10 ml/l

Revision date: 16.04.2024

Product code: 11913

Page 4 of 11

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Provide adequate ventilation. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Further information on storage conditions

Unsuitable container/equipment material: Metal storage temperature: +15°C - +25°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|-----------|-------------------|-----|-------|---------|---------------|--------|
| 7647-01-0 | Hydrogen chloride | 5 | 8 | | TWA (8 h) | |
| | | 10 | 15 | | STEL (15 min) | |
| 7697-37-2 | Nitric acid | 1 | 2.6 | | STEL (15 min) | |



Multielement-Standardlösung 2 3 Elemente in Salzsäure 10 ml/l

Revision date: 16.04.2024

Product code: 11913

Page 5 of 11

DNEL/DMEL values

| CAS No | Substance | | | | |
|--------------|-------------------|----------------|--------|----------|--|
| DNEL type | | Exposure route | Effect | Value | |
| 7647-01-0 | Hydrochloric acid | | | | |
| Worker DNEL, | long-term | inhalation | local | 8 mg/m³ | |
| Worker DNEL, | acute | inhalation | local | 15 mg/m³ | |
| Consumer DNE | EL, long-term | inhalation | local | 8 mg/m³ | |
| Consumer DNE | EL, acute | inhalation | local | 15 mg/m³ | |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: Face protection shield goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Protective clothing acid-resistant

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.



Multielement-Standardlösung 2 3 Elemente in Salzsäure 10 ml/l

Revision date: 16.04.2024

Product code: 11913

Page 6 of 11

Environmental exposure controls

Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| 9.1. Information on basic physical and ch Physical state: | Liquid | |
|--|-------------------|-------------------|
| Colour: | colourless | |
| Odour: | odourless | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and | | No data available |
| boiling range: | | |
| Flammability: | | not applicable |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | Х |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value: | | <1 |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | easily soluble |
| Solubility in other solvents | | |
| not determined | | |
| Partition coefficient n-octanol/water: | | No data available |
| Vapour pressure: | | No data available |
| Vapour pressure: | | No data available |
| Density: | | No data available |
| Bulk density: | | No data available |
| Relative vapour density: | | No data available |
| 9.2. Other information | | |
| Information with regard to physical ha | azard classes | |
| Explosive properties | | |
| No data available | | |
| Self-ignition temperature | | |
| Solid: | | not applicable |
| Gas: | | not applicable |
| Oxidizing properties | | |
| No data available | | |
| Other safety characteristics | | |
| Evaporation rate: | | No data available |
| Solvent separation test: | | No data available |
| Solvent content: | | No data available |
| Solid content: | | No data available |
| Sublimation point: | | No data available |
| Softening point: | | No data available |
| Pour point: | | No data available |
| No data available: | | |
| Viscosity / dynamic: | | No data available |
| Flow time: | | No data available |
| Further Information | | |
| | | |



Multielement-Standardlösung 2 3 Elemente in Salzsäure 10 ml/l

Revision date: 16.04.2024

Product code: 11913

Page 7 of 11

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

The product develops hydrogen in an aqueous solution in contact with metals.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

Keep away from: Metal. The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | | |
|-----------|----------------|------|---------|--------|--------|--|
| | Exposure route | Dose | Species | Source | Method | |
| 7697-37-2 | nitric acid | | | | | |
| | | | | | | |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met. slightly irritant but not relevant for classification.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.



AnalytiChem GmbH

Multielement-Standardlösung 2 3 Elemente in Salzsäure 10 ml/l

according to Regulation (EC) No 1907/2006

Revision date: 16.04.2024

Product code: 11913

Page 8 of 11

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.

Further information

Irritant

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | | |
|-----------|-------------------------|----------------|----------|-----------|--|---|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 7647-01-0 | Hydrochloric acid | | | | | | |
| | Acute fish toxicity | LC50 | 862 mg/l | 96 h | Leuciscus idus | | |
| 7697-37-2 | nitric acid | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 1559 | 96 h | Topeka shiner | Environmental Toxicology and Chemistry, | other: ASTM E729-26 |
| | Fish toxicity | NOEC | 268 mg/l | | juvenile Topeka shiner and with juvenile Fathead m | Study report (2009) | Growth tests estimated the test chemical |
| | Algae toxicity | NOEC mg/l | > 419 | | several benthic diatoms; see results | Marine Biology 43:307-315 (1977) | Ten cultures of benthic diatoms were iso |
| | Acute bacteria toxicity | EC50 mg/l() | > 1000 | 3 h | Activated sludge | Study report (2008) | OECD Guideline 209 |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not empty into drains.



Multielement-Standardlösung 2 3 Elemente in Salzsäure 10 ml/l

Revision date: 16.04.2024

Product code: 11913

Page 9 of 11

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

| Land transport (ADR/RID) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label: Classification code: Special Provisions: Limited quantity: Excepted quantity: Transport category: Hazard No: Tunnel restriction code: | UN 1789 HYDROCHLORIC ACID 8 III 8 C1 520 5 L E1 3 80 E |
|--|---|
| Inland waterways transport (ADN) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Classification code: Special Provisions: Limited quantity: Excepted quantity: | UN 1789 HYDROCHLORIC ACID 8 III 8 C1 520 5 L E1 |
| Marine transport (IMDG) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label: Special Provisions: Limited quantity: Excepted quantity: EmS: Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label: Special Provisions: | UN 1789 HYDROCHLORIC ACID 8 III 8 223 5 L E1 F-A, S-B UN 1789 HYDROCHLORIC ACID 8 III 8 A3 A803 |



| an analyti chem brand | according to Regulation (EC) No 1907/2006 | |
|--|---|---------------|
| Multielement-St Revision date: 16.04.2024 | andardlösung 2 3 Elemente in Salzsäure 10 ml/l Product code: 11913 | Page 10 of 11 |
| Revision date: 16.04.2024 | Product code: 11913 | Page 10 of 11 |
| Limited quantity Passenger: Passenger LQ: Excepted quantity: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo: | 1 L Y841 E1 852 5 L 856 60 L | |
| 14.5. Environmental hazards | | |
| ENVIRONMENTALLY HAZARDOUS: | No | |
| SECTION 15: Regulatory information | | |
| 15.1. Safety, health and environmental regulation | ations/legislation specific for the substance or mixture | |
| | Not subject to 2012/18/EU (SEVESO III) (Regulation (EU) 2019/1148): (EU) 2019/1148: all suspicious transactions, and significant ported to the relevant national contact point. | |
| National regulatory information | · · | |
| Employment restrictions: Water hazard class (D): | Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC). non-hazardous to water | nile |
| SECTION 16: Other information | | |
| Changes This data sheet contains changes from | the previous version in section(s): 1,9,12. | |
| (European Agreement concerning the Ir IMDG: International Maritime Code for I IATA: International Air Transport Associ | - single exposure des marchandises dangereuses par Route nternational Carriage of Dangerous Goods by Road) Dangerous Goods ation Classification and Labelling of Chemicals | |

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|--------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data |

Relevant H and EUH statements (number and full text)

| May intensify fire; oxidiser. |
|--|
| May be corrosive to metals. |
| Causes severe skin burns and eye damage. |
| Toxic if inhaled. |
| |



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 2 3 Elemente in Salzsäure 10 ml/l

Revision date: 16.04.2024

Product code: 11913

Page 11 of 11

H335May cause respiratory irritation.EUH071Corrosive to the respiratory tract.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)