

. . . . .

CAL Stock Solution 1000mg P2O2 and 1000mg K2O/L corresponding to the determinationof phosphorus					
Revision date: 18.03.2025	Product code: 1214	3	Page 1 of 11		
SECTION 1: Identification of t	he substance/mixture and of the com	pany/undertaking			
1.1. Product identifier					
CAL Stock Solution 1000mg	g P2O2 and 1000mg K2O/L corresponding	to the determinationof phosphorus			
UFI:	NTM2-Q17Q-G00V-8H9T				
1.2. Relevant identified uses of the	ne substance or mixture and uses advised	<u>l against</u>			
	ostances as such or in preparations at indus omain (administration, education, entertainr				
Uses advised against					
Do not use for private purpo	oses (household).				
1.3. Details of the supplier of the	safety data sheet				
Company name:	AnalytiChem GmbH				
	ACD				
Street: Place:	Stempelstraße 6 D-47167 Duisburg				
Telephone:	0203/5194-0	Telefax: 0203/5194-290			
E-mail:	info@analytichem.de	10101ax. 0203/3134-230			
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117			
E-mail:	produktsicherheit@analytichem.de				
Internet:	www.analytichem.de				
Responsible Department:	Abteilung Produktsicherheit				
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTR	bus Goods] Incidents Spill, Leak, Fire, EC Day or Night Within USA and Canada anada: +1 703-741-5970 (collect calls	1:		
Further Information					

This product is a mixture. REACH Registration Number see section 3.

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008 Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:

P234



# Hazard statements

H290

May be corrosive to metals.

### **Precautionary statements**

Keep only in original packaging.



# CAL Stock Solution 1000mg P2O2 and 1000mg K2O/L corresponding to the determination of

phosphorus....

Revision date: 18.03.2025

Product code: 12146

Page 2 of 11

P390 P406 Absorb spillage to prevent material damage. Store in a corrosion-resistant container with a resistant inner liner.

#### 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Chemical characterization**

Mixtures in aqueous solution

#### **Relevant ingredients**

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
7647-01-0	-0 Hydrochloric acid			
	231-595-7	017-002-01-X	01-2119484862-27	
	Met. Corr. 1, Skin Corr. 1B, Eye Da	am. 1, STOT SE 3; H290 H314 H318	H335	
7447-40-7	potassium chloride			< 0.1 %
	231-211-8			

Full text of H and EUH statements: see section 16.

Specific Co	nc. Limits, M-fac	tors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7647-01-0	231-595-7	Hydrochloric acid	5 - < 10 %
		H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 3; H335: >= 10 - 100	
7447-40-7	231-211-8	potassium chloride	< 0.1 %
	oral: LD50 = ca	a. 2600 mg/kg	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

No data available

### After inhalation

Provide fresh air.

#### After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. Wash immediately with: Water In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.



# CAL Stock Solution 1000mg P2O2 and 1000mg K2O/L corresponding to the determination of

phosphorus....

Revision date: 18.03.2025

Product code: 12146

Page 3 of 11

### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrogen chloride (HCI)

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).



# CAL Stock Solution 1000mg P2O2 and 1000mg K2O/L corresponding to the determination of

# phosphorus....

Revision date: 18.03.2025

Product code: 12146

Page 4 of 11

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. Keep container tightly closed. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Wash contaminated clothing prior to re-use. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

# Hints on joint storage

national regulations

#### Further information on storage conditions

Keep container tightly closed.

### 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters



# CAL Stock Solution 1000mg P2O2 and 1000mg K2O/L corresponding to the determination of

Revision date: 18.03.2025

phosphorus.... Product code: 12146

Page 5 of 11

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	

### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7647-01-0	Hydrochloric acid			
Worker DNEL,	long-term	inhalation	local	8 mg/m³
Worker DNEL,	acute	inhalation	local	15 mg/m³
Consumer DN	EL, long-term	inhalation	local	8 mg/m³
Consumer DN	EL, acute	inhalation	local	15 mg/m³
7447-40-7	potassium chloride			
Worker DNEL,	long-term	inhalation	systemic	1064 mg/m <sup>3</sup>
Worker DNEL,	acute	inhalation	systemic	5320 mg/m <sup>3</sup>
Worker DNEL,	long-term	dermal	systemic	303 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	910 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	273 mg/m³
Consumer DN	EL, acute	inhalation	systemic	1365 mg/m <sup>3</sup>
Consumer DN	EL, long-term	dermal	systemic	182 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	910 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	91 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	455 mg/kg bw/day
PNEC values	5			

CAS No	Substance			
Environmental compartment Value				
7447-40-7	7447-40-7 potassium chloride			
Freshwater		0,1 mg/l		
Freshwater (intermittent releases)		1 mg/l		
Marine water		0,1 mg/l		
Micro-organisms in sewage treatment plants (STP)		10 mg/l		

### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### Individual protection measures, such as personal protective equipment

- Eye/face protection
  - goggles

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):



# CAL Stock Solution 1000mg P2O2 and 1000mg K2O/L corresponding to the determination of

according to Regulation (EC) No 1907/2006

phosphorus....

Revision date: 18.03.2025

Product code: 12146

Page 6 of 11

By long-term hand contact Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Wash hands before breaks and after work.

#### **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold:	Liquid colourless odourless No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		0,5
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available 1,03401 g/cm³
Density: Bulk density:		No data available
Relative vapour density:		
		No data available



CAL Stock Solution 1000mg P2O2 a	CAL Stock Solution 1000mg P2O2 and 1000mg K2O/L corresponding to the determinationof phosphorus					
Revision date: 18.03.2025	Product code: 12146	Page 7 of 11				
Particle characteristics:	No data available					
9.2. Other information						
Information with regard to physical hazard class	es					
Explosive properties						
No data available						
Sustained combustibility:	No data available					
Self-ignition temperature						
Solid:	No data available					
Gas:	No data available					
Oxidizing properties						
No data available						
Other safety characteristics						
Evaporation rate:	No data available					
Solvent separation test:	No data available					
Solvent content:	0					
Solid content:	0					
Sublimation point:	No data available					
Softening point:	No data available					
Pour point:	No data available					
No data available:	<b>N N N N N N N N N N</b>					
Viscosity / dynamic:	No data available					
Flow time:	No data available					
Further Information						
No data available						

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals.

#### 10.2. Chemical stability

No data available

#### 10.3. Possibility of hazardous reactions

Alkali (lye)

### 10.4. Conditions to avoid

No data available

#### 10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### **Further information**

No data available

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.



# CAL Stock Solution 1000mg P2O2 and 1000mg K2O/L corresponding to the determination of

### phosphorus....

Revision date: 18.03.2025

Product code: 12146

Page 8 of 11

### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name	Chemical name						
	Exposure route	Dose	Species	Source	Method			
7447-40-7	potassium chloride	potassium chloride						
	oral	LD50 ca. 2600 mg/kg	10/ 17	J Pharmacol Exp Therap 35, 1-15, 1929 (1				

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### **Practical experience**

There are no data available on the mixture itself.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

There are no data available on the mixture itself.

#### Other information

There are no data available on the mixture itself.

#### Further information

There are no data available on the mixture itself.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.



# CAL Stock Solution 1000mg P2O2 and 1000mg K2O/L corresponding to the determination of

phosphorus....

Page 9 of 11

Revision date: 18.03.2025

Product code: 12146

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7647-01-0	Hydrochloric acid						
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		
7447-40-7	potassium chloride						
	Acute fish toxicity	LC50	880 mg/l	96 h	Pimephales promelas	Environmental Toxicology and Chemistry,	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	activated sludge, domestic	Study report (2010)	OECD Guideline 209

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

There are no data available on the mixture itself.

#### Further information

Do not allow to enter into surface water or drains.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

#### Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	1 L



	phosphorus	
Revision date: 18.03.2025	Product code: 12146	Page 10 of 1
Excepted quantity:	E2	
Transport category:	2	
Hazard No:	80	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 1789	
14.2. UN proper shipping name:	HYDROCHLORIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
Classification code:	C1	
Special Provisions:	520	
Limited quantity:	1 L	
Excepted quantity:	E2	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1789	
14.2. UN proper shipping name:	HYDROCHLORIC ACID	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:	II	
Hazard label:	8	
Special Provisions:	-	
Limited quantity:	1 L	
Excepted quantity:	E2	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1789	
14.2. UN proper shipping name:	HYDROCHLORIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	0.5 L	
Passenger LQ:	Y840	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	851	
IATA-max. quantity - Passenger:	1 L	
IATA-packing instructions - Cargo:	855	
IATA-max. quantity - Cargo:	30 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No dangerous good in sense of this tr	ansport regulation.	
14.7. Maritime transport in bulk according	o IMO instruments	
No dangerous good in sense of this tr	ansport regulation.	
SECTION 15: Regulatory information		
	lations/legislation specific for the substance or mixtu	

National regulatory information	
Water hazard class (D):	1 - slightly hazardous to water
Additional information	



# CAL Stock Solution 1000mg P2O2 and 1000mg K2O/L corresponding to the determination of

phosphorus....

Revision date: 18.03.2025

Product code: 12146

Page 11 of 11

No data available

# **SECTION 16: Other information**

### Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Skin Corr: Skin corrosion Eye Dam: Eye damage STOT SE: Specific target organ toxicity - single exposure

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

#### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

#### **Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)