

according to UK REACH Regulation

## Calcium chloride solution 40 % CaCl2 pure

Revision date: 30.10.2023

Product code: 12209

Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Calcium chloride solution 40 % CaCl2 pure

UFI:

M6T2-K1QQ-T002-X10V

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	rous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and 0	Canada: +1 703-741-5970 (collect calls
	accepted)	

#### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

**GB CLP Regulation** Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

**GB CLP Regulation** 

Signal word:

**Pictograms:** 



Hazard statements	5
-------------------	---

Causes serious eye irritation.

## **Precautionary statements**

P280

H319

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if



according to UK REACH Regulation

## Calcium chloride solution 40 % CaCl2 pure

Revision date: 30.10.2023

Product code: 12209

Page 2 of 10

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
10043-52-4	calcium chloride			40 - < 45 %
	233-140-8	017-013-00-2	01-2119494219-28	
	Eye Irrit. 2; H319	ł	·	

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	EC No Chemical name			
	Specific Conc. Limits, M-factors and ATE				
10043-52-4	233-140-8	calcium chloride	40 - < 45 %		
dermal: LD50 = > 5000 mg/kg; oral: LD50 = 2120 mg/kg					

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

**General information** 

### No data available

### After inhalation

Provide fresh air. Call a doctor if you feel unwell.

### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Gastrointestinal complaints

Irritant

#### 4.3. Indication of any immediate medical attention and special treatment needed No data available



according to UK REACH Regulation

## Calcium chloride solution 40 % CaCl2 pure

Revision date: 30.10.2023

Product code: 12209

Page 3 of 10

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrogen chloride (HCI)

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

No special environmental measures are necessary.

## 6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8



according to UK REACH Regulation

## Calcium chloride solution 40 % CaCl2 pure

Revision date: 30.10.2023

Product code: 12209

Page 4 of 10

Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use. Handle and open container with care. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

### Further information on handling

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and dry.

### Hints on joint storage national regulations

Further information on storage conditions

storage temperature +5°C - +30°C.

### 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
10043-52-4	calcium chloride		-	
Worker DNEL,	long-term	inhalation	local	5 mg/m³
Worker DNEL,	acute	inhalation	local	10 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	2,5 mg/m³
Consumer DNEL, acute		inhalation	local	5 mg/m³

### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye/face protection.



## according to UK REACH Regulation

## Calcium chloride solution 40 % CaCl2 pure

Revision date: 30.10.2023

Product code: 12209

Page 5 of 10

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contactTrade name/designation:KCL 741 Dermatril® LRecommended material:NBR (Nitrile rubber) 0,11 mmWearing time with permanent contact:> 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

## **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### Environmental exposure controls

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

	<u> </u>	
Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		not determined
boiling range:		
Flammability:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		Х
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		4,5
Viscosity / kinematic:		not determined
Water solubility:		completely miscible



Page 6 of 10

# Safety Data Sheet

## according to UK REACH Regulation

## Calcium chloride solution 40 % CaCl2 pure

Revision date: 30.10.2023	Product code: 12209
Solubility in other solvents	
not determined	
Dissolution rate:	not determined
Partition coefficient n-octanol/water:	not determined
Dispersion stability:	not determined
Vapour pressure:	not determined
Vapour pressure:	not determined
Density:	1,3957 g/cm <sup>3</sup>
Relative density:	not determined
Bulk density:	not determined
Relative vapour density:	not determined
Particle characteristics:	not determined
9.2. Other information	
Information with regard to physical hazard classe	S
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	not determined
Gas:	not applicable
Oxidizing properties	
Not oxidising.	
Other safety characteristics	
Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined
Solid content:	not determined
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
not determined:	
Viscosity / dynamic:	not determined
Flow time:	not determined

### **Further Information**

not determined

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Bortrifluorid, Vinylmethylether metals Zinc

# 10.4. Conditions to avoid

No data available

## 10.5. Incompatible materials

No data available

## 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures



according to UK REACH Regulation

## Calcium chloride solution 40 % CaCl2 pure

Revision date: 30.10.2023

Product code: 12209

Page 7 of 10

### **Further information**

No data available

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
10043-52-4	calcium chloride					
		LD50 mg/kg	2120	Rat	Study report (1987)	OECD Guideline 401
	dermal	LD50 mg/kg	> 5000	Rabbit	Other company data (1981)	Method: other

#### Irritation and corrosivity

## Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met. No data available

### Specific effects in experiment on an animal

No data available

## Additional information on tests

No data available

# Practical experience

No data available

## 11.2. Information on other hazards

## Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

## Other information

No data available

## **Further information**

Gastrointestinal complaints Irritant



according to UK REACH Regulation

## Calcium chloride solution 40 % CaCl2 pure

Revision date: 30.10.2023

Product code: 12209

Page 8 of 10

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
10043-52-4	calcium chloride						
	Acute fish toxicity	LC50 mg/l	4630	96 h	Pimephales promelas	Env. Toxicol. Chem., 16(10), 2009-2019.	Method: other: EPA/600/4-90/02 7, EPA/600
	Acute algae toxicity	ErC50 mg/l	2900		Pseudokirchneriella subcapitata	Study report (1998)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	2400	48 h	Daphnia magna	Study report (1998)	OECD Guideline 202

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

There are no data available on the mixture itself.

## **Further information**

There are no data available on the mixture itself.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Do not empty into drains.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:



## according to UK REACH Regulation

	Icium chloride solution 40 % CaCl2 pure	
Revision date: 30.10.2023	Product code: 12209	Page 9 of 10
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)	No demonstration and in some of this transmut regulation	
<u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Νο	
14.6. Special precautions for user		
No dangerous good in sense of this	transport regulation	
14.7. Maritime transport in bulk according		
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental red	gulations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVI	U.	
Entry 3, Entry 75	·)·	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juven	ile
Employment restrictions.	work protection guideline' (94/33/EC).	
Water hazard class (D):	1 - slightly hazardous to water	
<u>15.2. Chemical safety assessment</u>		
	assessment has not been carried out.	
SECTION 16: Other information		
Changes		
This data sheet contains changes fro	om the previous version in section(s): 1,9.	
Abbreviations and acronyms		
Eye Irrit: Eye irritation		
	ort des marchandises dangereuses par Route	
(European Agreement concerning th IMDG: International Maritime Code f	e International Carriage of Dangerous Goods by Road) or Dangerous Goods	
IATA: International Air Transport Ass	-	
	of Classification and Labelling of Chemicals	
	ting Commercial Chemical Substances	
ELINCS: European List of Notified C	hemical Substances	

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Classification for mixtures and used evaluation method according to GB CLP Regulation

0	Classification	Classification procedure
E	Eye Irrit. 2; H319	Calculation method



according to UK REACH Regulation

## Calcium chloride solution 40 % CaCl2 pure

Revision date: 30.10.2023

Product code: 12209

Page 10 of 10

## Relevant H and EUH statements (number and full text)

H319 Causes serious eye irritation.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)