

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lead(II) oxide

Revision date: 10.07.2023 Product code: 12509 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Lead(II) oxide

REACH Registration Number: 01-2119531110-62-XXXX

CAS No: 1317-36-8 Index No: 082-001-00-6 EC No: 215-267-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Carc. 2; H351 Repr. 1A; H360Df Lact.; H362

Acute Tox. 4; H332 Acute Tox. 4; H302 STOT RE 1; H372

Aquatic Acute 1; H400 (M-Factor (self-classification) = 10)

Aquatic Chronic 1; H410 (M-Factor =)

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lead(II) oxide

Revision date: 10.07.2023 Product code: 12509 Page 2 of 11

Pictograms:







Hazard statements

H302+H332 Harmful if swallowed or if inhaled.
H351 Suspected of causing cancer.

H360Df May damage the unborn child. Suspected of damaging fertility.

H362 May cause harm to breast-fed children.

H372 Causes damage to organs (central nervous system, kidneys, blood, immune system)

through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage.

Special labelling of certain mixtures

EUH201 Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.

Restricted to professional users.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: PbO

Molecular weight: 223,19 g/mol

Hazardous components

CAS No	Chemical name				
	EC No	Index No			
	Classification (Regulation (EC) No 1272/2008)				
1317-36-8	Blei(II)-oxid				
	215-267-0 082-001-00-6 01-2119531110-62-XXXX				
	Carc. 2, Repr. 1A, Lact., Acute Tox. 4, Acute Tox. 4, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H351 H360Df H362 H332 H302 H372 H400 H410 EUH201				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

opcome cone: Emmo, in lactore and ATE					
CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Limits, M-factors and ATE			
1317-36-8	215-267-0	Blei(II)-oxid	100 %		
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg Aquatic Acute 1; H400: M=10				

Further Information

This substance has been listed as SVHC (substance of very high concern) in the Candidate List according to Article 59 of REACH.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lead(II) oxide

Revision date: 10.07.2023 Product code: 12509 Page 3 of 11

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off immediately all contaminated clothing.

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Vomiting

Gastrointestinal complaints

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids

Oxidizing

5.3. Advice for firefighters

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lead(II) oxide

Revision date: 10.07.2023 Product code: 12509 Page 4 of 11

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

Avoid dust formation. Do not breathe dust.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Store in a place accessible by authorized persons only.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lead(II) oxide

Revision date: 10.07.2023 Product code: 12509 Page 5 of 11

Further information on storage conditions

Store in a dry place. storage temperature < +30°C.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

PNEC values

CAS No	Substance				
Environmental compartment Value					
1317-36-8	8 Blei(II)-oxid				
Freshwater	Freshwater				
Marine water	0,0035 mg/l				
Freshwater sediment		174 mg/kg			
Marine sedime	164 mg/kg				
Secondary poi	10,9 mg/kg				
Micro-organisn	0,1 mg/l				
Soil	212 mg/kg				

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Avoid dust formation. Do not breathe dust.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lead(II) oxide

Revision date: 10.07.2023 Product code: 12509 Page 6 of 11

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Filtering device with filter or ventilator filtering device of type: P3

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid

Colour: yellow ~ red
Odour: odourless
Odour threshold: No data available

Melting point/freezing point:

888 °C

Boiling point or initial boiling point and

1470 °C

boiling range:

Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value (at 20 °C): 8-9 (100 g/l) Viscosity / kinematic: No data available Water solubility: 0.072 a/L

(at 20 °C)

Solubility in other solvents

No data available

Dissolution rate: No data available Partition coefficient n-octanol/water: No data available Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: No data available 9,53 g/cm³ Density: Relative density: No data available Bulk density: 3500-3700 kg/m³ Relative vapour density: No data available Particle characteristics: No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lead(II) oxide

Revision date: 10.07.2023 Product code: 12509 Page 7 of 11

Other safety characteristics

Evaporation rate:

Solvent separation test:

Solvent content:

Solid content:

Sublimation point:

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information

No data available SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Aluminium

Powdered metals

Carbide

Sulphur oxides

Hydrogen peroxide

Hydrogen halide

boron

Alkali metals

edible oil and fat

Fluorine

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Harmful if swallowed.

Harmful if inhaled.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lead(II) oxide

Revision date: 10.07.2023 Product code: 12509 Page 8 of 11

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
1317-36-8	Blei(II)-oxid							
	oral	LD50 mg/kg	> 2000	Rat	Study report (2003)	OECD Guideline 423		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2003)	OECD Guideline 402		
	inhalation vapour	ATE	11 mg/l					
	inhalation dust/mist	ATE	1,5 mg/l					

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (Blei(II)-oxid)

May damage the unborn child. Suspected of damaging fertility. (Blei(II)-oxid)

May cause harm to breast-fed children. (Blei(II)-oxid)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (Blei(II)-oxid)

Organs affected:

central nervous system

kidneys

blood

immune system

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

Danger of cumulative effects.

Further information

Vomiting

Gastrointestinal complaints

SECTION 12: Ecological information

12.1. Toxicity



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lead(II) oxide

Revision date: 10.07.2023 Product code: 12509 Page 9 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
1317-36-8	Blei(II)-oxid						
	Acute fish toxicity	LC50 mg/l	1,17	96 h	Oncorhynchus mykiss	Publication (1976)	Acute bioassays
	Acute algae toxicity	ErC50 mg/l	0,123	72 h	Pseudokirchneriella subcapitata	Study report (2008)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,59683	48 h	Ceriodaphnia dubia	Study report (2007)	other: USEP
	Fish toxicity	NOEC mg/l	0,048	90 d	Salmo salar	Publication (1983)	long term toxicity testing of lead to fi
	Crustacea toxicity	NOEC mg/l	0,0769	7 d	Ceriodaphnia dubia	Study report (2007)	other: USEPA

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

BCF

CAS No	Chemical name	BCF	Species	Source
1317-36-8	Blei(II)-oxid	40000	Asellus meridianus	Freshwater Biology 7

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains.

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2291

14.2. UN proper shipping name: LEAD COMPOUND, SOLUBLE, N.O.S. (lead monoxide)



Safety Data Sheet

according to Regulation (EC) No 1907/2006

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Classification code:T5

Special Provisions: 199 274 535

Limited quantity: 5 kg
Excepted quantity: E1
Transport category: 2
Hazard No: 60
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2291

14.2. UN proper shipping name: LEAD COMPOUND, SOLUBLE, N.O.S. (lead monoxide)

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Classification code:T5

Special Provisions: 199 274 535 802

Limited quantity: 5 kg
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 2291

14.2. UN proper shipping name: LEAD COMPOUND, SOLUBLE, N.O.S. (lead monoxide)

14.3. Transport hazard class(es): 6.1 Ш 14.4. Packing group: Hazard label: 6.1 Marine pollutant: Р Special Provisions: 199, 274 Limited quantity: 5 kg Excepted quantity: E1 EmS: F-A, S-A

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2291

14.2. UN proper shipping name: LEAD COMPOUND, SOLUBLE, N.O.S. (lead monoxide)

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Special Provisions:A92Limited quantity Passenger:10 kgPassenger LQ:Y645Excepted quantity:E1

IATA-packing instructions - Passenger:670IATA-max. quantity - Passenger:100 kgIATA-packing instructions - Cargo:677IATA-max. quantity - Cargo:200 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: lead monoxide

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lead(II) oxide

Revision date: 10.07.2023 Product code: 12509 Page 11 of 11

EU regulatory information

Authorisations (REACH, annex XIV):

This substance has been listed as SVHC (substance of very high concern) in the Candidate List according to

Article 59 of REACH.

Restrictions on use (REACH, annex XVII):

Entry 63

Information according to 2012/18/EU

:U

E1 Hazardous to the Aquatic Environment

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 3 - highly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Acute Tox: Acute toxicity
Carc: Carcinogenicity
Repr: Reproductive toxicity
Lact: Lactation effects

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H302+H332 Harmful if swallowed or if inhaled.

H332 Harmful if inhaled.

H351 Suspected of causing cancer.

H360Df May damage the unborn child. Suspected of damaging fertility.

H362 May cause harm to breast-fed children.

H372 Causes damage to organs (central nervous system, kidneys, blood, immune system)

through prolonged or repeated exposure.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH201 Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.