

Sulphur standard solution 350 mg S/kg Dibutyl sulfide in thin paraffin

Revision date: 21.03.2024

Product code: 12748

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sulphur standard solution 350 mg S/kg Dibutyl sulfide in thin paraffin

UFI:

VG94-D1RP-V00T-G13N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| Company name: | AnalytiChem GmbH | |
|--|-----------------------------------|--|
| | ACD | |
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |
| <u>1.4. Emergency telephone</u> number: | Exposure, or Accident Call CHEMTR | ous Goods] Incidents Spill, Leak, Fire, EC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls |

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling White mineral oil, petroleum

Signal word:

Pictograms:



Danger

Hazard statements H304

May be fatal if swallowed and enters airways.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sulphur standard solution 350 mg S/kg Dibutyl sulfide in thin paraffin

Revision date: 21.03.2024

Product code: 12748

Page 2 of 10

Precautionary statements

| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor. |
|-----------|--|
| P331 | Do NOT induce vomiting. |
| P405 | Store locked up. |

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

| CAS No | Chemical name | Chemical name | | | |
|-----------|---|-------------------------|--|--|--|
| | EC No | EC No Index No REACH No | | | |
| | Classification (Regulation (EC) No 1272/2008) | | | | |
| 8042-47-5 | White mineral oil, petroleum | | | | |
| | 232-455-8 | | | | |
| | Asp. Tox. 1; H304 | | | | |

Full text of H and EUH statements: see section 16.

| Specific Conc. Limits, M-factors and ATE | | | | | |
|--|--|------------------------------|--------------|--|--|
| CAS No | EC No Chemical name Qua | | | | |
| | Specific Conc. Limits, M-factors and ATE | | | | |
| 8042-47-5 | 232-455-8 | White mineral oil, petroleum | 95 - < 100 % | | |
| | dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg | | | | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Observe risk of aspiration if vomiting occurs. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Gastrointestinal complaints

Pneumonia

<u>4.3. Indication of any immediate medical attention and special treatment needed</u> No data available

SECTION 5: Firefighting measures



Sulphur standard solution 350 mg S/kg Dibutyl sulfide in thin paraffin

Revision date: 21.03.2024

Product code: 12748

Page 3 of 10

5.1. Extinguishing media

Suitable extinguishing media

Foam Carbon dioxide (CO2) Extinguishing powder Water

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13





Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sulphur standard solution 350 mg S/kg Dibutyl sulfide in thin paraffin

Revision date: 21.03.2024

Product code: 12748

Page 4 of 10

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Do not breathe vapour/aerosol. Provide adequate ventilation.

Advice on protection against fire and explosion

| Usual measures for fire prevention. |
|---|
| In case of warming: |
| Vapours are heavier than air, spread along floors and form explosive mixtures with air. |

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Hints on joint storage

No data available

Further information on storage conditions

Keep cool. Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

| CAS No | Substance | | | | |
|--|---------------|----------------|----------|------------------|--|
| DNEL type | | Exposure route | Effect | Value | |
| 8042-47-5 White mineral oil, petroleum | | | | | |
| Worker DNEL, | long-term | inhalation | systemic | 160 mg/m³ | |
| Worker DNEL, long-term | | dermal | systemic | 220 mg/kg bw/day | |
| Consumer DNE | EL, long-term | inhalation | systemic | 35 mg/m³ | |
| Consumer DNEL, long-term | | dermal | systemic | 93 mg/kg bw/day | |
| Consumer DNEL, long-term | | oral | systemic | 40 mg/kg bw/day | |


8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment





Sulphur standard solution 350 mg S/kg Dibutyl sulfide in thin paraffin

Revision date: 21.03.2024

Product code: 12748

Page 5 of 10

Eye/face protection

goggles Face protection umbrella

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 897 Butoject® Recommended material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation:KCL 897 Butoject®Recommended material:Butyl caoutchouc (butyl rubber) 0,3 mmWearing time with occasional contact (splashes):> 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Take off immediately all contaminated clothing and wash it before reuse. Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| - | | | |
|---|--|----------------|-------------------|
| | Physical state: | Liquid | |
| | Colour: | colourless | |
| | Odour: | characteristic | |
| | Melting point/freezing point: | | No data available |
| | Boiling point or initial boiling point and | | No data available |
| | boiling range: | | |
| | Flammability: | | No data available |
| | Lower explosion limits: | | No data available |
| | Upper explosion limits: | | No data available |
| | Flash point: | | No data available |
| | Auto-ignition temperature: | | No data available |
| | Decomposition temperature: | | No data available |
| | | | |



according to Regulation (EC) No 1907/2006

| Sulphur standard soluti | on 350 mg S/kg Dibutyl sulfide in thin paraffir | |
|--|---|--------------|
| Revision date: 21.03.2024 | Product code: 12748 | Page 6 of 10 |
| pH-Value: | No data available | |
| Viscosity / kinematic: | No data available | |
| Water solubility: | No data available | |
| Solubility in other solvents | | |
| No data available | | |
| Partition coefficient n-octanol/water: | No data available | |
| Vapour pressure: | No data available | |
| Vapour pressure: | No data available | |
| Density: | No data available | |
| Bulk density: | No data available | |
| Relative vapour density: | No data available | |
| 9.2. Other information | | |
| Information with regard to physical hazard class | Ses | |
| Explosive properties | | |
| In case of warming: | | |
| Vapours are heavier than air, spread along floo | ors and form explosive mixtures with air. | |
| Sustaining combustion: | No data available | |
| Self-ignition temperature | | |
| Solid: | No data available | |
| Gas: | No data available | |
| Oxidizing properties | | |
| No data available | | |
| Other safety characteristics | | |
| Evaporation rate: | No data available | |
| Solvent separation test: | No data available | |
| Solvent content: | No data available | |
| Solid content: | No data available | |
| | | |

No data available

No data available

No data available No data available

No data available

No data available

Pour point: Viscosity / dynamic: Flow time:

Further Information

No data available

Sublimation point:

Softening point:

SECTION 10: Stability and reactivity

10.1. Reactivity

In case of warming: Vapours may form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Violent reaction with: Oxidising agent Explosion hazard with: Nitrates Chlorates Perchlorates

10.4. Conditions to avoid

Heat

AnalytiChem GmbH



an analyti**chem** brand

according to Regulation (EC) No 1907/2006

Sulphur standard solution 350 mg S/kg Dibutyl sulfide in thin paraffin

Revision date: 21.03.2024

Product code: 12748

Page 7 of 10

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation

dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | | |
|-----------|------------------------------|-------------------|------|---------|---------------------|--------------------|
| | Exposure route | Dose | | Species | Source | Method |
| 8042-47-5 | White mineral oil, petroleum | | | | | |
| | oral | LD50 > 5 mg/kg | 5000 | Rat | Study report (1987) | OECD Guideline 401 |
| | dermal | LD50 > 2 mg/kg | 2000 | Rabbit | Study report (1987) | OECD Guideline 402 |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.

Further information

Gastrointestinal complaints

Pneumonia



Sulphur standard solution 350 mg S/kg Dibutyl sulfide in thin paraffin

Revision date: 21.03.2024

Product code: 12748

Page 8 of 10

Pulmonary oedema

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | | |
|-----------|-----------------------------|--------------|---------|-----------|---------------------|----------------------------------|---|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 8042-47-5 | White mineral oil, petroleu | ım | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 10000 | 96 h | Lepomis macrochirus | REACh Registration Dossier | Method: other: procedure as detailed in |
| | Acute crustacea toxicity | EC50 mg/l | > 100 | 48 h | Daphnia magna | Study report (2008) | OECD Guideline 202 |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow | |
|-----------|------------------------------|---------|--|
| 8042-47-5 | White mineral oil, petroleum | > 6 | |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not allow to enter into surface water or drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
|--------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |



| Sulphur standard solution 350 mg S/kg Dibutyl sulfide in thin paraffin | | |
|--|---|--------------|
| Revision date: 21.03.2024 | Product code: 12748 | Page 9 of 10 |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. | |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. | |
| Inland waterways transport (ADN) | | |
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. | |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. | |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. | |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. | |
| Marine transport (IMDG) | | |
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. | |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. | |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. | |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. | |
| Air transport (ICAO-TI/IATA-DGR) | | |
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. | |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. | |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. | |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. | |
| 14.5. Environmental hazards | | |
| ENVIRONMENTALLY HAZARDOUS: | No | |
| 14.6. Special precautions for user | | |
| No dangerous good in sense of this t | | |
| 14.7. Maritime transport in bulk according | | |
| No dangerous good in sense of this t | ransport regulation. | |
| SECTION 15: Regulatory information | | |
| 15.1. Safety, health and environmental reg | ulations/legislation specific for the substance or mixture | |
| EU regulatory information | <u> </u> | |
| Restrictions on use (REACH, annex XVII Entry 3 |): | |
| Information according to Directive 2012/18/EU (SEVESO III): | Not subject to 2012/18/EU (SEVESO III) | |
| National regulatory information | | |
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'ju work protection guideline' (94/33/EC). | ivenile |
| Water becard aloog (D): | | |

Water hazard class (D):

1 - slightly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,12.

Abbreviations and acronyms

Asp. Tox: Aspiration hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------|--------------------------|
| Asp. Tox. 1; H304 | Calculation method |

Relevant H and EUH statements (number and full text) H304

May be fatal if swallowed and enters airways.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sulphur standard solution 350 mg S/kg Dibutyl sulfide in thin paraffin

Revision date: 21.03.2024

Product code: 12748

Page 10 of 10

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)