

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Diisopropyl ether > 99 % for analysis stabilized with 2,6-di-tert-butyl-4-methylphenol (BHT)**

Revision date: 19.07.2023

Product code: 19923

Page 1 of 11

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Diisopropyl ether &gt; 99 % for analysis stabilized with 2,6-di-tert-butyl-4-methylphenol (BHT)

REACH Registration Number: 01-2119548382-38-XXXX  
CAS No: 108-20-3  
Index No: 603-045-00-X  
EC No: 203-560-6

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet**

Company name: AnalytiChem GmbH  
Street: Stempelstraße 6  
Place: D-47167 Duisburg  
Telephone: 0203/5194-0  
E-mail: info@analytichem.de  
Contact person: Abteilung Produktsicherheit  
E-mail: produktsicherheit@analytichem.de  
Internet: www.analytichem.de  
Responsible Department: Abteilung Produktsicherheit

Telefax: 0203/5194-290  
Telephone: 0203/5194-107/117

**1.4. Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

**Further Information**

No data available

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Flam. Liq. 2; H225  
STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Signal word:** Danger**Pictograms:****Hazard statements**

H225 Highly flammable liquid and vapour.  
H336 May cause drowsiness or dizziness.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Diisopropyl ether > 99 % for analysis stabilized with 2,6-di-tert-butyl-4-methylphenol (BHT)

Revision date: 19.07.2023

Product code: 19923

Page 2 of 11

#### Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 Keep container tightly closed.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P403+P235 Store in a well-ventilated place. Keep cool.

#### Special labelling of certain mixtures

- EUH019 May form explosive peroxides.
- EUH066 Repeated exposure may cause skin dryness or cracking.  
Restricted to professional users.

#### 2.3. Other hazards

No data available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Sum formula: C<sub>6</sub>H<sub>14</sub>O  
Molecular weight: 102,18 g/mol

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
108-20-3	diisopropyl ether			100 %
	203-560-6	603-045-00-X	01-2119548382-38-XXXX	
	Flam. Liq. 2, STOT SE 3; H225 H336 EUH019 EUH066			

Full text of H and EUH statements: see section 16.

#### Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

No data available

##### After inhalation

Provide fresh air.  
Call a physician immediately.

##### After contact with skin

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.

##### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.  
Remove contact lenses, if present and easy to do. Continue rinsing.

##### After ingestion

Observe risk of aspiration if vomiting occurs.  
Call a physician immediately.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Diisopropyl ether > 99 % for analysis stabilized with 2,6-di-tert-butyl-4-methylphenol (BHT)

Revision date: 19.07.2023

Product code: 19923

Page 3 of 11

#### **4.2. Most important symptoms and effects, both acute and delayed**

Irritant  
Cough  
Respiratory complaints  
Vapours may cause drowsiness and dizziness.  
Vomiting  
Agitation  
Unconsciousness  
Headache  
Gastrointestinal complaints  
Dyspnoea  
Has degreasing effect on the skin.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

No data available

## SECTION 5: Firefighting measures

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>)  
Foam  
Extinguishing powder

#### **Unsuitable extinguishing media**

no restriction

### **5.2. Special hazards arising from the substance or mixture**

Combustible liquids  
Hazardous combustion products  
In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>) Carbon monoxide  
Vapours are heavier than air, spread along floors and form explosive mixtures with air.  
Heating causes rise in pressure with risk of bursting.  
Beware of reignition.

### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.  
In case of fire and/or explosion do not breathe fumes.  
Avoid contact with skin, eyes and clothes.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Use water spray jet to protect personnel and to cool endangered containers.

## SECTION 6: Accidental release measures

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **General advice**

Keep away from sources of ignition - No smoking.  
This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).  
Take action to prevent static discharges.

#### **For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Diisopropyl ether > 99 % for analysis stabilized with 2,6-di-tert-butyl-4-methylphenol (BHT)

Revision date: 19.07.2023

Product code: 19923

Page 4 of 11

Remove persons to safety.  
Emergency procedures  
Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.  
The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in high concentration.  
Danger of explosion

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Collect in closed and suitable containers for disposal.  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

##### Other information

Provide adequate ventilation.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care.  
When using do not eat, drink, smoke, sniff. Keep container tightly closed.  
Use personal protection equipment. Use extractor hood (laboratory).  
Do not breathe vapour/aerosol. Provide adequate ventilation.

#### Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.  
Wash hands and face before breaks and after work and take a shower if necessary.  
When using do not eat or drink.  
Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.  
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.  
Store in a cool dry place.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Diisopropyl ether > 99 % for analysis stabilized with 2,6-di-tert-butyl-4-methylphenol (BHT)

Revision date: 19.07.2023

Product code: 19923

Page 5 of 11

Protect against: Light

#### Further information on storage conditions

Protect from sunlight.

storage temperature +5°C - +30°C

#### 7.3. Specific end use(s)

Laboratory chemicals

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
108-20-3	Isopropyl ether	250	1050		TWA (8 h)	
		310	1320		STEL (15 min)	

#### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
108-20-3	diisopropyl ether			
	Worker DNEL, long-term	inhalation	systemic	850 mg/m <sup>3</sup>
	Worker DNEL, acute	inhalation	systemic	1700 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	121,4 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	151 mg/m <sup>3</sup>
	Consumer DNEL, acute	inhalation	systemic	302 mg/m <sup>3</sup>
	Consumer DNEL, long-term	dermal	systemic	43,1 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	43,1 mg/kg bw/day

#### PNEC values

CAS No	Substance	Value
108-20-3	diisopropyl ether	
	Freshwater	0,19 mg/l
	Freshwater (intermittent releases)	1,9 mg/l
	Marine water	0,019 mg/l
	Freshwater sediment	2,79 mg/kg
	Marine sediment	0,28 mg/kg
	Micro-organisms in sewage treatment plants (STP)	37 mg/l
	Soil	0,47 mg/kg

### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Diisopropyl ether > 99 % for analysis stabilized with 2,6-di-tert-butyl-4-methylphenol (BHT)

Revision date: 19.07.2023

Product code: 19923

Page 6 of 11

#### Eye/face protection

goggles  
Face protection umbrella

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact  
Trade name/designation KCL 897 Butoject®  
Suitable material: CR (polychloroprene, chloroprene rubber) 0,3 mm  
Wearing time with permanent contact > 480 min

By short-term hand contact  
Trade name/designation KCL 720 Camapren®  
Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm  
Wearing time with occasional contact (splashes): > 120 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

#### Skin protection

Wear fire resistant or flame retardant clothing.  
Take off immediately all contaminated clothing and wash it before reuse.  
Wear suitable protective clothing. Take off immediately all contaminated clothing.  
Wash hands and face before breaks and after work and take a shower if necessary.

#### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.  
Filtering device with filter or ventilator filtering device of type: A

#### Environmental exposure controls

Do not allow to enter into surface water or drains.  
Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.  
Danger of explosion

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	like: Ether	
Odour threshold:	No data available	
Melting point/freezing point:		-86 °C
Boiling point or initial boiling point and boiling range:		67 °C
Flammability:	No data available	
Lower explosion limits:		1 vol. %

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Diisopropyl ether > 99 % for analysis stabilized with 2,6-di-tert-butyl-4-methylphenol (BHT)

Revision date: 19.07.2023

Product code: 19923

Page 7 of 11

Upper explosion limits:	21 vol. %
Flash point:	-28 °C
Auto-ignition temperature:	405 °C
Decomposition temperature:	No data available
pH-Value (at 20 °C):	neutral
Viscosity / kinematic:	No data available
Water solubility: (at 20 °C)	12 g/L
Solubility in other solvents	No data available
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure: (at 20 °C)	198,65 hPa
Vapour pressure:	No data available
Density:	0,72 g/cm <sup>3</sup>
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

#### 9.2. Other information

##### Information with regard to physical hazard classes

###### Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Sustaining combustion: Sustaining combustion

###### Self-ignition temperature

Solid: No data available

Gas: No data available

###### Oxidizing properties

No data available

##### Other safety characteristics

Evaporation rate: No data available

Solvent separation test: No data available

Solid content: No data available

Sublimation point: No data available

Softening point: No data available

Pour point: No data available

Viscosity / dynamic:  
(at 20 °C) 0,3 mPa·s

Flow time: No data available

##### Further Information

May form explosive peroxides.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

May form explosive peroxides.

Vapours may form explosive mixtures with air.

### 10.2. Chemical stability

Protect against:

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Diisopropyl ether > 99 % for analysis stabilized with 2,6-di-tert-butyl-4-methylphenol (BHT)

Revision date: 19.07.2023

Product code: 19923

Page 8 of 11

Light  
Air

#### **10.3. Possibility of hazardous reactions**

aldehydes  
Amines  
Acids  
Oxidizing agent  
Zinc

#### **10.4. Conditions to avoid**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Light  
Air

#### **10.5. Incompatible materials**

plastics

#### **10.6. Hazardous decomposition products**

SECTION 5: Firefighting measures

#### **Further information**

May form explosive peroxides.

### **SECTION 11: Toxicological information**

#### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

##### **Toxicokinetics, metabolism and distribution**

No data available

##### **Acute toxicity**

Based on available data, the classification criteria are not met.

##### **Irritation and corrosivity**

Based on available data, the classification criteria are not met.

##### **Sensitising effects**

Based on available data, the classification criteria are not met.

##### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

##### **STOT-single exposure**

May cause drowsiness or dizziness. (diisopropyl ether)

##### **STOT-repeated exposure**

Repeated exposure may cause skin dryness or cracking.

##### **Aspiration hazard**

Based on available data, the classification criteria are not met.

##### **Information on likely routes of exposure**

No data available

##### **Specific effects in experiment on an animal**

No data available

##### **Additional information on tests**

No data available

##### **Practical experience**

No data available

#### **11.2. Information on other hazards**

##### **Endocrine disrupting properties**



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Diisopropyl ether > 99 % for analysis stabilized with 2,6-di-tert-butyl-4-methylphenol (BHT)**

Revision date: 19.07.2023

Product code: 19923

Page 9 of 11

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

**Other information**

No data available

**Further information**

- Irritant
- Cough
- Respiratory complaints
- Vapours may cause drowsiness and dizziness.
- Vomiting
- Agitation
- Unconsciousness
- Headache
- Gastrointestinal complaints
- Dyspnoea
- Has degreasing effect on the skin.

**SECTION 12: Ecological information**

**12.1. Toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
108-20-3	diisopropyl ether					
	Acute fish toxicity	LC50	786 mg/l	96 h	Pimephales promelas	Publication (1985) Fish were exposed to a range of concentr
	Acute algae toxicity	ErC50	> 1000 mg/l	96 h	Pseudokirchneriella subcapitata	Study report (1983) OECD Guideline 201
	Acute crustacea toxicity	EC50	190 mg/l	48 h	Daphnia magna	Study report (1983) OECD Guideline 202
	Acute bacteria toxicity	(EC50	3155 mg/l)	3 h	activated sludge of a predominantly domestic sewage	Study report (2010) OECD Guideline 209

**12.2. Persistence and degradability**

0 %; 28 d  
OECD 301D

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
108-20-3	diisopropyl ether	2,4

**BCF**

CAS No	Chemical name	BCF	Species	Source
108-20-3	diisopropyl ether	6	CAESAR QSAR model for bioconcentration factor	Study report (2009)

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Diisopropyl ether > 99 % for analysis stabilized with 2,6-di-tert-butyl-4-methylphenol (BHT)**

Revision date: 19.07.2023

Product code: 19923

Page 10 of 11

**12.6. Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects**

Avoid release to the environment.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 1159
<b>14.2. UN proper shipping name:</b>	DIISOPROPYL ETHER
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 1159
<b>14.2. UN proper shipping name:</b>	DIISOPROPYL ETHER
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L
Excepted quantity:	E2

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 1159
<b>14.2. UN proper shipping name:</b>	DIISOPROPYL ETHER
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-E, S-D

**Air transport (ICAO-TI/IATA-DGR)**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Diisopropyl ether > 99 % for analysis stabilized with 2,6-di-tert-butyl-4-methylphenol (BHT)**

Revision date: 19.07.2023

Product code: 19923

Page 11 of 11

<b>14.1. UN number or ID number:</b>	UN 1159
<b>14.2. UN proper shipping name:</b>	DIISOPROPYL ETHER
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3
Limited quantity Passenger:	1 L
Passenger LQ:	Y341
Excepted quantity:	E2
IATA-packing instructions - Passenger:	353
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	364
IATA-max. quantity - Cargo:	60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Information according to 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 11,12.

**Abbreviations and acronyms**

Flam. Liq: Flammable liquid

STOT SE: Specific target organ toxicity - single exposure

**Relevant H and EUH statements (number and full text)**

H225 Highly flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

EUH019 May form explosive peroxides.

EUH066 Repeated exposure may cause skin dryness or cracking.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.