

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride solution 0.1 mol/l with additional calcium chloride titrant for METROHM

Revision date: 29.04.2024

Product code: 21739

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Barium chloride solution 0.1 mol/l with additional calcium chloride titrant for METROHM

UFI: 5D6X-21JW-Q009-XCDQ

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	

### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

### Further Information

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



#### Hazard statements

H290 May be corrosive to metals.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Barium chloride solution 0.1 mol/l with additional calcium chloride titrant for METROHM**

Revision date: 29.04.2024

Product code: 21739

Page 2 of 11

**Precautionary statements**

P234 Keep only in original packaging.  
P390 Absorb spillage to prevent material damage.  
P406 Store in a corrosion-resistant container with a resistant inner liner.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
10326-27-9	Barium chloride dihydrate			1 - < 5 %
	233-788-1	056-002-00-7	01-2119502547-42	
	Acute Tox. 3, Acute Tox. 4, Eye Irrit. 2; H301 H332 H319			
7647-01-0	Hydrochloric acid			< 0.1 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Skin Corr. 1B, STOT SE 3; H314 H335			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
10326-27-9	233-788-1	Barium chloride dihydrate	1 - < 5 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 619 mg/kg	
7647-01-0	231-595-7	Hydrochloric acid	< 0.1 %
		Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100	

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

No data available

**After inhalation**

Provide fresh air.  
Call a doctor if you feel unwell.

**After contact with skin**

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water.  
In case of eye irritation consult an ophthalmologist.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride solution 0.1 mol/l with additional calcium chloride titrant for METROHM

Revision date: 29.04.2024

Product code: 21739

Page 3 of 11

#### After ingestion

Rinse mouth immediately and drink plenty of water.  
Call a physician immediately.

#### **4.2. Most important symptoms and effects, both acute and delayed**

No data available

#### **4.3. Indication of any immediate medical attention and special treatment needed**

No data available

## SECTION 5: Firefighting measures

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

#### **Unsuitable extinguishing media**

no restriction

### **5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Hydrogen chloride (HCl)

Metal oxide smoke, toxic

### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet.

## SECTION 6: Accidental release measures

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **General advice**

Corrosive to metals.

#### **For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### **For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

### **6.3. Methods and material for containment and cleaning up**

#### **For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

#### **Other information**

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Barium chloride solution 0.1 mol/l with additional calcium chloride titrant for METROHM**

Revision date: 29.04.2024

Product code: 21739

Page 4 of 11

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

Handle and open container with care.  
Do not breathe vapour.  
Keep container tightly closed.  
Use personal protection equipment.  
Provide adequate ventilation.  
Avoid contact with skin, eyes and clothes.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately.  
Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary.  
When using do not eat or drink.

**Further information on handling**

Take off immediately all contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed.

**Hints on joint storage**

No data available

**Further information on storage conditions**

Store in a dry place.  
Unsuitable container/equipment material: Metal

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Barium chloride solution 0.1 mol/l with additional calcium chloride titrant for METROHM**

Revision date: 29.04.2024

Product code: 21739

Page 5 of 11

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
10326-27-9	Barium chloride dihydrate			
Worker DNEL, long-term		inhalation	systemic	8,8 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	43,2 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	2,6 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	25,9 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	3,7 mg/kg bw/day
7647-01-0	Hydrochloric acid			
Worker DNEL, long-term		inhalation	local	8 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	15 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	8 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	15 mg/m <sup>3</sup>

**PNEC values**

CAS No	Substance	Value
10326-27-9	Barium chloride dihydrate	
Freshwater		0,174 mg/l
Freshwater sediment		908 mg/kg
Micro-organisms in sewage treatment plants (STP)		94,3 mg/l
Soil		314,9 mg/kg

**Additional advice on limit values**

based on anhydrous form

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Do not breathe vapour/aerosol.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

goggles

**Hand protection**

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Suitable material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 741 Dermatril® L

Suitable material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride solution 0.1 mol/l with additional calcium chloride titrant for METROHM

Revision date: 29.04.2024

Product code: 21739

Page 6 of 11

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>,<) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing.  
Take off immediately all contaminated clothing.  
Wash hands before breaks and after work.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation  
The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Environmental exposure controls

Discharge into the environment must be avoided.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available
Water solubility: (at 20 °C)		No data available
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,002 g/cm <sup>3</sup>
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties  
No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride solution 0.1 mol/l with additional calcium chloride titrant for METROHM

Revision date: 29.04.2024

Product code: 21739

Page 7 of 11

Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
No data available	

#### Other safety characteristics

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

#### Further Information

Corrosive to metals.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Corrosive to metals.

### 10.2. Chemical stability

No data available

### 10.3. Possibility of hazardous reactions

No data available

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Unsuitable container/equipment material: Metal

### 10.6. Hazardous decomposition products

In case of fire may be liberated:  
SECTION 5: Firefighting measures

#### Further information

No data available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Barium chloride solution 0.1 mol/l with additional calcium chloride titrant for METROHM**

Revision date: 29.04.2024

Product code: 21739

Page 8 of 11

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
10326-27-9	Barium chloride dihydrate				
	oral	LD50 619 mg/kg	Rat	Study report (1983)	OECD Guideline 401
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met. slightly irritant but not relevant for classification.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards**

**Endocrine disrupting properties**

There are no data available on the mixture itself.

**Other information**

There are no data available on the mixture itself.

**Further information**

There are no data available on the mixture itself.

**SECTION 12: Ecological information**

**12.1. Toxicity**

Based on available data, the classification criteria are not met.



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Barium chloride solution 0.1 mol/l with additional calcium chloride titrant for METROHM**

Revision date: 29.04.2024

Product code: 21739

Page 9 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
10326-27-9	Barium chloride dihydrate					
	Acute fish toxicity	LC50 > 3,5 mg/l	96 h	Danio rerio	Study report (2010)	OECD Guideline 203
	Acute algae toxicity	ErC50 > 1,15 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (2010)	OECD Guideline 201
	Acute crustacea toxicity	EC50 14,5 mg/l	48 h	Daphnia magna	Publication (1972)	Not a guideline study but meets generell
	Fish toxicity	NOEC >= 100 mg/l	33 d	Danio rerio	Study report (2014)	OECD Guideline 210
	Crustacea toxicity	NOEC 10 mg/l	7 d	other aquatic arthropod: Cancer anthonyi	Publication (1988)	
	Acute bacteria toxicity	EC50 > 1000 mg/l ( )	3 h	activated sludge of a predominantly domestic sewage	Study report (2010)	OECD Guideline 209
7647-01-0	Hydrochloric acid					
	Acute fish toxicity	LC50 862 mg/l	96 h	Leuciscus idus		

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**BCF**

CAS No	Chemical name	BCF	Species	Source
10326-27-9	Barium chloride dihydrate	68,4	Lepomis macrochirus	Arch. Environ. Contam.

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

There are no data available on the mixture itself.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

**Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Barium chloride solution 0.1 mol/l with additional calcium chloride titrant for METROHM**

Revision date: 29.04.2024

Product code: 21739

Page 10 of 11

**Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 1789
<b>14.2. UN proper shipping name:</b>	HYDROCHLORIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 1789
<b>14.2. UN proper shipping name:</b>	HYDROCHLORIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	5 L
Excepted quantity:	E1

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 1789
<b>14.2. UN proper shipping name:</b>	HYDROCHLORIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Special Provisions:	223
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 1789
<b>14.2. UN proper shipping name:</b>	HYDROCHLORIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	1 L
Passenger LQ:	Y841
Excepted quantity:	E1
IATA-packing instructions - Passenger:	852
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	856
IATA-max. quantity - Cargo:	60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Maritime transport in bulk according to IMO instruments**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Barium chloride solution 0.1 mol/l with additional calcium chloride titrant for METROHM**

Revision date: 29.04.2024

Product code: 21739

Page 11 of 11

No dangerous good in sense of this transport regulation.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

**National regulatory information**

Water hazard class (D): - - non-hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 1,9.

**Abbreviations and acronyms**

Met. Corr: Substance or mixture corrosive to metals

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

**Relevant H and EUH statements (number and full text)**

- H290 May be corrosive to metals.
- H301 Toxic if swallowed.
- H314 Causes severe skin burns and eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*