

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Natriumcyanid zur Analyse

Revision date: 11.09.2023

Product code: 25253

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Natriumcyanid zur Analyse

CAS No: 143-33-9
Index No: 006-007-00-5
EC No: 205-599-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 1; H310
Acute Tox. 2; H330
Acute Tox. 2; H300
Aquatic Acute 1; H400
Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006


Natriumcyanid zur Analyse

Revision date: 11.09.2023

Product code: 25253

Page 2 of 13

Pictograms:



Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

Special labelling of certain mixtures

EUH032 Contact with acids liberates very toxic gas.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients**3.1. Substances**

Sum formula: NaCN
Molecular weight: 49,01 g/mol

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
143-33-9	sodium cyanide			100 %
	205-599-4	006-007-00-5		
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Aquatic Acute 1, Aquatic Chronic 1; H310 H330 H300 H400 H410 EUH032			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
143-33-9	205-599-4	sodium cyanide	100 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: LC50 = 63 ppm (gases); dermal: LD50 = ca. 11,28 mg/kg; oral: LD50 = 5,09 mg/kg		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection!
Call a physician immediately.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Natriumcyanid zur Analyse

Revision date: 11.09.2023

Product code: 25253

Page 3 of 13

Indication of any immediate medical attention and special treatment needed: Hydrogen cyanide (hydrocyanic acid)

After inhalation

Provide fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Call a physician immediately.

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.
Call a physician immediately.

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water.
Remove contact lenses, if present and easy to do. Continue rinsing.
Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.
Water, to which activated charcoal may be added
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Respiratory complaints
Cardiac arrhythmias
Circulatory collapse
Dyspnoea
Unconsciousness
Irritant
Dizziness
Gastrointestinal complaints
Vomiting
Agitation
Spasms

4.3. Indication of any immediate medical attention and special treatment needed

Antidote:
Dimethylaminophenol
Cobalt-EDTA
Sodium thiosulfate

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Water
Carbon dioxide (CO₂).
Foam

5.2. Special hazards arising from the substance or mixture

Non-combustible solids
Hazardous combustion products
In case of fire may be liberated: Hydrogen cyanide (hydrocyanic acid)
Do not allow contact with water.
After contact with water: Formation of: Hydrogen cyanide (hydrocyanic acid)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Natriumcyanid zur Analyse

Revision date: 11.09.2023

Product code: 25253

Page 4 of 13

Wear full chemical protective clothing.
In case of fire and/or explosion do not breathe fumes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.
Move undamaged containers from immediate hazard area if it can be done safely.
Suppress gases/vapours/mists with water spray jet.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Collect in closed and suitable containers for disposal.
Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use.
Do not allow contact with water.
After contact with water: Formation of: Hydrogen cyanide (hydrocyanic acid)
If handled uncovered, arrangements with local exhaust ventilation have to be used.
Read label before use. Handle and open container with care.
When using do not eat, drink, smoke, sniff. Keep container tightly closed.
Use personal protection equipment. Use extractor hood (laboratory).
Do not breathe dust. Avoid dust formation.
Provide adequate ventilation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Natriumcyanid zur Analyse

Revision date: 11.09.2023

Product code: 25253

Page 5 of 13

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a place accessible by authorized persons only.

Unsuitable container/equipment material:

Metal

Light metal

Further information on storage conditions

Store in a well-ventilated place.

Keep container tightly closed and dry.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
143-33-9	Sodium cyanide (as cyanide)	-	1		TWA (8 h)	
		-	5		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
143-33-9	sodium cyanide			
	Worker DNEL, long-term	inhalation	systemic	0,72 mg/m ³
	Worker DNEL, acute	inhalation	systemic	9,4 mg/m ³
	Worker DNEL, long-term	dermal	systemic	0,102 mg/kg bw/day
	Worker DNEL, acute	dermal	systemic	3,03 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Natriumcyanid zur Analyse

Revision date: 11.09.2023

Product code: 25253

Page 6 of 13

PNEC values

CAS No	Substance	Value
Environmental compartment		
143-33-9	sodium cyanide	
Freshwater		0,001 mg/l
Freshwater (intermittent releases)		0,0032 mg/l
Marine water		0,0002 mg/l
Freshwater sediment		0,004 mg/kg
Marine sediment		0,0008 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,05 mg/l
Soil		0,007 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>,<) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Protective clothing

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

Natriumcyanid zur Analyse

Revision date: 11.09.2023

Product code: 25253

Page 7 of 13

Respiratory protection

Respiratory protection necessary at: dust formation
Filtering device with filter or ventilator filtering device of type: B-(P3)

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	white
Odour:	like: Bitter almonds
Odour threshold:	No data available
Melting point/freezing point:	563 °C
Boiling point or initial boiling point and boiling range:	1496 °C
Flammability:	not applicable
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	not applicable
Auto-ignition temperature:	No data available
Decomposition temperature:	>1500 °C
pH-Value (at 20 °C):	11,7 (100 g/l)
Viscosity / kinematic:	No data available
Water solubility: (at 20 °C)	370 g/L
Solubility in other solvents	not determined
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	Log Pow: -0,25
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density (at 20 °C):	1,6 g/cm ³
Relative density:	No data available
Bulk density:	750-900 kg/m ³
Relative vapour density:	not determined
Particle characteristics:	No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties	No data available
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Oxidizing properties	
No data available	

Other safety characteristics

Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Natriumcyanid zur Analyse

Revision date: 11.09.2023

Product code: 25253

Page 8 of 13

Solid content:	100%
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	not determined

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Protect against: Humidity

10.3. Possibility of hazardous reactions

Oxidizing agent
permanganates, e.g. potassium permanganate
Peroxides
Water
Carbon dioxide (CO₂)
Contact with acids liberates very toxic gas.
Mg, NO₂, NO₃

10.4. Conditions to avoid

Humidity
Do not allow contact with water.
After contact with water: Formation of: Hydrogen cyanide (hydrocyanic acid)

10.5. Incompatible materials

Aluminium
Metal
Zinc

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Fatal in contact with skin.
Fatal if swallowed.
Fatal if inhaled.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Natriumcyanid zur Analyse

Revision date: 11.09.2023

Product code: 25253

Page 9 of 13

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
143-33-9	sodium cyanide				
	oral	LD50 5,09 mg/kg	Rat	In: Clinical and Experimental Toxicology	Groups of animals were exposed to variou
	dermal	LD50 ca. 11,28 mg/kg	Rabbit	J Toxicol – Cut and Ocular Toxicol 13:24	Animals were exposed to a solution of cy
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
	inhalation (1 h) gas	LC50 63 ppm	Rat	Study report (1981)	OECD Guideline 403

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.
May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.
Causes damage to organs through prolonged or repeated exposure.
Organs affected: thyroid gland

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

No data available

Further information

Respiratory complaints
Cardiac arrhythmias
Circulatory collapse
Dyspnoea
Unconsciousness
Irritant
Dizziness
Gastrointestinal complaints
Vomiting

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Natriumcyanid zur Analyse

Revision date: 11.09.2023

Product code: 25253

Page 10 of 13

Agitation
Spasms

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
143-33-9	sodium cyanide					
	Acute fish toxicity	LC50 mg/l	0,1038	96 h	Gasterosteus aculeatus	Study report (2005) other: ASTM E729-96. Standard Guide for
	Acute algae toxicity	ErC50 mg/l	0,116	72 h	Pseudokirchneriella subcapitata	Journal of Hazardous Materials 197 (2011) ISO 8692
	Acute crustacea toxicity	EC50 mg/l	0,21638	48 h	other aquatic crustacea: Acartia tonsa	Study report (2006) other: ASTM E 729-96: Standard Guide for
	Algae toxicity	NOEC	0,1 mg/l	10 d	Chlamydomonas sp.	Bulletin 106. Virginia Water resources R Bartsch, A.F. 1971. Algal Assay Procedur
	Acute bacteria toxicity	(EC50	2,3 mg/l)	0,5 h	activated sludge, domestic	Acta hydrochim. hydrobiol. 20, 3 (1992) EU Method C.11

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
143-33-9	sodium cyanide	ca. -0,25

BCF

CAS No	Chemical name	BCF	Species	Source
143-33-9	sodium cyanide	3,162		United States Enviro

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Do not allow contact with water.

After contact with water: Formation of: Hydrogen cyanide (hydrocyanic acid)

Further information

Do not allow to enter into surface water or drains.

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Natriumcyanid zur Analyse

Revision date: 11.09.2023

Product code: 25253

Page 11 of 13

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
Send to a physico-chemical treatment facility under observation of official regulations.
Do not allow to enter into surface water or drains.
Do not mix with other wastes.

Contaminated packaging

This material and its container must be disposed of as hazardous waste.
Handle contaminated packages in the same way as the substance itself.
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number:	UN 1689
14.2. UN proper shipping name:	SODIUM CYANIDE, SOLID
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	I
Hazard label:	6.1
Classification code:	T5
Limited quantity:	0
Excepted quantity:	E5
Transport category:	1
Hazard No:	66
Tunnel restriction code:	C/E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 1689
14.2. UN proper shipping name:	SODIUM CYANIDE, SOLID
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	I
Hazard label:	6.1
Classification code:	T5
Special Provisions:	802
Limited quantity:	0
Excepted quantity:	E5

Marine transport (IMDG)

14.1. UN number or ID number:	UN 1689
14.2. UN proper shipping name:	SODIUM CYANIDE, SOLID
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	I
Hazard label:	6.1
Marine pollutant:	P
Special Provisions:	-
Limited quantity:	0
Excepted quantity:	E5
EmS:	F-A, S-A

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 1689
14.2. UN proper shipping name:	SODIUM CYANIDE, SOLID
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	I
Hazard label:	6.1
Limited quantity Passenger:	Forbidden

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Natriumcyanid zur Analyse

Revision date: 11.09.2023

Product code: 25253

Page 12 of 13

Passenger LQ:	Forbidden	
Excepted quantity:	E5	
IATA-packing instructions - Passenger:		666
IATA-max. quantity - Passenger:		5 kg
IATA-packing instructions - Cargo:		673
IATA-max. quantity - Cargo:		50 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	sodium cyanide

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU (SEVESO III):	H1 ACUTE TOXIC
Additional information:	E1

National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water hazard class (D):	3 - highly hazardous to water
Skin resorption/Sensitization:	Permeates easily through outer skin and causes poisoning.

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,12.

Abbreviations and acronyms

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service
- LC50: Lethal concentration, 50%
- LD50: Lethal dose, 50%
- Acute Tox: Acute toxicity
- Aquatic Acute: Acute aquatic hazard
- Aquatic Chronic: Chronic aquatic hazard

Relevant H and EUH statements (number and full text)

H300	Fatal if swallowed.
H300+H310+H330	Fatal if swallowed, in contact with skin or if inhaled.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Natriumcyanid zur Analyse

Revision date: 11.09.2023

Product code: 25253

Page 13 of 13

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.