

Safety Data Sheet

according to UK REACH Regulation

Kaliumdichromatlösung 0,1 mol/l zur Analyse in verdünnter Schwefelsäure für CSB-Küvettentests

Revision date: 21.11.2022 Product code: 33083 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kaliumdichromatlösung 0,1 mol/l zur Analyse in verdünnter Schwefelsäure für CSB-Küvettentests

UFI: 6AMX-P2G7-7007-UXUK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@berndkraft.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@berndkraft.de

Internet: www.berndkraft.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone
 number:
 For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,
 Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290 Acute Tox. 4; H332 Skin Corr. 1A; H314 Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Sens. 1; H317 Muta. 1B; H340 Carc. 1B; H350 Repr. 1B; H360FD STOT RE 2; H373 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation



Safety Data Sheet

according to UK REACH Regulation

Kaliumdichromatlösung 0,1 mol/l zur Analyse in verdünnter Schwefelsäure für CSB-Küvettentests

Revision date: 21.11.2022 Product code: 33083 Page 2 of 13

Hazard components for labelling

sulphuric acid

potassium dichromate

Signal word: Danger

Pictograms:









Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution



according to UK REACH Regulation

Kaliumdichromatlösung 0,1 mol/l zur Analyse in verdünnter Schwefelsäure für CSB-Küvettentests

Revision date: 21.11.2022 Product code: 33083 Page 3 of 13

Hazardous components

| CAS No | Chemical name | | | | |
|-----------|---|--------------|------------------|--|--|
| | EC No | Index No | REACH No | | |
| | Classification (GB CLP Regulation | n) | • | | |
| 7664-93-9 | sulphuric acid | | | | |
| | 231-639-5 | 016-020-00-8 | 01-2119458838-20 | | |
| | Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318 | | | | |
| 7778-50-9 | potassium dichromate | | 1 - < 5 % | | |
| | 231-906-6 | 024-002-00-6 | 01-2119454792-32 | | |
| | Ox. Sol. 2, Carc. 1B, Muta. 1B, Repr. 1B, Acute Tox. 2, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350 H340 H360FD H330 H301 H312 H314 H334 H317 H372 H400 H410 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | | | |
|-----------|----------------|---|-------------|--|--|--|
| | Specific Conc. | Limits, M-factors and ATE | | | | |
| 7664-93-9 | 231-639-5 | sulphuric acid | 25 - < 30 % | | | |
| | | oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15 | | | | |
| 7778-50-9 | 231-906-6 | potassium dichromate | 1 - < 5 % | | | |
| | | inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 129,5 mg/kg STOT SE 3; H335: >= 5 - 100 | | | | |

Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: potassium dichromate

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: potassium dichromate

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.



according to UK REACH Regulation

Kaliumdichromatlösung 0,1 mol/l zur Analyse in verdünnter Schwefelsäure für CSB-Küvettentests

Revision date: 21.11.2022 Product code: 33083 Page 4 of 13

4.2. Most important symptoms and effects, both acute and delayed

corrosive

Irritant

Cough

Dyspnoea

Allergic reactions

Risk of serious damage to eyes.

Gastrointestinal complaints

Pneumonia

Spasms

Circulatory collapse

Unconsciousness

Methaemoglobin formation

Liver and kidney damage

Vomiting

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Metal oxide smoke, toxic

Sulphur oxides

5.3. Advice for firefighters

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert



Safety Data Sheet

according to UK REACH Regulation

Kaliumdichromatlösung 0,1 mol/l zur Analyse in verdünnter Schwefelsäure für CSB-Küvettentests

Revision date: 21.11.2022 Product code: 33083 Page 5 of 13

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use.

Read label before use. Handle and open container with care.

Do not breathe vapour/aerosol.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities

 $Remove\ contaminated,\ saturated\ clothing\ immediately.\ Draw\ up\ and\ observe\ skin\ protection\ programme.$

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Store in a place accessible by authorized persons only.

Hints on joint storage

national regulations



according to UK REACH Regulation

Kaliumdichromatlösung 0,1 mol/l zur Analyse in verdünnter Schwefelsäure für CSB-Küvettentests

Revision date: 21.11.2022 Product code: 33083 Page 6 of 13

Further information on storage conditions

Store in a dry place. Corrosive to metals.

Unsuitable container/equipment material: Metal

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|-----------|-----------------------|-----|-------|-----------|-----------|--------|
| 7664-93-9 | Sulphuric acid (mist) | - | 0.05 | | TWA (8 h) | WEL |

DNEL/DMEL values

| CAS No | Substance | | | | | |
|--------------------------|-----------|----------------|--------|------------|--|--|
| DNEL type | | Exposure route | Effect | Value | | |
| 7664-93-9 sulphuric acid | | | | | | |
| Worker DNEL, long-term | | inhalation | local | 0,05 mg/m³ | | |

PNEC values

| CAS No | Substance | |
|--|------------------------------------|----------------|
| Environmental compartment Valu | | Value |
| 7664-93-9 | sulphuric acid | |
| Micro-organism | s in sewage treatment plants (STP) | 8,8 mg/l |
| 7778-50-9 potassium dichromate | | |
| Freshwater | Freshwater 0 mg/l | |
| Freshwater (intermittent releases) 0 mg/l | | 0 mg/l |
| Freshwater sediment 0,15 mg/kg | | 0,15 mg/kg |
| Marine sediment 0,15 mg | | 0,15 mg/kg |
| Secondary poisoning 17000000 | | 17000000 mg/kg |
| Micro-organisms in sewage treatment plants (STP) 0,21 mg/l | | 0,21 mg/l |
| Soil 0,035 mg/kg | | 0,035 mg/kg |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):



according to UK REACH Regulation

Kaliumdichromatlösung 0,1 mol/l zur Analyse in verdünnter Schwefelsäure für CSB-Küvettentests

Revision date: 21.11.2022 Product code: 33083 Page 7 of 13

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: orange
Odour: odourless

Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range: Flammability

No data available Solid/liquid: Gas: No data available Lower explosion limits: No data available No data available Upper explosion limits: Flash point: not applicable Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value: No data available Viscosity / kinematic: No data available No data available Water solubility:

Solubility in other solvents

No data available

Dissolution rate:

Partition coefficient n-octanol/water:

Dispersion stability:

Vapour pressure:

No data available

No data available

No data available



according to UK REACH Regulation

Kaliumdichromatlösung 0,1 mol/l zur Analyse in verdünnter Schwefelsäure für CSB-Küvettentests

Revision date: 21.11.2022 Product code: 33083 Page 8 of 13

Vapour pressure:No data availableDensity (at ^20 °C):~1,15 g/cm³Relative density:No data availableBulk density:No data availableRelative vapour density:No data availableParticle characteristics:No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion:

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information
Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Oxidising agent

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reducing agent

Alkali (lye)

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Metal

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available



according to UK REACH Regulation

Kaliumdichromatlösung 0,1 mol/l zur Analyse in verdünnter Schwefelsäure für CSB-Küvettentests

Revision date: 21.11.2022 Product code: 33083 Page 9 of 13

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Harmful if inhaled.

Avoid exposure - obtain special instructions before use.

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

ATEmix calculated

ATE (inhalation vapour) 19,53 mg/l; ATE (inhalation dust/mist) 1,953 mg/l

| CAS No | Chemical name | | | | | | | |
|-----------|----------------------|---------------|-----------|---------|---|--|--|--|
| | Exposure route | Dose | | Species | Source | Method | | |
| 7664-93-9 | sulphuric acid | | | | | | | |
| | oral | LD50 mg/kg | 2140 | Rat | Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5): | The study was performed as part of a ser | | |
| 7778-50-9 | potassium dichromate | | | | | | | |
| | oral | LD50 mg/kg | 129,5 | Rat | Study report (1983) | OECD Guideline 401 | | |
| | dermal | LD50 mg/kg | > 2000 | Rabbit | Study report (1983) | OECD Guideline 402 | | |
| | inhalation vapour | ATE | 0,5 mg/l | | | | | |
| | inhalation dust/mist | ATE | 0,05 mg/l | | | | | |

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (potassium dichromate)

May cause an allergic skin reaction. (potassium dichromate)

Carcinogenic/mutagenic/toxic effects for reproduction

May cause genetic defects. (potassium dichromate)

May cause cancer. (potassium dichromate)

May damage fertility. May damage the unborn child. (potassium dichromate)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (potassium dichromate)

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.



according to UK REACH Regulation

Kaliumdichromatlösung 0,1 mol/l zur Analyse in verdünnter Schwefelsäure für CSB-Küvettentests

Revision date: 21.11.2022 Product code: 33083 Page 10 of 13

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

corrosive

Irritant

Cough

Dyspnoea

Allergic reactions

Risk of serious damage to eyes.

Gastrointestinal complaints

Pneumonia

Spasms

Circulatory collapse

Unconsciousness

Methaemoglobin formation

Liver and kidney damage

Vomiting

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

| CAS No | Chemical name | | | | | | |
|-----------|--------------------------|----------------|-------|-----------|----------------------------|------------------------|------------------------------------|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 7664-93-9 | sulphuric acid | sulphuric acid | | | | | |
| | Acute algae toxicity | ErC50 mg/l | > 100 | | Desmodesmus subspicatus | Study report (2009) | OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 mg/l | > 100 | 48 h | Daphnia magna | Study report (2009) | OECD Guideline 202 |
| | Fish toxicity | NOEC mg/l | 0,025 | 65 d | Jordanella floridae | Vol. 11, 612 - 626, | Groups of sexually mature flagfish |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

There are no data available on the mixture itself.



according to UK REACH Regulation

Kaliumdichromatlösung 0,1 mol/l zur Analyse in verdünnter Schwefelsäure für CSB-Küvettentests

Revision date: 21.11.2022 Product code: 33083 Page 11 of 13

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Do not mix with other wastes.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid,

potassium dichromate)

14.3. Transport hazard class(es): 8 14.4. Packing group: Ш Hazard label: 8 Classification code: C1 Special Provisions: 274 Limited quantity: 1 L Excepted quantity: F2 Transport category: 2 Hazard No: 80 Tunnel restriction code: F

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid,

potassium dichromate)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C1Special Provisions:274Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid,

potassium dichromate)

 14.3. Transport hazard class(es):
 8

 14.4. Packing group:
 II

 Hazard label:
 8



Safety Data Sheet

according to UK REACH Regulation

Kaliumdichromatlösung 0,1 mol/l zur Analyse in verdünnter Schwefelsäure für CSB-Küvettentests

Revision date: 21.11.2022 Product code: 33083 Page 12 of 13

Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid,

potassium dichromate)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:0.5 I

Limited quantity Passenger: 0.5 L
Passenger LQ: Y840
Excepted quantity: E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: potassium dichromate

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

potassium dichromate

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 29, Entry 75

Information according to 2012/18/EU

E2 Hazardous to the Aquatic Environment

(SEVESO III):

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the

Candidate List according to Article 59 of REACH: potassium dichromate

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: potassium dichromate

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 3 - highly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9.



according to UK REACH Regulation

Kaliumdichromatlösung 0,1 mol/l zur Analyse in verdünnter Schwefelsäure für CSB-Küvettentests

Revision date: 21.11.2022 Product code: 33083 Page 13 of 13

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure | |
|-------------------------|--------------------------|--|
| Met. Corr. 1; H290 | On basis of test data | |
| Acute Tox. 4; H332 | Calculation method | |
| Skin Corr. 1A; H314 | Calculation method | |
| Eye Dam. 1; H318 | Calculation method | |
| Resp. Sens. 1; H334 | Calculation method | |
| Skin Sens. 1; H317 | Calculation method | |
| Muta. 1B; H340 | Calculation method | |
| Carc. 1B; H350 | Calculation method | |
| Repr. 1B; H360FD | Calculation method | |
| STOT RE 2; H373 | Calculation method | |
| Aquatic Chronic 2; H411 | Calculation method | |

Relevant H and EUH statements (number and full text)

| е | ievant H and EUH stat | ements (number and full text) |
|---|-----------------------|--|
| | H272 | May intensify fire; oxidiser. |
| | H290 | May be corrosive to metals. |
| | H301 | Toxic if swallowed. |
| | H312 | Harmful in contact with skin. |
| | H314 | Causes severe skin burns and eye damage. |
| | H317 | May cause an allergic skin reaction. |
| | H318 | Causes serious eye damage. |
| | H330 | Fatal if inhaled. |
| | H332 | Harmful if inhaled. |
| | H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| | H340 | May cause genetic defects. |
| | H350 | May cause cancer. |
| | H360FD | May damage fertility. May damage the unborn child. |
| | H372 | Causes damage to organs through prolonged or repeated exposure. |
| | H373 | May cause damage to organs through prolonged or repeated exposure. |
| | H400 | Very toxic to aquatic life. |
| | H410 | Very toxic to aquatic life with long lasting effects. |
| | H411 | Toxic to aquatic life with long lasting effects. |
| | | |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)