Print date: 25.09.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Nickel(II)-sulfatlösung 540 g/l zur Analyse in Wasser

Revision date: 25.09.2024 Product code: 34259 Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Nickel(II)-sulfatlösung 540 g/l zur Analyse in Wasser

UFI: J9V1-W362-E007-RE4F

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Irrit. 2; H315 Resp. Sens. 1; H334 Skin Sens. 1; H317 Muta. 2; H341 Carc. 1A; H350i

Carc. 1A; H350i Repr. 1B; H360D STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

## Regulation (EC) No 1272/2008

# Hazard components for labelling

nickel sulfate hexahydrate



according to Regulation (EC) No 1907/2006

# Nickel(II)-sulfatlösung 540 g/l zur Analyse in Wasser

Revision date: 25.09.2024 Product code: 34259 Page 2 of 12

Signal word: Danger

Pictograms:







#### **Hazard statements**

H302+H332 Harmful if swallowed or if inhaled.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.
H350i May cause cancer by inhalation.
H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

### **Precautionary statements**

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing and eye protection/face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

## Special labelling of certain mixtures

Restricted to professional users.

### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Chemical characterization**

Mixtures in aqueous solution

### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
10101-97-0	nickel sulfate hexahydrate			40 - < 45 %
	232-104-9	028-009-00-5	01-2119439361-44	
	Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360D H332 H302 H315 H334 H317 H372 H400 H410			

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

## Nickel(II)-sulfatlösung 540 g/l zur Analyse in Wasser

Revision date: 25.09.2024 Product code: 34259 Page 3 of 12

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
10101-97-0	232-104-9	nickel sulfate hexahydrate	40 - < 45 %
	361,9 mg/kg S	<i>,</i>	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air.

Call a physician immediately.

### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

## After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Allergic reactions

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Sulphur oxides

Metal oxide smoke, toxic



according to Regulation (EC) No 1907/2006

## Nickel(II)-sulfatlösung 540 g/l zur Analyse in Wasser

Revision date: 25.09.2024 Product code: 34259 Page 4 of 12

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Do not breathe vapour/aerosol.

### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal.

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol. Use extractor hood (laboratory).



according to Regulation (EC) No 1907/2006

# Nickel(II)-sulfatlösung 540 g/l zur Analyse in Wasser

Revision date: 25.09.2024 Product code: 34259 Page 5 of 12

### Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

# Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Store in a place accessible by authorized persons only.

### Further information on storage conditions

Keep container tightly closed.

## 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
10101-97-0	nickel sulfate hexahydrate			
Worker DNE	L, long-term	inhalation	systemic	0,05 mg/m³
Worker DNE	L, acute	inhalation	systemic	104 mg/m³
Worker DNEL, long-term		inhalation	local	0,05 mg/m³
Worker DNEL, acute		inhalation	local	1,6 mg/m³
Worker DNEL, long-term		dermal	local	0 mg/cm²
Consumer DNEL, acute		inhalation	systemic	8,8 mg/m³
Consumer DNEL, acute		inhalation	local	0,1 mg/m³
Consumer DNEL, long-term		oral	systemic	0,011 mg/kg bw/day
Consumer D	NEL, acute	oral	systemic	0,37 mg/kg bw/day



according to Regulation (EC) No 1907/2006

# Nickel(II)-sulfatlösung 540 g/l zur Analyse in Wasser

Revision date: 25.09.2024 Product code: 34259 Page 6 of 12

#### **PNEC** values

CAS No	Substance		
Environmental compartment Value			
10101-97-0	nickel sulfate hexahydrate		
Freshwater		0,0071 mg/l	
Freshwater (intermittent releases) 0 mg/l			
Marine water		0,0086 mg/l	
Freshwater sediment		109 mg/kg	
Marine sediment		109 mg/kg	
Secondary poisoning 0,12 n		0,12 mg/kg	
Micro-organisms in sewage treatment plants (STP)			
Soil 29,9 mg/k			

#### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles

Wear eye/face protection.

## **Hand protection**

Wear suitable gloves.

### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

## Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## Thermal hazards

No data available

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: clear
Odour: odourless
Odour threshold: No data available

Melting point/freezing point:

No data available
Boiling point or initial boiling point and

No data available

boiling range:

Flammability: No data available Lower explosion limits: No data available



according to Regulation (EC) No 1907/2006

## Nickel(II)-sulfatlösung 540 g/l zur Analyse in Wasser

Revision date: 25.09.2024 Product code: 34259 Page 7 of 12

Upper explosion limits:

Flash point:

Auto-ignition temperature:

Decomposition temperature:

PH-Value:

Viscosity / kinematic:

Water solubility:

No data available

No data available

No data available

No data available

completely miscible

Solubility in other solvents

No data available

Dissolution rate: No data available Partition coefficient n-octanol/water: No data available Dispersion stability: No data available Vapour pressure: No data available No data available Vapour pressure: No data available Density: Relative density: No data available Bulk density: No data available Relative vapour density: No data available Particle characteristics: No data available

## 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion:

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties
Oxidising agent

### Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

Solid content:

Sublimation point:

Softening point:

No data available
Pour point:

No data available
No data available
No data available

No data available:

Viscosity / dynamic: No data available Flow time: No data available

#### **Further Information**

No data available

### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No data available



according to Regulation (EC) No 1907/2006

## Nickel(II)-sulfatlösung 540 g/l zur Analyse in Wasser

Revision date: 25.09.2024 Product code: 34259 Page 8 of 12

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### **Further information**

No data available

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

### **Acute toxicity**

Harmful if swallowed.

Harmful if inhaled.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
10101-97-0	nickel sulfate hexahydrate	е				
	oral	LD50 mg/kg	361,9	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (nickel sulfate hexahydrate)

May cause an allergic skin reaction. (nickel sulfate hexahydrate)

## Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (nickel sulfate hexahydrate)

May cause cancer by inhalation. (nickel sulfate hexahydrate)

May damage the unborn child. (nickel sulfate hexahydrate)

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (nickel sulfate hexahydrate)

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

## Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

## Additional information on tests

There are no data available on the preparation/mixture itself.



according to Regulation (EC) No 1907/2006

# Nickel(II)-sulfatlösung 540 g/l zur Analyse in Wasser

Revision date: 25.09.2024 Product code: 34259 Page 9 of 12

## **Practical experience**

There are no data available on the preparation/mixture itself.

## 11.2. Information on other hazards

## **Endocrine disrupting properties**

There are no data available on the preparation/mixture itself.

#### Other information

There are no data available on the preparation/mixture itself.

#### **Further information**

There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
10101-97-0	nickel sulfate hexahydrate							
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003	other: not reported	
	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Water Research. V43: p1935-p1947. (2009)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	0,276	48 h	Ceriodaphnia dubia	Study report (2005)	Test methods were in accordance with app	
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent	other: ASTM 1980, E-729	
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2	other: not reported	
	Crustacea toxicity	NOEC 0,0153 mg/	0,0053 - /I	7 d	Ceriodaphnia dubia	Environmental Toxicology and Chemistry,	other: EPA/600/4-91/00 2	
	Acute bacteria toxicity	EC50 )	33 mg/l (	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332	ISO 8192	

## 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

# BCF

CAS No	Chemical name	BCF	Species	Source
10101-97-0	nickel sulfate hexahydrate	45	other aquatic crustacea: Cambarus bartoni	Bull. Environ. Conta



according to Regulation (EC) No 1907/2006

## Nickel(II)-sulfatlösung 540 g/l zur Analyse in Wasser

Revision date: 25.09.2024 Product code: 34259 Page 10 of 12

### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number: UN 328
--------------------------------------

**14.2. UN** proper shipping name: TOXIC LIQUID, INORGANIC, N.O.S. (nickel sulfate hexahydrate)

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 6.1 Classification code: T<sub>4</sub> Special Provisions: 274 Limited quantity: 5 L Excepted quantity: F1 Transport category: Hazard No: 60 Tunnel restriction code: Ε

#### Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3287

14.2. UN proper shipping name: TOXIC LIQUID, INORGANIC, N.O.S. (nickel sulfate hexahydrate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Classification code:T4Special Provisions:274 802Limited quantity:5 LExcepted quantity:E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 3287

14.2. UN proper shipping name: TOXIC LIQUID, INORGANIC, N.O.S. (nickel sulfate hexahydrate)



according to Regulation (EC) No 1907/2006

## Nickel(II)-sulfatlösung 540 g/l zur Analyse in Wasser

Revision date: 25.09.2024 Product code: 34259 Page 11 of 12

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Special Provisions:223, 274Limited quantity:5 LExcepted quantity:E1EmS:F-A, S-A

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3287

**14.2. UN** proper shipping name: TOXIC LIQUID, INORGANIC, N.O.S. (nickel sulfate hexahydrate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1

Special Provisions: A3 A4 A137

Limited quantity Passenger: 2 L
Passenger LQ: Y642
Excepted quantity: E1

IATA-packing instructions - Passenger: 655
IATA-max. quantity - Passenger: 60 L
IATA-packing instructions - Cargo: 663
IATA-max. quantity - Cargo: 220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: nickel sulfate hexahydrate

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 27, Entry 75

Information according to Directive

2012/18/EU (SEVESO III):

E1 Hazardous to the Aquatic Environment

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 3 - highly hazardous to water

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 12.



according to Regulation (EC) No 1907/2006

## Nickel(II)-sulfatlösung 540 g/l zur Analyse in Wasser

Revision date: 25.09.2024 Product code: 34259 Page 12 of 12

### Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Irrit: Skin irritation

Resp. Sens: Respiratory sensitisation

Skin Sens: Skin sensitisation Muta: Germ cell mutagenicity Carc: Carcinogenicity

Repr: Reproductive toxicity

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H332	Calculation method
Skin Irrit. 2; H315	Calculation method
Resp. Sens. 1; H334	Calculation method
Skin Sens. 1; H317	Calculation method
Muta. 2; H341	Calculation method
Carc. 1A; H350i	Calculation method
Repr. 1B; H360D	Calculation method
STOT RE 1; H372	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 1; H410	Calculation method

## Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H302+H332 Harmful if swallowed or if inhaled.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.
H350i May cause cancer by inhalation.
H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)