

according to Regulation (EC) No 1907/2006

Silikatlösung zur Herstellung des M4-Mediums nach Elendt-Schneider

Revision date: 17.03.2025

Product code: 34392

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Silikatlösung zur Herstellung des M4-Mediums nach Elendt-Schneider

UFI:

DQ72-63YV-5001-RTN1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| Company name: | AnalytiChem GmbH | |
|--------------------------|---|---|
| | ACD | |
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax:0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone:0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |
| 1.4. Emergency telephone | For Hazardous Materials [or Danger | ous Goods] Incidents Spill, Leak, Fire, |
| <u>number:</u> | Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted) | |

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Skin Irrit. 2; H315

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008 Signal word: Warning

Pictograms:



Hazard statements H315 H319

Causes skin irritation. Causes serious eye irritation.



according to Regulation (EC) No 1907/2006

Silikatlösung zur Herstellung des M4-Mediums nach Elendt-Schneider

| Revision date: 17.03.2025 | Product code: 34392 | Page 2 of 9 | |
|---------------------------|--|-------------|--|
| Precautionary statement | IS | | |
| P280 | Wear protective gloves/protective clothing and eye protection/face protection. | | |
| P302+P352 | IF ON SKIN: Wash with plenty of water. | | |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if | | |
| | present and easy to do. Continue rinsing. | | |
| P337+P313 | If eye irritation persists: Get medical advice/attention. | | |
| | | | |

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

| CAS No | Chemical name | | Quantity | |
|-----------|---|--------------|----------|-----------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 6834-92-0 | disodium metasilicate | | | 1 - < 5 % |
| | 229-912-9 | 014-010-00-8 | | |
| | Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335 | | | |

Full text of H and EUH statements: see section 16.

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed No data available



according to Regulation (EC) No 1907/2006

Silikatlösung zur Herstellung des M4-Mediums nach Elendt-Schneider

Revision date: 17.03.2025

Product code: 34392

Page 3 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

No data available

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care. Keep container tightly closed.



according to Regulation (EC) No 1907/2006

Silikatlösung zur Herstellung des M4-Mediums nach Elendt-Schneider

Revision date: 17.03.2025

Product code: 34392

Page 4 of 9

Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Wash contaminated clothing prior to re-use. Do not breathe vapour/aerosol. Avoid contact with skin, eves and clothes.

Further information on handling

Wash contaminated clothing before reuse. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

TRGS 510

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0, 11mm Wearing time with permanent contact: >480min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



according to Regulation (EC) No 1907/2006

Silikatlösung zur Herstellung des M4-Mediums nach Elendt-Schneider

Revision date: 17.03.2025

Product code: 34392

Page 5 of 9

Skin protection

Wear suitable protective clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | Liquid | |
|---|--------------------------------|-------------------|
| Colour: | clear | |
| Odour: | odourless | |
| Odour threshold: | No data available | |
| Melting point/freezing | y point: | No data available |
| Boiling point or initial | boiling point and | No data available |
| boiling range: | | |
| Flammability: | | No data available |
| Lower explosion limit | S: | No data available |
| Upper explosion limit | S: | No data available |
| Flash point: | | No data available |
| Auto-ignition tempera | ature: | No data available |
| Decomposition tempe | erature: | No data available |
| pH-Value: | | No data available |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | No data available |
| Solubility in other sol | vents | |
| No data available |) | |
| Dissolution rate: | | No data available |
| Partition coefficient n | -octanol/water: | No data available |
| Dispersion stability: | | No data available |
| Vapour pressure: | | No data available |
| Vapour pressure: | | No data available |
| Density: | | No data available |
| Relative density: | | No data available |
| Bulk density: | | No data available |
| Relative vapour dens | • | No data available |
| Particle characteristic | S: | No data available |
| 9.2. Other information | | |
| - | ard to physical hazard classes | |
| Explosive properties | | |
| No data available | | |
| Sustained combustib | • | No data available |
| Self-ignition temperat | ture | No defe av 11.1.1 |
| Solid: | | No data available |
| Gas: | | No data available |
| Oxidizing properties No data available | | |
| IND data available | ; | |

Other safety characteristics



according to Regulation (EC) No 1907/2006

Silikatlösung zur Herstellung des M4-Mediums nach Elendt-Schneider Product code: 34392 Revision date: 17.03.2025 Page 6 of 9 No data available Evaporation rate: Solvent separation test: No data available Solvent content: 0 Solid content: ٥ No data available Sublimation point: Softening point: No data available Pour point: No data available No data available: Viscosity / dynamic: No data available Flow time: No data available **Further Information**

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no data available on the mixture itself.

10.2. Chemical stability

There are no data available on the mixture itself.

10.3. Possibility of hazardous reactions

There are no data available on the mixture itself.

10.4. Conditions to avoid

There are no data available on the mixture itself.

10.5. Incompatible materials

There are no data available on the mixture itself.

10.6. Hazardous decomposition products

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

| Revision date: 17.03.2025 | erstellung des M4-Mediums nach Elendt Product code: 34392 | Page 7 of 9 |
|--|--|-------------|
| | 11000010000104002 | |
| STOT-single exposure Based on available data, the classificat | on criteria are not met. | |
| STOT-repeated exposure Based on available data, the classificat | on criteria are not met. | |
| Aspiration hazard Based on available data, the classificat | on criteria are not met. | |
| Information on likely routes of exposure There are no data available on the mixt | ure itself. | |
| Specific effects in experiment on an anim There are no data available on the mixt | | |
| Additional information on tests There are no data available on the mixt | ure itself. | |
| Practical experience There are no data available on the mixt | ure itself. | |
| 11.2. Information on other hazards | | |
| Endocrine disrupting properties There are no data available on the mixt | ure itself. | |
| Other information There are no data available on the mixt | ure itself. | |
| Further information There are no data available on the mixt | ure itself. | |

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.



according to Regulation (EC) No 1907/2006

Silikatlösung zur Herstellung des M4-Mediums nach Elendt-Schneider

Revision date: 17.03.2025

Product code: 34392

Page 8 of 9

SECTION 14: Transport information

Land transport (ADR/RID) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user No dangerous good in sense of this transport regulation. 14.7. Maritime transport in bulk according to IMO instruments No dangerous good in sense of this transport regulation. **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

National regulatory information

Water hazard class (D):

- - non-hazardous to water

Additional information No data available

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,12,13,15.

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure



according to Regulation (EC) No 1907/2006

Silikatlösung zur Herstellung des M4-Mediums nach Elendt-Schneider

Revision date: 17.03.2025

Product code: 34392

damage.

Page 9 of 9

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|---------------------|--------------------------|
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |

Relevant H and EUH statements (number and full text)

| H290 | May be corrosive to metals. |
|------|-----------------------------------|
| H314 | Causes severe skin burns and eye |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)