

according to Regulation (EC) No 1907/2006

## Multielement-Standard 9 Elemente je 1 mg/l in Salzsäure 10%

Revision date: 09.05.2025 Product code: 35055 Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Multielement-Standard 9 Elemente je 1 mg/l in Salzsäure 10%

UFI: SN24-S3M2-7005-94YT

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

**1.4. Emergency telephone** For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

### Regulation (EC) No 1272/2008

## Hazard components for labelling

Hydrochloric acid

Signal word: Warning

Pictograms:





### **Hazard statements**

H290 May be corrosive to metals.



according to Regulation (EC) No 1907/2006

## Multielement-Standard 9 Elemente je 1 mg/l in Salzsäure 10%

Revision date: 09.05.2025 Product code: 35055 Page 2 of 11

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

#### **Precautionary statements**

P280 Wear protective gloves/protective clothing and eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P390 Absorb spillage to prevent material damage.

#### 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Chemical characterization**

Mixtures in aqueous solution

### Relevant ingredients

| CAS No    | Chemical name   | Chemical name     |                  |  |  |
|-----------|---|-------------------|------------------|--|--|
|           | EC No   | Index No          | REACH No         |  |  |
|           | Classification (Regulation (EC) No 1272/2008)                           |                   |                  |  |  |
| 7647-01-0 | Hydrochloric acid   | Hydrochloric acid |                  |  |  |
|           | 231-595-7   | 017-002-01-X      | 01-2119484862-27 |  |  |
|           | Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335 |                   |                  |  |  |

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits. M-factors and ATE

| -p        |  |                           |             |  |
|-----------|--|---------------------------|-------------|--|
| CAS No    | EC No  | Chemical name             | Quantity    |  |
|           | Specific Conc  | Limits, M-factors and ATE |             |  |
| 7647-01-0 | 231-595-7  | Hydrochloric acid         | 10 - < 15 % |  |
|           | Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100 |                           |             |  |

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

## **General information**

No data available

### After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids





according to Regulation (EC) No 1907/2006

## Multielement-Standard 9 Elemente je 1 mg/l in Salzsäure 10%

Revision date: 09.05.2025 Product code: 35055 Page 3 of 11

apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant — skin irritation and eye damage

Cough

Dyspnoea

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Hydrochloric gas

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).





according to Regulation (EC) No 1907/2006

## Multielement-Standard 9 Elemente je 1 mg/l in Salzsäure 10%

Revision date: 09.05.2025 Product code: 35055 Page 4 of 11

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

## Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

Provide adequate ventilation as well as local exhaustion at critical locations.

Keep in a cool place.

## Hints on joint storage

national regulations

## Further information on storage conditions

Unsuitable container/equipment material: Metal

## 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

## Multielement-Standard 9 Elemente je 1 mg/l in Salzsäure 10%

Revision date: 09.05.2025 Product code: 35055 Page 5 of 11

#### Occupational exposure limits

| CAS No    | Substance         | ppm | mg/m³ | fib/cm³ | Category      | Origin |
|-----------|-------------------|-----|-------|---------|---------------|--------|
| 7647-01-0 | Hydrogen chloride | 5   | 8     |         | TWA (8 h)     |        |
|           |                   | 10  | 15    |         | STEL (15 min) |        |

#### **DNEL/DMEL values**

| CAS No                   | Substance                |                |        |          |  |
|--------------------------|--------------------------|----------------|--------|----------|--|
| DNEL type                |                          | Exposure route | Effect | Value    |  |
| 7647-01-0                | 7-01-0 Hydrochloric acid |                |        |          |  |
| Worker DNEL, long-term   |                          | inhalation     | local  | 8 mg/m³  |  |
| Worker DNEL, acute       |                          | inhalation     | local  | 15 mg/m³ |  |
| Consumer DNEL, long-term |                          | inhalation     | local  | 8 mg/m³  |  |
| Consumer DNEL, acute     |                          | inhalation     | local  | 15 mg/m³ |  |

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: Face protection shield goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



according to Regulation (EC) No 1907/2006

## Multielement-Standard 9 Elemente je 1 mg/l in Salzsäure 10%

Revision date: 09.05.2025 Product code: 35055 Page 6 of 11

#### Skin protection

Wear suitable protective clothing. Protective clothing acid-resistant

### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Filtering device with filter or ventilator filtering device of type: E-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Thermal hazards

No data available

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: clear
Odour: stinging

Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability: not applicable
Lower explosion limits: No data available
Upper explosion limits: No data available

Flash point: X

Auto-ignition temperature:

Decomposition temperature:

PH-Value (at 20 °C):

No data available

No data available

Viscosity / kinematic:

Water solubility:

No data available easily soluble

Solubility in other solvents

not determined

Dissolution rate: No data available Partition coefficient n-octanol/water: No data available Dispersion stability: No data available No data available Vapour pressure: No data available Vapour pressure: Density: No data available No data available Relative density: No data available Bulk density: Relative vapour density: No data available Particle characteristics: No data available

### 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

No data available

Sustained combustibility: No data available

Self-ignition temperature

Solid: not applicable
Gas: not applicable





according to Regulation (EC) No 1907/2006

### Multielement-Standard 9 Elemente je 1 mg/l in Salzsäure 10%

Revision date: 09.05.2025 Product code: 35055 Page 7 of 11

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available

Solvent content:

O%

Solid content:

Sublimation point:

No data available

No data available:

Viscosity / dynamic: No data available Flow time: No data available

Further Information
Corrosive to metals

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.4. Conditions to avoid

Heat

### 10.5. Incompatible materials

Keep away from: Metal.

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

### **Further information**

No data available

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

### **Acute toxicity**

Based on available data, the classification criteria are not met.

Pulmonary oedema

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

## **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

#### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction



according to Regulation (EC) No 1907/2006

## Multielement-Standard 9 Elemente je 1 mg/l in Salzsäure 10%

Revision date: 09.05.2025 Product code: 35055 Page 8 of 11

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (Hydrochloric acid)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

There are no data available on the mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### **Practical experience**

There are no data available on the mixture itself.

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties**

There are no data available on the mixture itself.

#### Other information

There are no data available on the mixture itself.

#### **Further information**

Irritant — skin irritation and eye damage

Cough

Dyspnoea

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No    | Chemical name       |      |          |           |                |        |        |
|-----------|---------------------|------|----------|-----------|----------------|--------|--------|
|           | Aquatic toxicity    | Dose |          | [h]   [d] | Species        | Source | Method |
| 7647-01-0 | Hydrochloric acid   |      |          |           |                |        |        |
|           | Acute fish toxicity | LC50 | 862 mg/l | 96 h      | Leuciscus idus |        |        |

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.



according to Regulation (EC) No 1907/2006

### Multielement-Standard 9 Elemente je 1 mg/l in Salzsäure 10%

Revision date: 09.05.2025 Product code: 35055 Page 9 of 11

Forms corrosive mixtures with water even if diluted.

#### **Further information**

Do not empty into drains.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

| 14.1. UN number or ID number: | UN 1789 |
|-------------------------------|---------|
|-------------------------------|---------|

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 8 Classification code: C1 **Special Provisions:** 520 Limited quantity: 1 I Excepted quantity: E2 Transport category: 2 Hazard No: 80 Tunnel restriction code: Ε

#### Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C1Special Provisions:520Limited quantity:1 LExcepted quantity:E2

#### Marine transport (IMDG)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1789





according to Regulation (EC) No 1907/2006

### Multielement-Standard 9 Elemente je 1 mg/l in Salzsäure 10%

Revision date: 09.05.2025 Product code: 35055 Page 10 of 11

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

0.5 L

Y840

Excepted quantity:

E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

### **SECTION 16: Other information**

### Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals

Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%



according to Regulation (EC) No 1907/2006

## Multielement-Standard 9 Elemente je 1 mg/l in Salzsäure 10%

Revision date: 09.05.2025 Product code: 35055 Page 11 of 11

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290  | On basis of test data    |
| Skin Irrit. 2; H315 | Calculation method       |
| Eye Irrit. 2; H319  | Calculation method       |
| STOT SE 3; H335     | Calculation method       |

#### Re

| Irrit. 2; H315                                      | Calculation method     |  |  |
|---|------------------------|--|--|
| Irrit. 2; H319                                      | Calculation method     |  |  |
| OT SE 3; H335                                       | Calculation method     |  |  |
| elevant H and EUH statements (number and full text) |                        |  |  |
| H290 May be   | e corrosive to metals. |  |  |

#### Causes severe skin burns and eye damage. H314 H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)