

**Amylalcohol-(iso) v.p.**

Revision: 26.08.2025

Product code: AC11.00462

Page 1 of 13

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Amylalcohol-(iso) v.p.

REACH Registration Number: 01-2119493725-26-XXXX  
CAS No: 123-51-3  
Index No: 603-006-00-7  
EC No: 204-633-5

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Reagents and laboratory chemicals  
Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet****Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: N-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analyticchem.com  
Contact person: SDS service department  
E-mail: SDS@analyticchem.com  
Internet: www.analyticchem.com  
Responsible Department: SDS service department

**Supplier or manufacturer details**

Company name: AnalytiChem Belgium NV  
Street: Industriezone "De Arend" 2  
Place: B-8210 Zedelgem  
Telephone: +32 50 28 83 20  
E-mail: info.be@analyticchem.com  
Contact person: SDS service department  
E-mail: SDS@analyticchem.com  
Responsible Department: AnalytiChem  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333

**1.4. Emergency telephone number:**

+44 20 3807 3798 (CHEMTREC)

**Amylalcohol-(iso) v.p.**

Revision: 26.08.2025

Product code: AC11.00462

Page 2 of 13

**Further Information**

No data available

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Flam. Liq. 3; H226

Acute Tox. 4; H332

Skin Irrit. 2; H315

Eye Dam. 1; H318

STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008**

Signal word: Danger

Pictograms:

**Hazard statements**

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

EUH066 Repeated exposure may cause skin dryness or cracking.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Sum formula: C5H12O

Molecular weight: 88.15 g/mol

**Amylalcohol-(iso) v.p.**

Revision: 26.08.2025

Product code: AC11.00462

Page 3 of 13

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
123-51-3	Isoamyl alcohol			100 %
	204-633-5	603-006-00-7	01-2119493725-26-XXXX	
	Flam. Liq. 3, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, STOT SE 3; H226 H332 H315 H318 H335 EUH066			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
123-51-3	204-633-5	Isoamyl alcohol	100 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = ca. 2860 mg/kg; oral: LD50 = 3438 mg/kg		

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

No data available

**After inhalation**

Provide fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Call a physician immediately.

**After contact with skin**

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.  
In case of skin irritation, consult a physician.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Consult an ophthalmologist.

**After ingestion**

Observe risk of aspiration if vomiting occurs.  
Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Dizziness, Unconsciousness, Gastrointestinal complaints  
Vomiting, Headache, Irritant  
Cough, Dyspnoea  
Repeated exposure may cause skin dryness or cracking.  
Dermatitis

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**Amylalcohol-(iso) v.p.**

Revision: 26.08.2025

Product code: AC11.00462

Page 4 of 13

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Foam  
Carbon dioxide (CO<sub>2</sub>)  
Extinguishing powder

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Combustible liquids  
Hazardous combustion products  
In case of fire may be liberated:  
Carbon dioxide (CO<sub>2</sub>) Carbon monoxide  
In case of warming:  
Vapours are heavier than air, spread along floors and form explosive mixtures with air.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.  
In case of fire and/or explosion do not breathe fumes.  
Avoid contact with skin, eyes and clothes.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Keep away from sources of ignition - No smoking.  
This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).  
Take action to prevent static discharges.

**For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Consult an expert  
Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.  
Danger of explosion

**6.3. Methods and material for containment and cleaning up****For containment**

Cover drains.

**Amylalcohol-(iso) v.p.**

Revision: 26.08.2025

Product code: AC11.00462

Page 5 of 13

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Use personal protection equipment.

Do not breathe gas/fumes/vapour/spray.

Provide adequate ventilation.

Read label before use.

Use extractor hood (laboratory).

**Advice on protection against fire and explosion**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharges.

**Advice on general occupational hygiene**

Keep away from food, drink and animal feedingstuffs.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

**Further information on handling**

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

Draw up and observe skin protection programme.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed and dry.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Hints on joint storage**

Take national regulations into account.

**Further information on storage conditions**

Store in a well-ventilated place. Keep container tightly closed.

storage temperature +5°C - +30°C

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

**Amylalcohol-(iso) v.p.**

Revision: 26.08.2025

Product code: AC11.00462

Page 6 of 13

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
123-51-3	3-Methylbutan-1-ol	100	366		TWA (8 h)	WEL
		125	458		STEL (15 min)	WEL

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
123-51-3	Isoamyl alcohol			
Worker DNEL, long-term		inhalation	local	73,16 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	292 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	13 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	218 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	12,5 mg/kg bw/day

**PNEC values**

CAS No	Substance	Environmental compartment	Value
123-51-3	Isoamyl alcohol		
Freshwater			0,12 mg/l
Freshwater (intermittent releases)			1,2 mg/l
Marine water			0,012 mg/l
Freshwater sediment			0,496 mg/kg
Marine sediment			0,05 mg/kg
Micro-organisms in sewage treatment plants (STP)			37 mg/l
Soil			1,068 mg/kg

**8.2. Exposure controls****Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

goggles

Face protection umbrella

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

**Amylalcohol-(iso) v.p.**

Revision: 26.08.2025

Product code: AC11.00462

Page 7 of 13

Trade name/designation: KCL 730 Camatril® Velours

Recommended material: NBR (Nitrile rubber) 0,4 mm

Wearing time with permanent contact: &gt; 480 min

By short-term hand contact

Trade name/designation: KCL 720 Camapren®

Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with occasional contact (splashes): &gt; 240 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear anti-static footwear and clothing

Wear fire resistant or flame retardant clothing.

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands and face before breaks and after work and take a shower if necessary.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Filtering device with filter or ventilator filtering device of type: A

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

Danger of explosion

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	red
Odour:	characteristic
Odour threshold:	No data available
Melting point/freezing point:	-147 °C
Boiling point or initial boiling point and boiling range:	130,7 °C
Flammability:	No data available
Lower explosion limits:	1,2 vol. %
Upper explosion limits:	8 vol. %
Flash point:	43,5 °C
Auto-ignition temperature:	335 °C
pH-Value (at 20 °C):	7 (25 g/l)
Viscosity / kinematic: (at 20 °C)	5,32 mm <sup>2</sup> /s
Water solubility: (at 20 °C)	25 g/l
Solubility in other solvents No data available	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	log Pow: 1,35

**Amylalcohol-(iso) v.p.**

Revision: 26.08.2025

Product code: AC11.00462

Page 8 of 13

Dispersion stability:	No data available
Vapour pressure: (at 20 °C)	3 hPa
Vapour pressure:	No data available
Density:	0,81 g/cm <sup>3</sup>
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

**9.2. Other information****Information with regard to physical hazard classes****Explosive properties**

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

**Sustained combustibility:**

Sustained combustibility

**Self-ignition temperature**

Solid:

No data available

Gas:

No data available

**Oxidizing properties**

No data available

**Other safety characteristics****Evaporation rate:**

No data available

**Solvent separation test:**

No data available

**Solvent content:**

No data available

**Solid content:**

No data available

**Sublimation point:**

No data available

**Softening point:**

No data available

**Pour point:**

No data available

**Viscosity / dynamic:**

4,3 mPa·s

(at 20 °C)

**Flow time:**

No data available

**Further Information**

No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

In case of warming:

Vapours may form explosive mixtures with air.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Alkali metals, Alkaline earth metal, Aluminium

Fluorine, Oxygen, Acid, Isocyanates

Aluminium, Oxidising agent, strong,

**10.4. Conditions to avoid**

Heat

**10.5. Incompatible materials**

Rubber articles

**Amylalcohol-(iso) v.p.**

Revision: 26.08.2025

Product code: AC11.00462

Page 9 of 13

**10.6. Hazardous decomposition products**

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information****11.1. Information on hazard classes****Toxicokinetics, metabolism and distribution**

No data available

**Acute toxicity**

Harmful if inhaled.

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Inhalation effect: Damage to the respiratory tract.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
123-51-3	Isoamyl alcohol				
	oral	LD50 3438 mg/kg	Rabbit	J. Lab. Clin. Med., 10:985 (1925)	acute oral toxicity study
	dermal	LD50 ca. 2860 mg/kg	Rabbit	Am. Ind. Hyg. Ass. J., 23, 95-107 (1962)	modified acc. to Draize, J.H. et al., J.
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

**Irritation and corrosivity**

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

Repeated exposure may cause skin dryness or cracking.

Repeated exposure may cause skin dryness or cracking.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause respiratory irritation. (Isoamyl alcohol)

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

Observe risk of aspiration if vomiting occurs.

**Specific effects in experiment on an animal**

No data available

**Additional information on tests**

No data available

**Practical experience**

No data available

**Amylalcohol-(iso) v.p.**

Revision: 26.08.2025

Product code: AC11.00462

Page 10 of 13

**11.2. Information on other hazards****Endocrine disrupting properties**

No data available

**Other information**

Liver and kidney damage

**Further information**

Dizziness, Unconsciousness, Gastrointestinal complaints

Vomiting, Headache, Irritant

Cough, Dyspnoea

Repeated exposure may cause skin dryness or cracking.

Dermatitis

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
123-51-3	Isoamyl alcohol					
	Acute fish toxicity	LC50 530 mg/l	96 h	Danio rerio	Z Wasser Abwasser Forsch 15 (2), 49-52 (	other: OECD Draft 1980 and ISO TC 147/SC
	Acute algae toxicity	ErC50 > 320 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (2011)	OECD Guideline 201
	Acute crustacea toxicity	EC50 341,21 mg/l	48 h	Daphnia magna	Study report (1990)	EU Method C.2

**12.2. Persistence and degradability**

84 %; 27 d

OECD-301C

Readily biodegradable (according to OECD criteria).

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
123-51-3	Isoamyl alcohol	1,35

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

This substance does not meet the PBT/vPvB criteria of UK REACH.

**12.6. Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects**

Do not allow to enter into surface water or drains.

**Further information**

Avoid release to the environment.

**SECTION 13: Disposal considerations**

**Amylalcohol-(iso) v.p.**

Revision: 26.08.2025

Product code: AC11.00462

Page 11 of 13

**13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

**Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 1105
<b>14.2. UN proper shipping name:</b>	PENTANOLS
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3
Classification code:	F1
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 1105
<b>14.2. UN proper shipping name:</b>	PENTANOLS
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3
Classification code:	F1
Limited quantity:	5 L
Excepted quantity:	E1

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 1105
<b>14.2. UN proper shipping name:</b>	PENTANOLS
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3
Special Provisions:	223
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-D

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 1105
<b>14.2. UN proper shipping name:</b>	PENTANOLS
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3
Special Provisions:	A3
Limited quantity Passenger:	10 L

**Amylalcohol-(iso) v.p.**

Revision: 26.08.2025

Product code: AC11.00462

Page 12 of 13

Passenger LQ:	Y344
Excepted quantity:	E1
IATA-packing instructions - Passenger:	355
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	366
IATA-max. quantity - Cargo:	220 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Maritime transport in bulk according to IMO instruments**

No dangerous good in sense of this transport regulation.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Information according to Directive P5c FLAMMABLE LIQUIDS

2012/18/EU (SEVESO III):

**Additional information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**National regulatory information**

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water hazard class (D):	1 - slightly hazardous to water

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1.

**Abbreviations and acronyms**

Flam. Liq. 3: Flammable liquids, hazard category 3

Acute Tox. 4: Acute toxicity, hazard category 4

Skin Irrit. 2: Skin irritation, hazard category 2

Eye Dam. 1: Serious eye damage, hazard category 1

STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3

**Relevant H and EUH statements (number and full text)**

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
EUH066	Repeated exposure may cause skin dryness or cracking.

**Further Information**

Provide appropriate information, instructions and training to users

**Amylalcohol-(iso) v.p.**

Revision: 26.08.2025

Product code: AC11.00462

Page 13 of 13

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.