

**Hexane-(n) fraction, HPLC grade**

Revision: 05.01.2026

Product code: AC11.00746

Page 1 of 12

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Hexane-(n) fraction, HPLC grade

Substance name: n-hexane  
 REACH Registration Number: 01-2119480412-44-XXXX  
 CAS No: 110-54-3  
 Index No: 601-037-00-0  
 EC No: 203-777-6

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

Reagents and laboratory chemicals  
 Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet**

**Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda  
 Street: Rua de Júlio Dinis 676 7º  
 Place: N-4050-320 Porto  
 Telephone: +351 226002917  
 E-mail: info@analytichem.com  
 Contact person: SDS service department  
 E-mail: SDS@analytichem.com  
 Internet: www.analytichem.com  
 Responsible Department: SDS service department

**Supplier or manufacturer details**

Company name: AnalytiChem Belgium NV  
 Street: Industriezone "De Arend" 2  
 Place: B-8210 Zedelgem  
 Telephone: +32 50 28 83 20  
 E-mail: info.be@analytichem.com  
 Contact person: SDS service department  
 E-mail: SDS@analytichem.com  
 Responsible Department: AnalytiChem:  
 EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
 EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
 EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
 UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
 USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
 Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
 Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333

**Hexane-(n) fraction, HPLC grade**

Revision: 05.01.2026

Product code: AC11.00746

Page 2 of 12

**1.4. Emergency telephone number:** +44 20 3807 3798 (CHEMTREC)

**Further Information**

No data available

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Flam. Liq. 2; H225  
Repr. 2; H361f  
Skin Irrit. 2; H315  
STOT SE 3; H336  
STOT RE 1; H372  
Asp. Tox. 1; H304  
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Signal word:** Danger**Pictograms:****Hazard statements**

H225 Highly flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H336 May cause drowsiness or dizziness.  
H361f Suspected of damaging fertility.  
H372 Causes damage to organs (nervous system) through prolonged or repeated exposure if inhaled.  
H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe mist/vapours/spray.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P331 Do NOT induce vomiting.  
P403+P235 Store in a well-ventilated place. Keep cool.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Sum formula: C<sub>6</sub>H<sub>14</sub>  
Molecular weight: 86.18 g/mol

## Hexane-(n) fraction, HPLC grade

Revision: 05.01.2026

Product code: AC11.00746

Page 3 of 12

## Relevant ingredients

| CAS No   | Chemical name                                                                                                                   |              |                       | Quantity |
|----------|---------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------|----------|
|          | EC No                                                                                                                           | Index No     | REACH No              |          |
|          | Classification (Regulation (EC) No 1272/2008)                                                                                   |              |                       |          |
| 110-54-3 | n-hexane                                                                                                                        |              |                       | 100 %    |
|          | 203-777-6                                                                                                                       | 601-037-00-0 | 01-2119480412-44-XXXX |          |
|          | Flam. Liq. 2, Repr. 2, Skin Irrit. 2, STOT SE 3, STOT RE 1, Asp. Tox. 1, Aquatic Chronic 2; H225 H361f H315 H336 H372 H304 H411 |              |                       |          |

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

| CAS No   | EC No                                                                | Chemical name | Quantity |
|----------|----------------------------------------------------------------------|---------------|----------|
|          | Specific Conc. Limits, M-factors and ATE                             |               |          |
| 110-54-3 | 203-777-6                                                            | n-hexane      | 100 %    |
|          | inhalation: LC50 = 73860 mg/l (vapours); dermal: LD50 = > 2000 mg/kg |               |          |

## Further Information

No data available

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

## General information

Remove contaminated, saturated clothing immediately.

## After inhalation

Provide fresh air.

Call a physician immediately.

## After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

## After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

## After ingestion

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Narcotic effects, Corneal opacity.

Vomiting, Gastrointestinal complaints

Causes eye irritation., Headache

May cause drowsiness or dizziness.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

**Hexane-(n) fraction, HPLC grade**

Revision: 05.01.2026

Product code: AC11.00746

Page 4 of 12

**Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>)  
Foam  
Extinguishing powder

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Combustible liquids  
Vapours are heavier than air, spread along floors and form explosive mixtures with air.  
Hazardous combustion products  
In case of fire may be liberated:  
Carbon dioxide  
Carbon monoxide  
Beware of reignition.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Vapours can form explosive mixtures with air. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
To follow: Emergency procedures  
Do not breathe mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.  
Explosion risk.

**6.3. Methods and material for containment and cleaning up****For containment**

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Collect in closed and suitable containers for disposal.

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.  
Do not breathe mist/vapours/spray.

**Hexane-(n) fraction, HPLC grade**

Revision: 05.01.2026

Product code: AC11.00746

Page 5 of 12

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Read label before use.

Handle and open container with care.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Do not breathe dust/fume/gas/mist/vapours/spray.

Provide adequate ventilation.

Use extractor hood (laboratory).

Avoid: aerosol or mist formation

**Advice on protection against fire and explosion**

Take precautionary measures against static discharges.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

**Advice on general occupational hygiene**

Keep away from: Food and feedingstuffs

When using do not eat, drink, smoke, sniff.

Provide eye shower and label its location conspicuously

**Further information on handling**

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed.

Protect against: Radiant heat.

Keep away from sources of ignition - No smoking.

**Hints on joint storage**

National regulations

**Further information on storage conditions**

Store in a dry place.

Store in a well-ventilated place.

**7.3. Specific end use(s)**

Reagents and laboratory chemicals

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

## Hexane-(n) fraction, HPLC grade

Revision: 05.01.2026

Product code: AC11.00746

Page 6 of 12

## Exposure limits (EH40)

| CAS No   | Substance | ppm | mg/m <sup>3</sup> | fibres/ml | Category  | Origin |
|----------|-----------|-----|-------------------|-----------|-----------|--------|
| 110-54-3 | n-Hexane  | 20  | 72                |           | TWA (8 h) | WEL    |

## DNEL/DMEL values

| CAS No                   | Substance | Exposure route | Effect   | Value                |
|--------------------------|-----------|----------------|----------|----------------------|
| 110-54-3                 | n-hexane  |                |          |                      |
| Worker DNEL, long-term   |           | inhalation     | systemic | 75 mg/m <sup>3</sup> |
| Worker DNEL, long-term   |           | dermal         | systemic | 11 mg/kg bw/day      |
| Consumer DNEL, long-term |           | inhalation     | systemic | 16 mg/m <sup>3</sup> |
| Consumer DNEL, long-term |           | dermal         | systemic | 5,3 mg/kg bw/day     |
| Consumer DNEL, long-term |           | oral           | systemic | 4 mg/kg bw/day       |

## Additional advice on limit values

Observe in addition any national regulations!

## 8.2. Exposure controls

## Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles

Face protection umbrella

## Hand protection

Tested protective gloves must be worn

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Wear suitable protective clothing.

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Take off immediately all contaminated clothing and wash it before reuse.

## Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## Thermal hazards

No data available

## Environmental exposure controls

Do not allow to enter into surface water or drains.

Explosion risk.

**Hexane-(n) fraction, HPLC grade**

Revision: 05.01.2026

Product code: AC11.00746

Page 7 of 12

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

|                                                           |                        |
|-----------------------------------------------------------|------------------------|
| Physical state:                                           | Liquid                 |
| Colour:                                                   | clear                  |
| Odour:                                                    | like: Hydrocarbons     |
| Odour threshold:                                          | No data available      |
| Melting point/freezing point:                             | -95.35 (1013 hPa) °C   |
| Boiling point or initial boiling point and boiling range: | 69 (1013 hPa) °C       |
| Flammability:                                             | No data available      |
| Lower explosion limits:                                   | 1.0 vol. %             |
| Upper explosion limits:                                   | 8.1 vol. %             |
| Flash point:                                              | -22 °C                 |
| Auto-ignition temperature:                                | 225 °C                 |
| Decomposition temperature:                                | No data available      |
| pH-Value:                                                 | 7                      |
| Viscosity / kinematic:                                    | No data available      |
| Water solubility:<br>(at 25 °C)                           | 0.01 g/l               |
| Solubility in other solvents                              | No data available      |
| Dissolution rate:                                         | No data available      |
| Partition coefficient n-octanol/water:                    | No data available      |
| Dispersion stability:                                     | No data available      |
| Vapour pressure:<br>(at 20 °C)                            | 175.98 hPa             |
| Vapour pressure:                                          | No data available      |
| Density (at 25 °C):                                       | 0.66 g/cm <sup>3</sup> |
| Relative density:                                         | No data available      |
| Bulk density:                                             | No data available      |
| Relative vapour density:                                  | No data available      |
| Particle characteristics:                                 | No data available      |

**9.2. Other information****Information with regard to physical hazard classes****Explosive properties**

Vapours can form explosive mixtures with air.

Sustained combustibility: No data available

**Self-ignition temperature**

Solid: No data available

Gas: No data available

**Oxidizing properties**

No data available

**Other safety characteristics**

Evaporation rate: No data available

Solvent separation test: No data available

Solvent content: 100%

Solid content: 0%

Sublimation point: No data available

Softening point: No data available

**Hexane-(n) fraction, HPLC grade**

Revision: 05.01.2026

Product code: AC11.00746

Page 8 of 12

Pour point: No data available

No data available:

Viscosity / dynamic: 0.3 mPa·s  
(at 25 °C)

Flow time: No data available

**Further Information**

No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Vapours can form explosive mixtures with air.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Violent reaction with: Oxidising agent, strong, Nitrogen oxides (NOx), peroxides, for example hydrogen peroxide

**10.4. Conditions to avoid**

Radiant heat.

**10.5. Incompatible materials**

Rubber articles

Plastic articles

**10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information****11.1. Information on hazard classes****Acute toxicity**

Based on available data, the classification criteria are not met.

| CAS No   | Chemical name           |                   |         |                                          |                    |
|----------|-------------------------|-------------------|---------|------------------------------------------|--------------------|
|          | Exposure route          | Dose              | Species | Source                                   | Method             |
| 110-54-3 | n-hexane                |                   |         |                                          |                    |
|          | dermal                  | LD50 > 2000 mg/kg | Rabbit  | Study report (1982)                      |                    |
|          | inhalation (4 h) vapour | LC50 73860 mg/l   | Rat     | Industrial Medicine, Vol. 39, No. 5, May | OECD Guideline 403 |

**Irritation and corrosivity**

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Suspected of damaging fertility. (n-hexane)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

## Hexane-(n) fraction, HPLC grade

Revision: 05.01.2026

Product code: AC11.00746

Page 9 of 12

**STOT-single exposure**

May cause drowsiness or dizziness. (n-hexane)

**STOT-repeated exposure**

Causes damage to organs through prolonged or repeated exposure. (n-hexane)

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**Information on likely routes of exposure**

No data available

**Specific effects in experiment on an animal**

No data available

**Additional information on tests**

No data available

**Practical experience**

No data available

**11.2. Information on other hazards****Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

**Other information**

Narcotic effects, Corneal opacity.  
Vomiting, Gastrointestinal complaints  
Causes eye irritation., Headache  
May cause drowsiness or dizziness.

**Further information**

No data available

**SECTION 12: Ecological information****12.1. Toxicity**

Toxic to aquatic life with long lasting effects.

| CAS No   | Chemical name            |               |          |           |                                    |                                         |                                               |
|----------|--------------------------|---------------|----------|-----------|------------------------------------|-----------------------------------------|-----------------------------------------------|
|          | Aquatic toxicity         | Dose          |          | [h]   [d] | Species                            | Source                                  | Method                                        |
| 110-54-3 | n-hexane                 |               |          |           |                                    |                                         |                                               |
|          | Acute algae toxicity     | ErC50<br>mg/l | 9,285    | 72 h      | Pseudokirchneriella<br>subcapitata | CONCAWE,<br>Brussels,<br>Belgium (2009) | The aquatic<br>toxicity was<br>estimated by a |
|          | Acute crustacea toxicity | EC50<br>mg/l  | 21,85    | 48 h      | Daphnia magna                      | CONCAWE,<br>Brussels,<br>Belgium (2009) | The aquatic<br>toxicity was<br>estimated by a |
|          | Fish toxicity            | NOEC          | 2,8 mg/l | 28 d      | Oncorhynchus mykiss                | CONCAWE,<br>Brussels,<br>Belgium (2009) | The aquatic<br>toxicity was<br>estimated by a |
|          | Crustacea toxicity       | NOEC<br>mg/l  | 4,888    | 21 d      | Daphnia magna                      | CONCAWE,<br>Brussels,<br>Belgium (2009) | The aquatic<br>toxicity was<br>estimated by a |

**12.2. Persistence and degradability**

Readily biodegradable (according to OECD criteria).  
(98% / 28d aerob)

**12.3. Bioaccumulative potential**

## Hexane-(n) fraction, HPLC grade

Revision: 05.01.2026

Product code: AC11.00746

Page 10 of 12

**Partition coefficient n-octanol/water**

| CAS No   | Chemical name | Log Pow |
|----------|---------------|---------|
| 110-54-3 | n-hexane      | 4       |

**BCF**

| CAS No   | Chemical name | BCF     | Species             | Source                |
|----------|---------------|---------|---------------------|-----------------------|
| 110-54-3 | n-hexane      | 501,187 | Pimephales promelas | QSAR in Environmental |

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

This substance does not meet the PBT/vPvB criteria of UK REACH.

**12.6. Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

|                                          |         |
|------------------------------------------|---------|
| <b>14.1. UN number or ID number:</b>     | UN 1208 |
| <b>14.2. UN proper shipping name:</b>    | HEXANES |
| <b>14.3. Transport hazard class(es):</b> | 3       |
| <b>14.4. Packing group:</b>              | II      |
| Hazard label:                            | 3       |
| Classification code:                     | F1      |
| Limited quantity:                        | 1 L     |
| Excepted quantity:                       | E2      |
| Transport category:                      | 2       |
| Hazard No:                               | 33      |
| Tunnel restriction code:                 | D/E     |

**Inland waterways transport (ADN)**

|                                          |         |
|------------------------------------------|---------|
| <b>14.1. UN number or ID number:</b>     | UN 1208 |
| <b>14.2. UN proper shipping name:</b>    | HEXANES |
| <b>14.3. Transport hazard class(es):</b> | 3       |
| <b>14.4. Packing group:</b>              | II      |
| Hazard label:                            | 3       |
| Classification code:                     | F1      |
| Limited quantity:                        | 1 L     |
| Excepted quantity:                       | E2      |

**Hexane-(n) fraction, HPLC grade**

Revision: 05.01.2026

Product code: AC11.00746

Page 11 of 12

**Marine transport (IMDG)**

|                                          |          |
|------------------------------------------|----------|
| <b>14.1. UN number or ID number:</b>     | UN 1208  |
| <b>14.2. UN proper shipping name:</b>    | HEXANES  |
| <b>14.3. Transport hazard class(es):</b> | 3        |
| <b>14.4. Packing group:</b>              | II       |
| Hazard label:                            | 3        |
| Marine pollutant:                        | P        |
| Special Provisions:                      | -        |
| Limited quantity:                        | 1 L      |
| Excepted quantity:                       | E2       |
| EmS:                                     | F-E, S-D |

**Air transport (ICAO-TI/IATA-DGR)**

|                                          |         |
|------------------------------------------|---------|
| <b>14.1. UN number or ID number:</b>     | UN 1208 |
| <b>14.2. UN proper shipping name:</b>    | HEXANES |
| <b>14.3. Transport hazard class(es):</b> | 3       |
| <b>14.4. Packing group:</b>              | II      |
| Hazard label:                            | 3       |
| Limited quantity Passenger:              | 1 L     |
| Passenger LQ:                            | Y341    |
| Excepted quantity:                       | E2      |
| IATA-packing instructions - Passenger:   | 353     |
| IATA-max. quantity - Passenger:          | 5 L     |
| IATA-packing instructions - Cargo:       | 364     |
| IATA-max. quantity - Cargo:              | 60 L    |

**14.5. Environmental hazards**

|                             |          |
|-----------------------------|----------|
| ENVIRONMENTALLY HAZARDOUS:  | Yes      |
| Danger releasing substance: | n-hexane |

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Maritime transport in bulk according to IMO instruments**

No dangerous good in sense of this transport regulation.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

Additional information: P5c

**Additional information**

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).  
Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

**National regulatory information**

Water hazard class (D): 3 - highly hazardous to water

**SECTION 16: Other information**

**Hexane-(n) fraction, HPLC grade**

Revision: 05.01.2026

Product code: AC11.00746

Page 12 of 12

**Changes**

This data sheet contains changes from the previous version in section(s): 2,15.

**Abbreviations and acronyms**

Flam. Liq. 2: Flammable liquids, hazard category 2

Asp. Tox. 1: Aspiration hazard, hazard category 1

Skin Irrit. 2: Skin irritation, hazard category 2

Repr. 2: Reproductive toxicity, hazard category 2

STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3

STOT RE 1: Specific target organ toxicity - repeated exposure, hazard category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard category: Chronic 2

**Relevant H and EUH statements (number and full text)**

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H361f Suspected of damaging fertility.

H372 Causes damage to organs (nervous system) through prolonged or repeated exposure if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.