

Cerium(III) nitrate.6aq v.p.

Revision: 03.11.2025

Product code: AC14.00448

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Cerium(III) nitrate.6aq v.p.

Substance name: Cerium (III) nitrate hexahydrate
REACH Registration Number: 01-2119971282-37-XXXX
CAS No: 10294-41-4
EC No: 233-297-2

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Reagents and laboratory chemicals
Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet**Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda
Street: Rua de Júlio Dinis 676 7º
Place: N-4050-320 Porto
Telephone: +351 226002917
E-mail: info@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Internet: www.analytichem.com
Responsible Department: SDS service department

Supplier or manufacturer details

Company name: AnalytiChem Belgium NV
Street: Industriezone "De Arend" 2
Place: B-8210 Zedelgem
Telephone: +32 50 28 83 20
E-mail: info.be@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Responsible Department: AnalytiChem
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333

Cerium(III) nitrate.6aq v.p.

Revision: 03.11.2025

Product code: AC14.00448

Page 2 of 11

1.4. Emergency telephone number: +44 20 3807 3798 (CHEMTREC)**Further Information**

No data available

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Ox. Sol. 2; H272

Eye Dam. 1; H318

Aquatic Acute 1; H400

Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008**

Signal word: Danger

Pictograms:

**Hazard statements**

H272 May intensify fire; oxidiser.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P220 Keep away from clothing and other combustible materials.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients**3.1. Substances**Sum formula: Ce(NO₃)₂ * 6H₂O

Molecular weight: 434,23 g/mol

Cerium(III) nitrate.6aq v.p.

Revision: 03.11.2025

Product code: AC14.00448

Page 3 of 11

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
10294-41-4	Cerium (III) nitrate hexahydrate			100 %
	233-297-2		01-2119971282-37-XXXX	
	Ox. Sol. 2, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H318 H400 H410			

Full text of H and EUH statements: see section 16.

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Gastrointestinal complaints

Irritant

Risk of serious damage to eyes.

Methaemoglobinemia

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-combustible solids

Oxidizing

Cerium(III) nitrate.6aq v.p.

Revision: 03.11.2025

Product code: AC14.00448

Page 4 of 11

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Oxidizing

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Read label before use.

Cerium(III) nitrate.6aq v.p.

Revision: 03.11.2025

Product code: AC14.00448

Page 5 of 11

Handle and open container with care.
Provide adequate ventilation.
Avoid contact with skin, eyes and clothes.
Avoid dust formation. Do not breathe dust.

Advice on protection against fire and explosion

Material, oxygen-rich, Oxidising

Advice on general occupational hygiene

Take off contaminated clothing.
Wash hands before breaks and after work.
When using do not eat or drink.

Further information on handling

Take off contaminated clothing and wash it before reuse.
Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed and dry.

Hints on joint storage

Keep away from: Combustible substance
Take national regulations into account.

Further information on storage conditions

Keep cool. Protect from sunlight.
storage temperature: +15°C - +25°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Additional advice on limit values**

PNEC 0,13 µg/l Süßwasser kurzzeitig (einmalig)
PNEC 0,013 µg/l Meerwasser kurzzeitig (einmalig)
PNEC 9,1 mg/l Kläranlage (STP) kurzzeitig (einmalig)
PNEC 17,1 mg/kg Süßwassersediment kurzzeitig (einmalig)
PNEC 1,71 mg/kg Meeressediment kurzzeitig (einmalig)
PNEC 0,451 mg/kg Boden kurzzeitig (einmalig)

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Cerium(III) nitrate.6aq v.p.

Revision: 03.11.2025

Product code: AC14.00448

Page 6 of 11

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Filtering device with filter or ventilator filtering device of type: P1

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	solid
Colour:	white
Odour:	No data available
Odour threshold:	No data available
Melting point/freezing point:	>140 °C
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	X
Auto-ignition temperature:	not determined
Decomposition temperature:	140 °C / 982 hPa °C
pH-Value (at 25 °C):	~3,7 (100 g/l)
Viscosity / kinematic:	not determined
Water solubility:	600 g/l

Cerium(III) nitrate.6aq v.p.

Revision: 03.11.2025

Product code: AC14.00448

Page 7 of 11

Solubility in other solvents	
not determined	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	not determined
Dispersion stability:	No data available
Vapour pressure:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	2,4 g/cm ³
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	not determined
Particle characteristics:	No data available

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties	
not determined	
Sustained combustibility:	No data available
Self-ignition temperature	
Solid:	>400 °C
Gas:	not applicable

Other safety characteristics

Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined
Solid content:	100%
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
not determined:	
Viscosity / dynamic:	not determined
Flow time:	not determined

Further Information

not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

Oxidizing

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Combustible substance

Metal powder

Ammonium nitrate

Reducing agent

Strong acid

Cyanides

Strong alkali

Cerium(III) nitrate.6aq v.p.

Revision: 03.11.2025

Product code: AC14.00448

Page 8 of 11

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information**11.1. Information on hazard classes****Toxicokinetics, metabolism and distribution**

No data available

Acute toxicity

Based on available data, the classification criteria are not met.

oral LD50 4.200 mg/kg Ratte ECHA

dermal LD50 >2.000 mg/kg Ratte ECHA

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

No data available

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards**Endocrine disrupting properties**

No data available

Other information

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Resorption (oral)

Cerium(III) nitrate.6aq v.p.

Revision: 03.11.2025

Product code: AC14.00448

Page 9 of 11

Further information

Gastrointestinal complaints
Irritant
Risk of serious damage to eyes.
Methaemoglobinemia

SECTION 12: Ecological information**12.1. Toxicity**

Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.
LC50 0,13 mg/l Regenbogenforelle wasserfrei ECHA 96 h
EC50 6,9 mg/l Daphnia magna wasserfrei ECHA 48 h
ErC50 0,63 mg/l Alge wasserfrei ECHA 72 h

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available

Further information

No data available

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

UN 1477

14.2. UN proper shipping name:

NITRATES, INORGANIC, N.O.S.

14.3. Transport hazard class(es):

5.1

14.4. Packing group:

III

Hazard label:

5.1

Classification code:

O2

Special Provisions:

511

Limited quantity:

5 kg

Excepted quantity:

E1

Cerium(III) nitrate.6aq v.p.

Revision: 03.11.2025

Product code: AC14.00448

Page 10 of 11

Transport category:	3
Hazard No:	50
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1477
14.2. UN proper shipping name:	NITRATES, INORGANIC, N.O.S.
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	III
Hazard label:	5.1
Classification code:	O2
Special Provisions:	511
Limited quantity:	5 kg
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1477
14.2. UN proper shipping name:	NITRATES, INORGANIC, N.O.S.
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	III
Hazard label:	5.1
Special Provisions:	223
Limited quantity:	5 kg
Excepted quantity:	E1
EmS:	F-A, S-Q
Air transport (ICAO-TI/ATA-DGR)	
14.1. UN number or ID number:	UN 1477
14.2. UN proper shipping name:	NITRATES, INORGANIC, N.O.S.
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	III
Hazard label:	5.1
Special Provisions:	A3 A803
Limited quantity Passenger:	10 kg
Passenger LQ:	Y546
Excepted quantity:	E2
IATA-packing instructions - Passenger:	559
IATA-max. quantity - Passenger:	25 kg
IATA-packing instructions - Cargo:	563
IATA-max. quantity - Cargo:	100 kg
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	Cerium (III) nitrate hexahydrate
14.6. Special precautions for user	
No dangerous good in sense of this transport regulation.	
14.7. Maritime transport in bulk according to IMO instruments	
not applicable	

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**Information according to Directive
2012/18/EU (SEVESO III):

P8 OXIDISING LIQUIDS AND SOLIDS

Cerium(III) nitrate.6aq v.p.

Revision: 03.11.2025

Product code: AC14.00448

Page 11 of 11

Additional information: E1

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Ox. Sol. 2: Oxidising solids, hazard category 2
Eye Dam. 1: Serious eye damage, hazard category 1
Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.