

**Hydroxylammonium chloride v.p.**

Revision: 05.11.2025

Product code: AC14.00469

Page 1 of 12

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Hydroxylammonium chloride v.p.

REACH Registration Number: 01-2120766309-45-XXXX  
CAS No: 5470-11-1  
Index No: 612-123-00-2  
EC No: 226-798-2

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Reagents and laboratory chemicals  
Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet****Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: N-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analyticchem.com  
Contact person: SDS service department  
E-mail: SDS@analyticchem.com  
Internet: www.analyticchem.com  
Responsible Department: SDS service department

**Supplier or manufacturer details**

Company name: AnalytiChem Belgium NV  
Street: Industriezone "De Arend" 2  
Place: B-8210 Zedelgem  
Telephone: +32 50 28 83 20  
E-mail: info.be@analyticchem.com  
Contact person: SDS service department  
E-mail: SDS@analyticchem.com  
Responsible Department: AnalytiChem  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333

**1.4. Emergency telephone number:**

+44 20 3807 3798 (CHEMTREC)

**Hydroxylammonium chloride v.p.**

Revision: 05.11.2025

Product code: AC14.00469

Page 2 of 12

**Further Information**

No data available

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**


Met. Corr. 1; H290  
Carc. 2; H351  
Acute Tox. 4; H312  
Acute Tox. 4; H302  
Skin Irrit. 2; H315  
Eye Irrit. 2; H319  
Skin Sens. 1; H317  
STOT RE 2; H373  
Aquatic Acute 1; H400

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008**

Signal word: Warning

Pictograms:

**Hazard statements**

H290 May be corrosive to metals.  
H302+H312 Harmful if swallowed or in contact with skin.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.

**Precautionary statements**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.  
P302+P352 IF ON SKIN: Wash with plenty of water and soap.  
P281 Use personal protective equipment as required.  
P273 Avoid release to the environment.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Sum formula: NH<sub>2</sub>OH \* HCl  
Molecular weight: 69,49 g/mol

**Hydroxylammonium chloride v.p.**

Revision: 05.11.2025

Product code: AC14.00469

Page 3 of 12

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
5470-11-1	hydroxylammonium chloride			100 %
	226-798-2	612-123-00-2	01-2120766309-45-XXXX	
	Met. Corr. 1, Carc. 2, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT RE 2, Aquatic Acute 1; H290 H351 H312 H302 H315 H319 H317 H373 H400			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
5470-11-1	226-798-2	hydroxylammonium chloride	100 %
	dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg		

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Self-protection of the first aider

**After inhalation**

Provide fresh air.

Call a physician immediately.

**After contact with skin**

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritant

Gastrointestinal complaints

Vomiting

Spasms

Circulatory collapse

Narcotic effects

Respiratory complaints

Allergic reactions

Dermatitis

Cyanosis (blue coloured blood)

**4.3. Indication of any immediate medical attention and special treatment needed**

**Hydroxylammonium chloride v.p.**

Revision: 05.11.2025

Product code: AC14.00469

Page 4 of 12

No data available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Combustible solids

Danger of dust explosion.

Decomposition with: Danger of explosion

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx)

Hydrochloric gas

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

Avoid contact with skin, eyes and clothes.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Danger of explosion

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For containment**

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Hydroxylammonium chloride v.p.**

Revision: 05.11.2025

Product code: AC14.00469

Page 5 of 12

**Other information**

Provide adequate ventilation.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Avoid exposure - obtain special instructions before use.  
Keep container tightly closed.  
Do not breathe dust.  
Use extractor hood (laboratory).  
Avoid contact with skin, eyes and clothes.  
Read label before use.  
Handle with care - avoid bumps, friction and impact.

**Advice on protection against fire and explosion**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Advice on general occupational hygiene**

Wash contaminated clothing prior to re-use.  
Avoid contact with skin, eyes and clothes.  
The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

**Further information on handling**

Wash contaminated clothing before reuse.  
Wash hands before breaks and after work.  
Draw up and observe skin protection programme.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed.  
Store in a place accessible by authorized persons only.  
Unsuitable container/equipment material: Metal

**Hints on joint storage**

Take national regulations into account.

**Further information on storage conditions**

Store in a dry place.  
storage temperature +5°C - +30°C

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****8.2. Exposure controls****Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection

**Hydroxylammonium chloride v.p.**

Revision: 05.11.2025

Product code: AC14.00469

Page 6 of 12

equipment.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

goggles

**Hand protection**

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: &gt; 480 min

By short-term hand contact

Trade name/designation KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): &gt; 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing.

Wash hands before breaks and after work.

Draw up and observe skin protection programme.

**Respiratory protection**

Respiratory protection necessary at: dust formation

Filtering device with filter or ventilator filtering device of type: P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Environmental exposure controls**

Danger of explosion

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	solid
Colour:	colourless
Odour:	like: Chlorine
Odour threshold:	No data available
Melting point/freezing point:	~154 °C
Boiling point or initial boiling point and boiling range:	No data available
Flammability:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available

**Hydroxylammonium chloride v.p.**

Revision: 05.11.2025

Product code: AC14.00469

Page 7 of 12

Decomposition temperature:	~165 °C
pH-Value (at 20 °C):	2,5 -3,5 (50 g/l)
Viscosity / kinematic:	No data available
Water solubility:	470 g/l
(at 20 °C)	
Solubility in other solvents	
No data available	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	0,054 hPa
(at 50 °C)	
Vapour pressure:	No data available
Density (at 20,2 °C):	1,7 g/cm³
Relative density:	No data available
Bulk density:	~900 kg/m³
Relative vapour density:	No data available
Particle characteristics:	No data available

**9.2. Other information****Information with regard to physical hazard classes****Explosive properties**

Danger of dust explosion.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Sustained combustibility: No data available

**Self-ignition temperature**

Solid: No data available

Gas: No data available

**Oxidizing properties**

No data available

**Other safety characteristics**

Evaporation rate: No data available

Solvent separation test: No data available

Solvent content: No data available

Solid content: 100,00 %

Sublimation point: No data available

Softening point: No data available

Pour point: No data available

No data available: No data available

Viscosity / dynamic: No data available

Flow time: No data available

**Further Information****Corrosive to metals****SECTION 10: Stability and reactivity****10.1. Reactivity**

Danger of dust explosion

Danger of explosion

Handle with care - avoid bumps, friction and impact.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine

**Hydroxylammonium chloride v.p.**

Revision: 05.11.2025

Product code: AC14.00469

Page 8 of 12

distribution, when whirled up a dust explosion potential may generally be assumed.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Oxidising agent

Alkali (lye)

**10.4. Conditions to avoid**

Handle with care - avoid bumps, friction and impact.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**10.5. Incompatible materials**

Aluminium

Copper

Zinc

tin

Metal

**10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information****11.1. Information on hazard classes****Toxicokinetics, metabolism and distribution**

Avoid exposure - obtain special instructions before use.

**Acute toxicity**

Harmful in contact with skin.

Harmful if swallowed.

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
5470-11-1	hydroxylammonium chloride				
	oral	ATE mg/kg	500		
	dermal	ATE mg/kg	1100		

**Irritation and corrosivity**

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

**Sensitising effects**

May cause an allergic skin reaction. (hydroxylammonium chloride)

**Carcinogenic/mutagenic/toxic effects for reproduction**

Suspected of causing cancer. (hydroxylammonium chloride)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**Hydroxylammonium chloride v.p.**

Revision: 05.11.2025

Product code: AC14.00469

Page 9 of 12

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure. (hydroxylammonium chloride)

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

No data available

**Specific effects in experiment on an animal**

No data available

**Additional information on tests**

No data available

**Practical experience**

No data available

**11.2. Information on other hazards****Endocrine disrupting properties**

No data available

**Other information**

No data available

**Further information**

Irritant

Gastrointestinal complaints

Vomiting

Spasms

Circulatory collapse

Narcotic effects

Respiratory complaints

Allergic reactions

Dermatitis

Cyanosis (blue coloured blood)

**SECTION 12: Ecological information****12.1. Toxicity**

Very toxic to aquatic life.

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

No data available

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

This substance does not meet the PBT/vPvB criteria of UK REACH.

**12.6. Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

Do not allow to enter into surface water or drains.

**Hydroxylammonium chloride v.p.**

Revision: 05.11.2025

Product code: AC14.00469

Page 10 of 12

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations. Do not allow to enter into surface water or drains.

**Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.  
Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b><u>14.1. UN number or ID number:</u></b>	UN 2923
<b><u>14.2. UN proper shipping name:</u></b>	CORROSIVE SOLID, TOXIC, N.O.S. (hydroxylammonium chloride)
<b><u>14.3. Transport hazard class(es):</u></b>	8
<b><u>14.4. Packing group:</u></b>	III
Hazard label:	8+6.1
Classification code:	CT2
Special Provisions:	274
Limited quantity:	5 kg
Excepted quantity:	E1
Transport category:	3
Hazard No:	86
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b><u>14.1. UN number or ID number:</u></b>	UN 2923
<b><u>14.2. UN proper shipping name:</u></b>	CORROSIVE SOLID, TOXIC, N.O.S. (hydroxylammonium chloride)
<b><u>14.3. Transport hazard class(es):</u></b>	8
<b><u>14.4. Packing group:</u></b>	III
Hazard label:	8+6.1
Classification code:	CT2
Special Provisions:	274 802
Limited quantity:	5 kg
Excepted quantity:	E1

**Marine transport (IMDG)**

<b><u>14.1. UN number or ID number:</u></b>	UN 2923
<b><u>14.2. UN proper shipping name:</u></b>	CORROSIVE SOLID, TOXIC, N.O.S. (hydroxylammonium chloride)
<b><u>14.3. Transport hazard class(es):</u></b>	8
<b><u>14.4. Packing group:</u></b>	III
Hazard label:	8+6.1
Special Provisions:	223, 274
Limited quantity:	5 kg
Excepted quantity:	E1
EmS:	F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

<b><u>14.1. UN number or ID number:</u></b>	UN 2923
<b><u>14.2. UN proper shipping name:</u></b>	CORROSIVE SOLID, TOXIC, N.O.S. (hydroxylammonium chloride)
<b><u>14.3. Transport hazard class(es):</u></b>	8

**Hydroxylammonium chloride v.p.**

Revision: 05.11.2025

Product code: AC14.00469

Page 11 of 12

**14.4. Packing group:**

III

Hazard label:

8+6.1

Special Provisions:

A3 A803

Limited quantity Passenger:

5 kg

Passenger LQ:

Y845

Excepted quantity:

E1

IATA-packing instructions - Passenger:

860

IATA-max. quantity - Passenger:

25 kg

IATA-packing instructions - Cargo:

864

IATA-max. quantity - Cargo:

100 kg

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS:

Yes

Danger releasing substance:

hydroxylammonium chloride

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Maritime transport in bulk according to IMO instruments**

No dangerous good in sense of this transport regulation.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to Directive

E1 Hazardous to the Aquatic Environment

2012/18/EU (SEVESO III):

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D):

3 - highly hazardous to water

**Additional information**

Sprengstoffgesetz (SprengG): Yes.

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

Met. Corr. 1: Corrosive to metals, hazard category 1

Acute Tox. 4: Acute toxicity, hazard category 4

Skin Irrit. 2: Skin irritation, hazard category 2

Eye Irrit. 2: Eye irritation, hazard category 2

Skin Sens. 1: Skin sensitisation, hazard category 1

Carc. 2: Carcinogenicity, hazard category 2

STOT RE 2: Specific target organ toxicity - repeated exposure, hazard category 2

Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1

**Relevant H and EUH statements (number and full text)**

**Hydroxylammonium chloride v.p.**

Revision: 05.11.2025

Product code: AC14.00469

Page 12 of 12

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H302+H312	Harmful if swallowed or in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

**Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.