

Potassium chromate v.p.

Revision: 03.11.2025

Product code: AC14.00494

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Potassium chromate v.p.

REACH Registration Number: 01-2119543478-30-XXXX
CAS No: 7789-00-6
Index No: 024-006-00-8
EC No: 232-140-5

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Reagents and laboratory chemicals
Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet**Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda
Street: Rua de Júlio Dinis 676 7º
Place: N-4050-320 Porto
Telephone: +351 226002917
E-mail: info@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Internet: www.analytichem.com
Responsible Department: SDS service department

Supplier or manufacturer details

Company name: AnalytiChem Belgium NV
Street: Industriezone "De Arend" 2
Place: B-8210 Zedelgem
Telephone: +32 50 28 83 20
E-mail: info.be@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Responsible Department: AnalytiChem
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333

1.4. Emergency telephone number:

+44 20 3807 3798 (CHEMTREC)

Potassium chromate v.p.

Revision: 03.11.2025

Product code: AC14.00494

Page 2 of 13

Further Information

No data available

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Carc. 1B; H350i

Muta. 1B; H340

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Skin Sens. 1; H317

STOT SE 3; H335

Aquatic Acute 1; H400 (M-Factor (self-classification) = 10)

Aquatic Chronic 1; H410 (M-Factor =)

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008**

Signal word: Danger

Pictograms:

**Hazard statements**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350i	May cause cancer by inhalation.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201	Obtain special instructions before use.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.

Special labelling

Restricted to professional users.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients**3.1. Substances**

Sum formula:

K2CrO4

Potassium chromate v.p.

Revision: 03.11.2025

Product code: AC14.00494

Page 3 of 13

Molecular weight: 194,19 g/mol

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7789-00-6	potassium chromate			100 %
	232-140-5	024-006-00-8	01-2119543478-30-XXXX	
	Carc. 1B, Muta. 1B, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H350i H340 H315 H319 H317 H335 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7789-00-6	232-140-5	potassium chromate	100 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 129,5 mg/kg Skin Sens. 1; H317: >= 0,5 - 100 Aquatic Acute 1; H400: M=10		

Further Information

SVHC substance.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Self-protection of the first aider

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

corrosive

Irritant

Cough

Dyspnoea

Allergic reactions

Risk of serious damage to eyes.

Gastrointestinal complaints

Pneumonia

Spasms

Potassium chromate v.p.

Revision: 03.11.2025

Product code: AC14.00494

Page 4 of 13

Circulatory collapse

Unconsciousness

Methaemoglobin formation

Liver and kidney damage

Vomiting

For chromium(VI), it is stated that chromium(VI) is highly toxic. It is absorbed through both the lungs and the gastrointestinal tract. Chromates/dichromates can act as strong oxidising agents, causing burns and ulcers on skin and mucous membranes as well as irritative symptoms in the upper respiratory tract. After the substance enters wounds, poorly healing ulcers appear. In sensitive individuals, the substance can easily lead to sensitisation and allergic reactions in the respiratory tract (risk of pneumonia!) and damage to the nasal mucosa (possibly septum perforation). After ingestion of the substance: severe discomfort in the gastrointestinal tract such as bloody diarrhoea, vomiting (aspiration pneumonia!), cramps, circulatory failure, loss of consciousness. Methaemoglobinaemia. After absorption, it can lead to liver and kidney damage. Chromium(VI) compounds in inhalable form have been clearly shown to be carcinogenic in animal studies. Lethal dose (human): 0.5 g.

Antidotes: chelating agents such as EDTA, DMPS (Demaval).

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids

Oxidising properties

Hazardous combustion products

In case of fire may be liberated: Metal oxide smoke, toxic

5.3. Advice for firefighters

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

Potassium chromate v.p.

Revision: 03.11.2025

Product code: AC14.00494

Page 5 of 13

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Collect in closed and suitable containers for disposal.
Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid exposure - obtain special instructions before use.
Read label before use. Handle and open container with care.
Avoid dust formation. Do not breathe dust.
When using do not eat, drink, smoke, sniff. Keep container tightly closed.
Use personal protection equipment. Use extractor hood (laboratory).
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Material, oxygen-rich, Oxidising

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities
Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary.
Take off immediately all contaminated clothing and wash it before reuse.
If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Store in a well-ventilated place. Keep container tightly closed.
Store in a place accessible by authorized persons only.

Hints on joint storage

Take national regulations into account.

Further information on storage conditions

Store in a dry place.
storage temperature < +30°C

Potassium chromate v.p.

Revision: 03.11.2025

Product code: AC14.00494

Page 6 of 13

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****PNEC values**

CAS No	Substance	
Environmental compartment		Value
7789-00-6	potassium chromate	
Freshwater		0 mg/l
Freshwater sediment		0,15 mg/kg
Secondary poisoning		17000000 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,21 mg/l
Soil		0,035 mg/kg

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Avoid dust formation. Do not breathe dust.

Individual protection measures, such as personal protective equipment**Eye/face protection**

goggles

Wear eye protection/face protection.

Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The

Potassium chromate v.p.

Revision: 03.11.2025

Product code: AC14.00494

Page 7 of 13

chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Filtering device with filter or ventilator filtering device of type: P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	solid
Colour:	yellow
Odour:	odourless
Odour threshold:	No data available
Melting point/freezing point:	985 °C
Boiling point or initial boiling point and boiling range:	No data available
Flammability:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	not applicable
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH-Value (at 20 °C):	9,0 - 9,8 (50 g/l)
Viscosity / kinematic:	No data available
Water solubility: (at 20 °C)	637 g/l
Solubility in other solvents	
No data available	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density (at 18 °C):	2,73 g/cm³
Relative density:	No data available
Bulk density:	~1400 kg/m³
Relative vapour density:	No data available
Particle characteristics:	No data available

9.2. Other information**Information with regard to physical hazard classes****Explosive properties**

No data available

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Other safety characteristics**Evaporation rate:**

No data available

Revision: 03.11.2025

Potassium chromate v.p.

Product code: AC14.00494

Page 8 of 13

Solvent separation test:	No data available
Solvent content:	0
Solid content:	100%
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	No data available
Viscosity / dynamic:	No data available
Flow time:	No data available

Further Information

No data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

Material, oxygen-rich, Oxidising

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Combustible substance

Reducing agent

Hydrazine

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information**11.1. Information on hazard classes****Toxicokinetics, metabolism and distribution**

No data available

Acute toxicity

Based on available data, the classification criteria are not met.

Avoid exposure - obtain special instructions before use.

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Inhalation effect: Damage to the respiratory tract.

Potassium chromate v.p.

Revision: 03.11.2025

Product code: AC14.00494

Page 9 of 13

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
7789-00-6	potassium chromate					
	oral	LD50 mg/kg	129,5	Rat	Study report (1983)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1983)	OECD Guideline 402

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (potassium chromate)

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer by inhalation. (potassium chromate)

May cause genetic defects. (potassium chromate)

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (potassium chromate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards**Endocrine disrupting properties**

No data available

Other information

No data available

Further information

corrosive

Irritant

Cough

Dyspnoea

Allergic reactions

Risk of serious damage to eyes.

Gastrointestinal complaints

Pneumonia

Spasms

Circulatory collapse

Unconsciousness

Methaemoglobin formation

Potassium chromate v.p.

Revision: 03.11.2025

Product code: AC14.00494

Page 10 of 13

Liver and kidney damage

Vomiting

For chromium(VI), it is stated that chromium(VI) is highly toxic. It is absorbed through both the lungs and the gastrointestinal tract. Chromates/dichromates can act as strong oxidising agents, causing burns and ulcers on skin and mucous membranes as well as irritative symptoms in the upper respiratory tract. After the substance enters wounds, poorly healing ulcers appear. In sensitive individuals, the substance can easily lead to sensitisation and allergic reactions in the respiratory tract (risk of pneumonia!) and damage to the nasal mucosa (possibly septum perforation). After ingestion of the substance: severe discomfort in the gastrointestinal tract such as bloody diarrhoea, vomiting (aspiration pneumonia!), cramps, circulatory failure, loss of consciousness. Methaemoglobinemia. After absorption, it can lead to liver and kidney damage. Chromium(VI) compounds in inhalable form have been clearly shown to be carcinogenic in animal studies. Lethal dose (human): 0.5 g.

Antidotes: chelating agents such as EDTA, DMPS (Demaval).

SECTION 12: Ecological information**12.1. Toxicity**

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains.

Do not mix with other wastes.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

UN 3288

Revision: 03.11.2025

Potassium chromate v.p.

Product code: AC14.00494

Page 11 of 13

14.2. UN proper shipping name:	TOXIC SOLID, INORGANIC, N.O.S. (potassium chromate)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	II
Hazard label:	6.1
Classification code:	T5
Special Provisions:	274
Limited quantity:	500 g
Excepted quantity:	E4
Transport category:	2
Hazard No:	60
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3288
14.2. UN proper shipping name:	TOXIC SOLID, INORGANIC, N.O.S. (potassium chromate)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	II
Hazard label:	6.1
Classification code:	T5
Special Provisions:	274 802
Limited quantity:	500 g
Excepted quantity:	E4
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3288
14.2. UN proper shipping name:	TOXIC SOLID, INORGANIC, N.O.S. (potassium chromate)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	II
Hazard label:	6.1
Special Provisions:	274
Limited quantity:	500 g
Excepted quantity:	E4
EmS:	F-A, S-A
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 3288
14.2. UN proper shipping name:	TOXIC SOLID, INORGANIC, N.O.S. (potassium chromate)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	II
Hazard label:	6.1
Special Provisions:	A3 A5
Limited quantity Passenger:	1 kg
Passenger LQ:	Y644
Excepted quantity:	E4
IATA-packing instructions - Passenger:	669
IATA-max. quantity - Passenger:	25 kg
IATA-packing instructions - Cargo:	676
IATA-max. quantity - Cargo:	100 kg
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	potassium chromate

SECTION 15: Regulatory information

Potassium chromate v.p.

Revision: 03.11.2025

Product code: AC14.00494

Page 12 of 13

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**EU regulatory information**

Authorisations (REACH, annex XIV):

potassium chromate

Restrictions on use (REACH, annex XVII):

Entry 28, Entry 75

Information according to Directive

E1 Hazardous to the Aquatic Environment

2012/18/EU (SEVESO III):

Additional information

SVHC substance.

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D):

3 - highly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,3.

Abbreviations and acronyms

Skin Irrit. 2: Skin irritation, hazard category 2

Eye Irrit. 2: Eye irritation, hazard category 2

Skin Sens. 1: Skin sensitisation, hazard category 1

Muta. 1B: Germ cell mutagenicity, hazard category 1B

Carc. 1B: Carcinogenicity, hazard category 1B

STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3

Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350i	May cause cancer by inhalation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product

Potassium chromate v.p.

Revision: 03.11.2025

Product code: AC14.00494

Page 13 of 13

properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.