

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride.2aq a.r.

Revision: 03.11.2025

Product code: AC14.00888

Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Barium chloride.2aq a.r.

CAS No: 10326-27-9  
Index No: 056-002-00-8  
EC No: 233-788-1

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Reagents and laboratory chemicals  
Only for laboratory and analysis purposes.

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

#### Details of the supplier of the safety data sheet

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: N-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: SDS service department

#### Supplier or manufacturer details

Company name: AnalytiChem Belgium NV  
Street: Industriezone "De Arend" 2  
Place: B-8210 Zedelgem  
Telephone: +32 50 28 83 20  
E-mail: info.be@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Responsible Department: AnalytiChem  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333

### 1.4. Emergency telephone

#### number:

+353 1 901 4670 (CHEMTREC)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Barium chloride.2aq a.r.**

Revision: 03.11.2025

Product code: AC14.00888

Page 2 of 12

**Further Information**

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Acute Tox. 3; H301

Acute Tox. 4; H332

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008**

Signal word: Danger

Pictograms:

**Hazard statements**

H301 Toxic if swallowed.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

**Precautionary statements**

P280 Wear protective gloves/protective clothing and eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.1. Substances**Sum formula: BaCl<sub>2</sub> \* 2 H<sub>2</sub>O

Molecular weight: 244,28 g/mol

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
10326-27-9	Barium chloride dihydrate			100 %
	233-788-1	056-002-00-7	01-2119502547-42-XXXX	
	Acute Tox. 3, Acute Tox. 4, Eye Irrit. 2; H301 H332 H319			

Full text of H and EUH statements: see section 16.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride.2aq a.r.

Revision: 03.11.2025

Product code: AC14.00888

Page 3 of 12

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
Specific Conc. Limits, M-factors and ATE			
10326-27-9	233-788-1	Barium chloride dihydrate	100 %
inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 619 mg/kg			

#### Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Self-protection of the first aider

#### After inhalation

Provide fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Call a physician immediately.

#### After contact with skin

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.  
In case of eye irritation consult an ophthalmologist.

#### After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.  
Rinse mouth immediately and drink plenty of water.  
Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritant  
Gastrointestinal complaints  
Circulatory collapse  
Spasms  
Cardiac arrhythmias  
Respiratory complaints  
Dyspnoea  
Vomiting  
Abdominal pain  
Conjunctival oedema (chemosis).  
Cough  
Dermatitis

### 4.3. Indication of any immediate medical attention and special treatment needed

Give sodium sulfate as laxative (1 tablespoon in 1 glass of water).

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride.2aq a.r.

Revision: 03.11.2025

Product code: AC14.00888

Page 4 of 12

#### Unsuitable extinguishing media

no restriction

#### **5.2. Special hazards arising from the substance or mixture**

Non-combustible solids

Hazardous combustion products

In case of fire may be liberated:

Hydrogen chloride (HCl)

#### **5.3. Advice for firefighters**

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

##### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

##### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

##### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride.2aq a.r.

Revision: 03.11.2025

Product code: AC14.00888

Page 5 of 12

#### Advice on safe handling

Read label before use. Handle and open container with care.  
Avoid dust formation. Do not breathe dust.  
When using do not eat, drink, smoke, sniff. Keep container tightly closed.  
Use personal protection equipment. Use extractor hood (laboratory).  
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities  
Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary.  
Take off immediately all contaminated clothing and wash it before reuse.  
If handled uncovered, arrangements with local exhaust ventilation have to be used.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.  
Store in a place accessible by authorized persons only.

#### Hints on joint storage

national regulations

#### Further information on storage conditions

Store in a dry place.  
storage temperature +5°C - +30°C.

### 7.3. Specific end use(s)

Laboratory chemicals

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
	DNEL type			
10326-27-9	Barium chloride dihydrate			
	Worker DNEL, long-term	inhalation	systemic	8,8 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	43,2 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	2,6 mg/m <sup>3</sup>
	Consumer DNEL, long-term	dermal	systemic	25,9 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	3,7 mg/kg bw/day

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride.2aq a.r.

Revision: 03.11.2025

Product code: AC14.00888

Page 6 of 12

#### PNEC values

CAS No	Substance	
Environmental compartment		Value
10326-27-9	Barium chloride dihydrate	
Freshwater		0,174 mg/l
Freshwater sediment		908 mg/kg
Micro-organisms in sewage treatment plants (STP)		94,3 mg/l
Soil		314,9 mg/kg

#### Additional advice on limit values

based on anhydrous form

### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Avoid dust formation. Do not breathe dust.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

goggles

Wear eye protection/face protection.

##### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 741 Dermatril® L

Suitable material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 741 Dermatril® L

Suitable material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

##### Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

##### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Filtering device with filter or ventilator filtering device of type: P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride.2aq a.r.

Revision: 03.11.2025

Product code: AC14.00888

Page 7 of 12

carried out according to the instructions of the producer. These measures have to be properly documented.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	white
Odour:	odourless
Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	No data available
Flammability:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	>100 °C
pH-Value (at 25 °C):	5,2-8 (50 g/l)
Viscosity / kinematic:	No data available
Water solubility: (at 20 °C)	No data available
Solubility in other solvents	No data available
Partition coefficient n-octanol/water:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	3,86 g/cm <sup>3</sup>
Bulk density:	1200-1400 kg/m <sup>3</sup>
Relative vapour density:	No data available

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

No data available

##### Sustained combustibility:

No data available

##### Self-ignition temperature

Solid:

No data available

Gas:

No data available

##### Oxidizing properties

No data available

#### Other safety characteristics

##### Evaporation rate:

No data available

##### Solvent separation test:

No data available

##### Sublimation point:

No data available

##### Softening point:

No data available

##### Pour point:

No data available

##### No data available:

No data available

##### Viscosity / dynamic:

No data available

##### Flow time:

No data available

#### Further Information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride.2aq a.r.

Revision: 03.11.2025

Product code: AC14.00888

Page 8 of 12

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

No data available

### 10.3. Possibility of hazardous reactions

Keep away from: Furan-2-percarboxylic acid (Danger of explosion)

Violent reaction with:

Oxidising agent, strong

Reducing agent, strong

Acids

### 10.4. Conditions to avoid

Humidity

Heat

### 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

### Further information

No data available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicokinetics, metabolism and distribution

No data available

#### Acute toxicity

Toxic if swallowed.

Harmful if inhaled.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
10326-27-9	Barium chloride dihydrate				
	oral	LD50 mg/kg	619 Rat	Study report (1983)	OECD Guideline 401
	inhalation vapour	ATE	11 mg/l		
	inhalation dust/mist	ATE	1,5 mg/l		

#### Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride.2aq a.r.

Revision: 03.11.2025

Product code: AC14.00888

Page 9 of 12

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

No data available

#### Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### Practical experience

No data available

### 11.2. Information on other hazards

#### Endocrine disrupting properties

No data available

#### Other information

No data available

#### Further information

Irritant

Gastrointestinal complaints

Circulatory collapse

Spasms

Cardiac arrhythmias

Respiratory complaints

Dyspnoea

Vomiting

Abdominal pain

Conjunctival oedema (chemosis).

Cough

Dermatitis

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride.2aq a.r.

Revision: 03.11.2025

Product code: AC14.00888

Page 10 of 12

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
10326-27-9	Barium chloride dihydrate					
	Acute fish toxicity	LC50 mg/l	> 3,5	96 h Danio rerio	Study report (2010)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 1,15	72 h Pseudokirchneriella subcapitata	Study report (2010)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	14,5	48 h Daphnia magna	Publication (1972)	Not a guideline study but meets generall
	Fish toxicity	NOEC mg/l	>= 100	33 d Danio rerio	Study report (2014)	OECD Guideline 210
	Crustacea toxicity	NOEC	10 mg/l	7 d other aquatic arthropod: Cancer anthonyi	Publication (1988)	
	Acute bacteria toxicity	EC50 mg/l ( )	> 1000	3 h activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
10326-27-9	Barium chloride dihydrate	68,4	Lepomis macrochirus	Arch. Environ. Contam.

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

#### 12.7. Other adverse effects

No data available

#### **Further information**

Do not allow to enter into surface water or drains.

Discharge into the environment must be avoided.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

##### **Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride.2aq a.r.

Revision: 03.11.2025

Product code: AC14.00888

Page 11 of 12

## SECTION 14: Transport information

### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	UN 1564
<b>14.2. UN proper shipping name:</b>	BARIUM COMPOUND, N.O.S. (Barium chloride dihydrate)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	III
Hazard label:	6.1
Classification code:	T5
Special Provisions:	177 274 513 587
Limited quantity:	5 kg
Excepted quantity:	E1
Transport category:	2
Hazard No:	60
Tunnel restriction code:	E

### Inland waterways transport (ADN)

<b>14.1. UN number or ID number:</b>	UN 1564
<b>14.2. UN proper shipping name:</b>	BARIUM COMPOUND, N.O.S. (Barium chloride dihydrate)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	III
Hazard label:	6.1
Classification code:	T5
Special Provisions:	177 274 513 587 802
Limited quantity:	5 kg
Excepted quantity:	E1

### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	UN 1564
<b>14.2. UN proper shipping name:</b>	BARIUM COMPOUND, N.O.S. (Barium chloride dihydrate)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	III
Hazard label:	6.1
Marine pollutant:	•
Special Provisions:	177, 223, 274
Limited quantity:	5 kg
Excepted quantity:	E1
EmS:	F-A, S-A

### Air transport (ICAO-TI/ATA-DGR)

<b>14.1. UN number or ID number:</b>	UN 1564
<b>14.2. UN proper shipping name:</b>	BARIUM COMPOUND, N.O.S. (Barium chloride dihydrate)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	III
Hazard label:	6.1
Special Provisions:	A3 A82
Limited quantity Passenger:	10 kg
Passenger LQ:	Y645
Excepted quantity:	E1
IATA-packing instructions - Passenger:	670
IATA-max. quantity - Passenger:	100 kg
IATA-packing instructions - Cargo:	677
IATA-max. quantity - Cargo:	200 kg

### 14.5. Environmental hazards

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Barium chloride.2aq a.r.

Revision: 03.11.2025

Product code: AC14.00888

Page 12 of 12

ENVIRONMENTALLY HAZARDOUS: No

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

## SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 1.

#### Abbreviations and acronyms

Acute Tox. 3: Acute toxicity, hazard category 3

Eye Irrit. 2: Eye irritation, hazard category 2

#### Relevant H and EUH statements (number and full text)

H301 Toxic if swallowed.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

#### Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.