

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium iodate v.p.

Revision: 07.01.2026

Product code: AC14.00942

Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Potassium iodate v.p.

REACH Registration Number: 01-2119920996-25-XXXX  
CAS No: 7758-05-6  
EC No: 231-831-9

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Reagents and laboratory chemicals  
Only for laboratory and analysis purposes.

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

#### Details of the supplier of the safety data sheet

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: N-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: SDS service department

#### Supplier or manufacturer details

Company name: AnalytiChem Belgium NV  
Street: Industriezone "De Arend" 2  
Place: B-8210 Zedelgem  
Telephone: +32 50 28 83 20  
E-mail: info.be@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Responsible Department: AnalytiChem  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333  
+353 1 901 4670 (CHEMTREC)

### 1.4. Emergency telephone number:

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Potassium iodate v.p.

Revision: 07.01.2026

Product code: AC14.00942

Page 2 of 12

## Further Information

No data available

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Ox. Sol. 2; H272

Acute Tox. 4; H302

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



## Hazard statements

H272 May intensify fire; oxidiser.  
H302 Harmful if swallowed.  
H318 Causes serious eye damage.

## Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P220 Keep away from clothing and other combustible materials.  
P280 Wear protective gloves/protective clothing and eye protection/face protection.  
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

Sum formula: KIO<sub>3</sub>

Molecular weight: 214 g/mol

## Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7758-05-6	potassium iodate			100 %
	231-831-9		01-2119920996-25-XXXX	
	Ox. Sol. 2, Acute Tox. 4, Eye Dam. 1; H272 H302 H318			

Full text of H and EUH statements: see section 16.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium iodate v.p.

Revision: 07.01.2026

Product code: AC14.00942

Page 3 of 12

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
Specific Conc. Limits, M-factors and ATE			
7758-05-6	231-831-9	potassium iodate	100 %
oral: LD50 = 500 - 1100 mg/kg			

#### Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

No data available

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

corrosive

Respiratory complaints

Gastrointestinal complaints

Circulatory collapse

Cyanosis (blue coloured blood)

Risk of serious damage to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible solids

Oxidizing

Hazardous combustion products

In case of fire may be liberated:

Hydrogen iodide (HI)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium iodate v.p.

Revision: 07.01.2026

Product code: AC14.00942

Page 4 of 12

#### **5.3. Advice for firefighters**

- Do not inhale explosion and combustion gases.
- Avoid contact with skin, eyes and clothes.
- In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

- Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
- Move undamaged containers from immediate hazard area if it can be done safely.
- Use water spray jet to protect personnel and to cool endangered containers.

## SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

- Do not breathe dust.

##### **For non-emergency personnel**

- Provide adequate ventilation.
- Use personal protection equipment.
- Avoid contact with skin, eyes and clothes.
- Remove persons to safety.
- Emergency procedures
- Consult an expert
- Do not breathe dust/fume/gas/mist/vapours/spray.

##### **For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### **6.2. Environmental precautions**

- Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Collect in closed and suitable containers for disposal.
- Take up carefully when dry. Take up dust-free and set down dust-free.

##### **For cleaning up**

- Clean contaminated articles and floor according to the environmental legislation.

##### **Other information**

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### **6.4. Reference to other sections**

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

## SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

- Handle and open container with care.
- Provide adequate ventilation.
- Avoid contact with skin, eyes and clothes.
- Avoid dust formation. Do not breathe dust.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium iodate v.p.

Revision: 07.01.2026

Product code: AC14.00942

Page 5 of 12

#### Advice on protection against fire and explosion

Keep away from combustible material.

#### Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat or drink.

#### Further information on handling

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep in a cool place.

Keep container tightly closed and dry.

#### Hints on joint storage

Take national regulations into account.

#### Further information on storage conditions

storage temperature +5°C - +30°C

### 7.3. Specific end use(s)

Laboratory chemicals

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7758-05-6	potassium iodate			
	Worker DNEL, long-term	inhalation	systemic	8,814 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	5 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	1,665 mg/m <sup>3</sup>
	Consumer DNEL, long-term	dermal	systemic	2,5 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	5 mg/kg bw/day

#### PNEC values

CAS No	Substance	Value
7758-05-6	potassium iodate	
	Freshwater	1 mg/l
	Marine water	0,1 mg/l
	Freshwater sediment	25,605 mg/kg
	Marine sediment	25,605 mg/kg
	Micro-organisms in sewage treatment plants (STP)	27,8 mg/l
	Soil	5,867 mg/kg

### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium iodate v.p.

Revision: 07.01.2026

Product code: AC14.00942

Page 6 of 12

equipment.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

##### Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

##### Respiratory protection

Respiratory protection necessary at: dust formation

Filtering device with filter or ventilator filtering device of type: P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

##### Thermal hazards

No data available

##### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	white
Odour:	odourless
Odour threshold:	No data available
Melting point/freezing point:	560 °C
Boiling point or initial boiling point and boiling range:	No data available
Flammability:	not applicable
Lower explosion limits:	not determined

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium iodate v.p.

Revision: 07.01.2026

Product code: AC14.00942

Page 7 of 12

Upper explosion limits:	not determined
Flash point:	not applicable
Auto-ignition temperature:	No data available
Decomposition temperature:	>560 °C
pH-Value (at 20 °C):	~ 6 (50 g/l)
Viscosity / kinematic:	No data available
Water solubility:	92 g/l
(at 25 °C)	
Solubility in other solvents	
not determined	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	not determined
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	3,98 g/cm³
Relative density:	No data available
Bulk density:	~ 2000 kg/m³
Relative vapour density:	not determined
Particle characteristics:	No data available

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

    No data available

##### Sustained combustibility:

No data available

##### Self-ignition temperature

    Solid:

not determined

    Gas:

not applicable

##### Oxidizing properties

    The product is: oxidising, Oxidising.

#### Other safety characteristics

##### Evaporation rate:

not determined

##### Solvent separation test:

No data available

##### Solvent content:

0%

##### Solid content:

100%

##### Sublimation point:

No data available

##### Softening point:

No data available

##### Pour point:

No data available

##### Viscosity / dynamic:

No data available

##### Flow time:

No data available

#### Further Information

No data available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Possibility of hazardous reactions. oxidising, Oxidising.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium iodate v.p.

Revision: 07.01.2026

Product code: AC14.00942

Page 8 of 12

#### **10.3. Possibility of hazardous reactions**

White/yellow phosphor  
Alkali metals  
Alkaline earth metal  
Reducing agent  
Isocyanates  
coal, carbon black  
arsenic  
Metal powder  
Combustible substance

#### **10.4. Conditions to avoid**

Humidity  
Heat

#### **10.5. Incompatible materials**

No data available

#### **10.6. Hazardous decomposition products**

In case of fire may be liberated:  
SECTION 5: Firefighting measures

#### **Further information**

No data available

## SECTION 11: Toxicological information

#### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

##### **Toxicokinetics, metabolism and distribution**

No data available

##### **Acute toxicity**

Harmful if swallowed.  
Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7758-05-6	potassium iodate				
	oral	LD50 500 - 1100 mg/kg	Mouse	THYROID, Volume 11, Number 5, 2001; Mary	other:

##### **Irritation and corrosivity**

Serious eye damage/eye irritation: Causes serious eye damage.  
Skin corrosion/irritation: Based on available data, the classification criteria are not met.  
Corneal opacity.

##### **Sensitising effects**

Based on available data, the classification criteria are not met.  
May cause sensitisation especially in sensitive humans.

##### **Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Carcinogenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Based on available data, the classification criteria are not met.

##### **STOT-single exposure**

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium iodate v.p.

Revision: 07.01.2026

Product code: AC14.00942

Page 9 of 12

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

No data available

#### Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### Practical experience

No data available

### 11.2. Information on other hazards

#### Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

#### Other information

No data available

#### Further information

Irritant

corrosive

Respiratory complaints

Gastrointestinal complaints

Circulatory collapse

Cyanosis (blue coloured blood)

Risk of serious damage to eyes.

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7758-05-6	potassium iodate					
	Acute fish toxicity	LC50 350 mg/l	96 h	Oncorhynchus mykiss	OECD QSAR toolbox version 2.2, 2011; M. J	QSAR database v 2.3
	Acute crustacea toxicity	EC50 129 mg/l	48 h	Daphnia magna	OECD QSAR toolbox version 2.2, 2011; Lave	

### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7758-05-6	potassium iodate	0,1

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium iodate v.p.

Revision: 07.01.2026

Product code: AC14.00942

Page 10 of 12

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

#### 12.7. Other adverse effects

No data available

#### **Further information**

Avoid release to the environment.

Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not empty into drains. Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

#### **Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## SECTION 14: Transport information

### **Land transport (ADR/RID)**

#### 14.1. UN number or ID number:

UN 1479

#### 14.2. UN proper shipping name:

OXIDIZING SOLID, N.O.S. (potassium iodate)

#### 14.3. Transport hazard class(es):

5.1

#### 14.4. Packing group:

II

Hazard label:

5.1

Classification code:

O2

Special Provisions:

274

Limited quantity:

1 kg

Excepted quantity:

E2

Transport category:

2

Hazard No:

50

Tunnel restriction code:

E

### **Inland waterways transport (ADN)**

#### 14.1. UN number or ID number:

UN 1479

#### 14.2. UN proper shipping name:

OXIDIZING SOLID, N.O.S. (potassium iodate)

#### 14.3. Transport hazard class(es):

5.1

#### 14.4. Packing group:

II

Hazard label:

5.1

Classification code:

O2

Special Provisions:

274

Limited quantity:

1 kg

Excepted quantity:

E2

### **Marine transport (IMDG)**

#### 14.1. UN number or ID number:

UN 1479

#### 14.2. UN proper shipping name:

OXIDIZING SOLID, N.O.S. (potassium iodate)

#### 14.3. Transport hazard class(es):

5.1

#### 14.4. Packing group:

II

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium iodate v.p.

Revision: 07.01.2026

Product code: AC14.00942

Page 11 of 12

Hazard label:	5.1
Special Provisions:	274, 900
Limited quantity:	1 kg
Excepted quantity:	E2
EmS:	F-A, S-Q

#### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	UN 1479
<b>14.2. UN proper shipping name:</b>	OXIDIZING SOLID, N.O.S. (potassium iodate)
<b>14.3. Transport hazard class(es):</b>	5.1
<b>14.4. Packing group:</b>	II
Hazard label:	5.1
Special Provisions:	A3 A803
Limited quantity Passenger:	2.5 kg
Passenger LQ:	Y544
Excepted quantity:	E2
IATA-packing instructions - Passenger:	558
IATA-max. quantity - Passenger:	5 kg
IATA-packing instructions - Cargo:	562
IATA-max. quantity - Cargo:	25 kg

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Warning: Oxidising substances.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Information according to Directive 2012/18/EU (SEVESO III): P8 OXIDISING LIQUIDS AND SOLIDS

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

## SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 6,8,9,11.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium iodate v.p.

Revision: 07.01.2026

Product code: AC14.00942

Page 12 of 12

#### Abbreviations and acronyms

Ox. Sol. 2: Oxidising solids, hazard category 2

Acute Tox. 4: Acute toxicity, hazard category 4

Eye Dam. 1: Serious eye damage, hazard category 1

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

#### Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.