

Nickel(II) sulfate.6aq a.r.

Revision: 29.09.2025

Product code: AC14.00998

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Nickel(II) sulfate.6aq a.r.

Substance name: nickel sulfate hexahydrate
REACH Registration Number: 01-2119439361-44-XXXX
CAS No: 10101-97-0
Index No: 028-009-00-5
EC No: 232-104-9

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Reagents and laboratory chemicals
Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet**Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda
Street: Rua de Júlio Dinis 676 7º
Place: N-4050-320 Porto
Telephone: +351 226002917
E-mail: info@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Internet: www.analytichem.com
Responsible Department: SDS service department

Supplier or manufacturer details

Company name: AnalytiChem Belgium NV
Street: Industriezone "De Arend" 2
Place: B-8210 Zedelgem
Telephone: +32 50 28 83 20
E-mail: info.be@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Responsible Department: AnalytiChem:
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333

Nickel(II) sulfate.6aq a.r.

Revision: 29.09.2025

Product code: AC14.00998

Page 2 of 13

1.4. Emergency telephone number: +44 20 3807 3798 (CHEMTREC)**Further Information**

No data available

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Carc. 1A; H350i

Muta. 2; H341

Repr. 1B; H360D

Acute Tox. 4; H332

Acute Tox. 4; H302

Skin Irrit. 2; H315

Resp. Sens. 1; H334

Skin Sens. 1; H317

STOT RE 1; H372

Aquatic Acute 1; H400 (M-Factor = 1)

Aquatic Chronic 1; H410 (M-Factor = 1)

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Signal word:** Danger**Pictograms:****Hazard statements**

- | | |
|-----------|--|
| H302+H332 | Harmful if swallowed or if inhaled. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H341 | Suspected of causing genetic defects. |
| H350i | May cause cancer by inhalation. |
| H360D | May damage the unborn child. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Precautionary statements

- | | |
|-----------|---|
| P201 | Obtain special instructions before use. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water and soap. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P314 | Get medical advice/attention if you feel unwell. |
| P342+P311 | If experiencing respiratory symptoms: Call a POISON CENTER/doctor. |

Special labelling

Restricted to professional users.

Nickel(II) sulfate.6aq a.r.

Revision: 29.09.2025

Product code: AC14.00998

Page 3 of 13

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients**3.1. Substances**Sum formula: NiSO₄ * 6 H₂O

Molecular weight: 262,86 g/mol

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
10101-97-0	nickel sulfate hexahydrate			100 %
	232-104-9	028-009-00-5	01-2119439361-44-XXXX	
	Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360D H332 H302 H315 H334 H317 H372 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
10101-97-0	232-104-9	nickel sulfate hexahydrate	100 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 361,9 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Self-protection of the first aider

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Nickel(II) sulfate.6aq a.r.

Revision: 29.09.2025

Product code: AC14.00998

Page 4 of 13

After ingestion

Rinse mouth immediately and drink plenty of water.
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant
Asthmatic complaints
Respiratory complaints
Allergic reactions
Gastrointestinal complaints
Dermatitis

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids
Hazardous combustion products
In case of fire may be liberated: Metal oxide smoke, toxic, Sulphur oxides

5.3. Advice for firefighters

Do not inhale explosion and combustion gases.
Avoid contact with skin, eyes and clothes.
In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Provide adequate ventilation.
Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Consult an expert
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).

Nickel(II) sulfate.6aq a.r.

Revision: 29.09.2025

Product code: AC14.00998

Page 5 of 13

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid exposure - obtain special instructions before use.

Read label before use. Handle and open container with care.

Avoid dust formation. Do not breathe dust.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Store in a well-ventilated place. Keep container tightly closed.

Store in a place accessible by authorized persons only.

Hints on joint storage

Take national regulations into account.

Further information on storage conditions

Store in a dry place.

storage temperature: +5°C - +30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Nickel(II) sulfate.6aq a.r.

Revision: 29.09.2025

Product code: AC14.00998

Page 6 of 13

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
10101-97-0	nickel sulfate hexahydrate			
Worker DNEL, long-term		inhalation	systemic	0,05 mg/m ³
Worker DNEL, acute		inhalation	systemic	104 mg/m ³
Worker DNEL, long-term		inhalation	local	0,05 mg/m ³
Worker DNEL, acute		inhalation	local	1,6 mg/m ³
Worker DNEL, long-term		dermal	local	0 mg/cm ²
Consumer DNEL, acute		inhalation	systemic	8,8 mg/m ³
Consumer DNEL, acute		inhalation	local	0,1 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,011 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,37 mg/kg bw/day

PNEC values

CAS No	Substance		
Environmental compartment			Value
10101-97-0	nickel sulfate hexahydrate		
Freshwater			0,0071 mg/l
Freshwater (intermittent releases)			0 mg/l
Marine water			0,0086 mg/l
Freshwater sediment			109 mg/kg
Marine sediment			109 mg/kg
Secondary poisoning			0,12 mg/kg
Micro-organisms in sewage treatment plants (STP)			0,33 mg/l
Soil			29,9 mg/kg

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Avoid dust formation. Do not breathe dust.

Individual protection measures, such as personal protective equipment**Eye/face protection**

goggles

Wear eye protection/face protection.

Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

Nickel(II) sulfate.6aq a.r.

Revision: 29.09.2025

Product code: AC14.00998

Page 7 of 13

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: dust formation

Filtering device with filter or ventilator filtering device of type: P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	solid
Colour:	green
Odour:	odourless
Odour threshold:	No data available
Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	No data available
Flammability:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	X
Auto-ignition temperature:	No data available
Decomposition temperature:	103 °C
pH-Value (at 20 °C):	4,3 - 4,7 (100 g/l)
Viscosity / kinematic:	No data available
Water solubility: (at 20 °C)	650 g/l
Solubility in other solvents	No data available
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available

Nickel(II) sulfate.6aq a.r.

Revision: 29.09.2025

Product code: AC14.00998

Page 8 of 13

Density (at 20 °C):	2,07 g/cm ³
Relative density:	No data available
Bulk density:	~1000 kg/m ³
Relative vapour density:	No data available
Particle characteristics:	No data available

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties	No data available
Sustained combustibility:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
No data available	

Other safety characteristics

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	100%
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

Further Information

No data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Strong acid

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated: Metal oxide smoke, toxic, Sulphur oxides

Further information

No data available

SECTION 11: Toxicological information**11.1. Information on hazard classes**

Nickel(II) sulfate.6aq a.r.

Revision: 29.09.2025

Product code: AC14.00998

Page 9 of 13

Toxicokinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Harmful if inhaled.

Harmful if swallowed.

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Resorption (oral)

Resorption (by inhalation)

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
10101-97-0	nickel sulfate hexahydrate				
	oral	LD50 mg/kg	361,9 Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425
	inhalation vapour	ATE	11 mg/l		
	inhalation dust/mist	ATE	1,5 mg/l		

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (nickel sulfate hexahydrate)

May cause an allergic skin reaction. (nickel sulfate hexahydrate)

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer by inhalation. (nickel sulfate hexahydrate)

Suspected of causing genetic defects. (nickel sulfate hexahydrate)

May damage the unborn child. (nickel sulfate hexahydrate)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (nickel sulfate hexahydrate)

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards**Endocrine disrupting properties**

No data available

Other information

No data available

Further information

Irritant

Nickel(II) sulfate.6aq a.r.

Revision: 29.09.2025

Product code: AC14.00998

Page 10 of 13

Asthmatic complaints
 Respiratory complaints
 Allergic reactions
 Gastrointestinal complaints
 Dermatitis

SECTION 12: Ecological information**12.1. Toxicity**

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
10101-97-0	nickel sulfate hexahydrate					
	Acute fish toxicity	LC50 15,3 mg/l	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003)	other: not reported
	Acute algae toxicity	ErC50 0,237 mg/l	72 h	Ankistrodesmus falcatus	Water Research. V43: p1935-p1947. (2009)	OECD Guideline 201
	Acute crustacea toxicity	EC50 0,276 mg/l	48 h	Ceriodaphnia dubia	Study report (2005)	Test methods were in accordance with app
	Fish toxicity	NOEC 0,057 mg/l	32 d	Pimephales promelas	Water Resources Research Institute. Kent	other: ASTM 1980, E-729
	Algae toxicity	NOEC 0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2	other: not reported
	Crustacea toxicity	NOEC 0,0053 - 0,0153 mg/l	7 d	Ceriodaphnia dubia	Environmental Toxicology and Chemistry, other: EPA/600/4-91/002	
	Acute bacteria toxicity	EC50 33 mg/l ()	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332	ISO 8192

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential**BCF**

CAS No	Chemical name	BCF	Species	Source
10101-97-0	nickel sulfate hexahydrate	45	other aquatic crustacea: Cambarus bartoni	Bull. Environ. Conta

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

Nickel(II) sulfate.6aq a.r.

Revision: 29.09.2025

Product code: AC14.00998

Page 11 of 13

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

Do not allow to enter into surface water or drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

<u>14.1. UN number or ID number:</u>	UN 3077
<u>14.2. UN proper shipping name:</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (nickel sulfate hexahydrate)
<u>14.3. Transport hazard class(es):</u>	9
<u>14.4. Packing group:</u>	III
Hazard label:	9
Classification code:	M7
Special Provisions:	274 335 375 601
Limited quantity:	5 kg
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-

Inland waterways transport (ADN)

<u>14.1. UN number or ID number:</u>	UN 3077
<u>14.2. UN proper shipping name:</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (nickel sulfate hexahydrate)
<u>14.3. Transport hazard class(es):</u>	9
<u>14.4. Packing group:</u>	III
Hazard label:	9
Classification code:	M7
Special Provisions:	274 335 375 601
Limited quantity:	5 kg
Excepted quantity:	E1

Marine transport (IMDG)

<u>14.1. UN number or ID number:</u>	UN 3077
<u>14.2. UN proper shipping name:</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (nickel sulfate hexahydrate)
<u>14.3. Transport hazard class(es):</u>	9

Revision: 29.09.2025

Nickel(II) sulfate.6aq a.r.

Product code: AC14.00998

Page 12 of 13

14.4. Packing group:

Hazard label:	9
Special Provisions:	274, 335, 966, 967, 969
Limited quantity:	5 kg
Excepted quantity:	E1
EmS:	F-A, S-F

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number or ID number:**

<u>14.2. UN proper shipping name:</u>	UN 3077
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (nickel sulfate hexahydrate)

14.3. Transport hazard class(es):**14.4. Packing group:**

Hazard label:	III
Special Provisions:	9
Limited quantity Passenger:	A97 A158 A179 A197
Passenger LQ:	30 kg G
Excepted quantity:	Y956
IATA-packing instructions - Passenger:	E1
IATA-max. quantity - Passenger:	956
IATA-packing instructions - Cargo:	400 kg
IATA-max. quantity - Cargo:	956
	400 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	nickel sulfate hexahydrate

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 27, Entry 75

Information according to Directive 2012/18/EU (SEVESO III):

E1 Hazardous to the Aquatic Environment

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D):

3 - highly hazardous to water

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,12.

Nickel(II) sulfate.6aq a.r.

Revision: 29.09.2025

Product code: AC14.00998

Page 13 of 13

Abbreviations and acronyms

Acute Tox. 4: Acute toxicity, hazard category 4
Skin Irrit. 2: Skin irritation, hazard category 2
Resp. Sens. 1: Respiratory sensitisation, hazard category 1
Skin Sens. 1: Skin sensitisation, hazard category 1
Muta. 2: Germ cell mutagenicity, hazard category 2
Carc. 1A: Carcinogenicity, hazard category 1A
Repr. 1B: Reproductive toxicity, hazard category 1B
STOT RE 1: Specific target organ toxicity - repeated exposure, hazard category 1
Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users