

**Potassium iodate, reference material for**

Revision: 07.01.2026

Product code: AC18.00796

Page 1 of 12

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Potassium iodate, reference material for

REACH Registration Number: 01-2119920996-25-XXXX  
CAS No: 7758-05-6  
EC No: 231-831-9

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Reagents and laboratory chemicals  
Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet****Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: N-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: SDS service department

**Supplier or manufacturer details**

Company name: AnalytiChem Belgium NV  
Street: Industriezone "De Arend" 2  
Place: B-8210 Zedelgem  
Telephone: +32 50 28 83 20  
E-mail: info.be@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Responsible Department: AnalytiChem  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333  
+44 20 3807 3798 (CHEMTREC)

**1.4. Emergency telephone number:**

**Potassium iodate, reference material for**

Revision: 07.01.2026

Product code: AC18.00796

Page 2 of 12

**Further Information**

No data available

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Ox. Sol. 2; H272

Acute Tox. 4; H302

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008**

Signal word: Danger

Pictograms:

**Hazard statements**

H272 May intensify fire; oxidiser.  
H302 Harmful if swallowed.  
H318 Causes serious eye damage.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P220 Keep away from clothing and other combustible materials.  
P280 Wear protective gloves/protective clothing and eye protection/face protection.  
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.1. Substances**Sum formula: KIO<sub>3</sub>

Molecular weight: 214 g/mol

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7758-05-6	potassium iodate			100 %
	231-831-9		01-2119920996-25-XXXX	
	Ox. Sol. 2, Acute Tox. 4, Eye Dam. 1; H272 H302 H318			

Full text of H and EUH statements: see section 16.

## Potassium iodate, reference material for

Revision: 07.01.2026

Product code: AC18.00796

Page 3 of 12

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
Specific Conc. Limits, M-factors and ATE			
7758-05-6	231-831-9	potassium iodate	100 %
		oral: LD50 = 500 - 1100 mg/kg	

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

No data available

**After inhalation**

Provide fresh air.

**After contact with skin**

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

**After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritant

corrosive

Respiratory complaints

Gastrointestinal complaints

Circulatory collapse

Cyanosis (blue coloured blood)

Risk of serious damage to eyes.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-combustible solids

Oxidizing

Hazardous combustion products

In case of fire may be liberated:

Hydrogen iodide (HI)

**Potassium iodate, reference material for**

Revision: 07.01.2026

Product code: AC18.00796

Page 4 of 12

**5.3. Advice for firefighters**

- Do not inhale explosion and combustion gases.
- Avoid contact with skin, eyes and clothes.
- In case of fire: Wear self-contained breathing apparatus.

**Additional information**

- Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
- Move undamaged containers from immediate hazard area if it can be done safely.
- Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

- Do not breathe dust.

**For non-emergency personnel**

- Provide adequate ventilation.
- Use personal protection equipment.
- Avoid contact with skin, eyes and clothes.
- Remove persons to safety.
- Emergency procedures
- Consult an expert
- Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

- Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For containment**

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Collect in closed and suitable containers for disposal.
- Take up carefully when dry. Take up dust-free and set down dust-free.

**For cleaning up**

- Clean contaminated articles and floor according to the environmental legislation.

**Other information**

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

- Handle and open container with care.
- Provide adequate ventilation.
- Avoid contact with skin, eyes and clothes.
- Avoid dust formation. Do not breathe dust.

**Potassium iodate, reference material for**

Revision: 07.01.2026

Product code: AC18.00796

Page 5 of 12

**Advice on protection against fire and explosion**

Keep away from combustible material.

**Advice on general occupational hygiene**

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat or drink.

**Further information on handling**

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep in a cool place.

Keep container tightly closed and dry.

**Hints on joint storage**

Take national regulations into account.

**Further information on storage conditions**

storage temperature +5°C - +30°C

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
7758-05-6	potassium iodate			
	Worker DNEL, long-term	inhalation	systemic	8,814 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	5 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	1,665 mg/m <sup>3</sup>
	Consumer DNEL, long-term	dermal	systemic	2,5 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	5 mg/kg bw/day

**PNEC values**

CAS No	Substance	Value
7758-05-6	potassium iodate	
	Freshwater	1 mg/l
	Marine water	0,1 mg/l
	Freshwater sediment	25,605 mg/kg
	Marine sediment	25,605 mg/kg
	Micro-organisms in sewage treatment plants (STP)	27,8 mg/l
	Soil	5,867 mg/kg

**8.2. Exposure controls****Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection

**Potassium iodate, reference material for**

Revision: 07.01.2026

Product code: AC18.00796

Page 6 of 12

equipment.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Suitable eye protection: goggles.

**Hand protection**

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

**Respiratory protection**

Respiratory protection necessary at: dust formation

Filtering device with filter or ventilator filtering device of type: P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Thermal hazards**

No data available

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	solid
Colour:	white
Odour:	odourless
Odour threshold:	No data available
Melting point/freezing point:	560 °C
Boiling point or initial boiling point and boiling range:	No data available
Flammability:	not applicable
Lower explosion limits:	not determined

## Potassium iodate, reference material for

Revision: 07.01.2026

Product code: AC18.00796

Page 7 of 12

Upper explosion limits:	not determined
Flash point:	not applicable
Auto-ignition temperature:	No data available
Decomposition temperature:	>560 °C
pH-Value (at 20 °C):	~ 6 (50 g/l)
Viscosity / kinematic:	No data available
Water solubility:	92 g/l
(at 25 °C)	
Solubility in other solvents	
not determined	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	not determined
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	3,98 g/cm <sup>3</sup>
Relative density:	No data available
Bulk density:	~ 2000 kg/m <sup>3</sup>
Relative vapour density:	not determined
Particle characteristics:	No data available

**9.2. Other information****Information with regard to physical hazard classes****Explosive properties**

No data available

**Sustained combustibility:**

No data available

**Self-ignition temperature**

Solid:

not determined

Gas:

not applicable

**Oxidizing properties**

The product is: oxidising, Oxidising.

**Other safety characteristics****Evaporation rate:**

not determined

**Solvent separation test:**

No data available

**Solvent content:**

0%

**Solid content:**

100%

**Sublimation point:**

No data available

**Softening point:**

No data available

**Pour point:**

No data available

**Viscosity / dynamic:**

No data available

**Flow time:**

No data available

**Further Information**

No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Possibility of hazardous reactions. oxidising, Oxidising.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**Potassium iodate, reference material for**

Revision: 07.01.2026

Product code: AC18.00796

Page 8 of 12

**10.3. Possibility of hazardous reactions**

White/yellow phosphor  
Alkali metals  
Alkaline earth metal  
Reducing agent  
Isocyanates  
coal, carbon black  
arsenic  
Metal powder  
Combustible substance

**10.4. Conditions to avoid**

Humidity  
Heat

**10.5. Incompatible materials**

No data available

**10.6. Hazardous decomposition products**

In case of fire may be liberated:  
SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information****11.1. Information on hazard classes****Toxicokinetics, metabolism and distribution**

No data available

**Acute toxicity**

Harmful if swallowed.  
Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7758-05-6	potassium iodate				
	oral	LD50 500 - 1100 mg/kg	Mouse	THYROID, Volume 11, Number 5, 2001; Mary	other:

**Irritation and corrosivity**

Serious eye damage/eye irritation: Causes serious eye damage.  
Skin corrosion/irritation: Based on available data, the classification criteria are not met.  
Corneal opacity.

**Sensitising effects**

Based on available data, the classification criteria are not met.  
May cause sensitisation especially in sensitive humans.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Carcinogenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**Potassium iodate, reference material for**

Revision: 07.01.2026

Product code: AC18.00796

Page 9 of 12

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

No data available

**Specific effects in experiment on an animal**

No data available

**Additional information on tests**

No data available

**Practical experience**

No data available

**11.2. Information on other hazards****Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

**Other information**

No data available

**Further information**

Irritant

corrosive

Respiratory complaints

Gastrointestinal complaints

Circulatory collapse

Cyanosis (blue coloured blood)

Risk of serious damage to eyes.

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7758-05-6	potassium iodate					
	Acute fish toxicity	LC50 350 mg/l	96 h	Oncorhynchus mykiss	OECD QSAR toolbox version 2.2, 2011;M. J	QSAR database v 2.3
	Acute crustacea toxicity	EC50 129 mg/l	48 h	Daphnia magna	OECD QSAR toolbox version 2.2, 2011;Lave	

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential****Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
7758-05-6	potassium iodate	0,1

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

**Potassium iodate, reference material for**

Revision: 07.01.2026

Product code: AC18.00796

Page 10 of 12

This substance does not meet the PBT/vPvB criteria of UK REACH.

**12.6. Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects**

No data available

**Further information**

Avoid release to the environment.

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not empty into drains. Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information****Land transport (ADR/RID)****14.1. UN number or ID number:**

UN 1479

**14.2. UN proper shipping name:**

OXIDIZING SOLID, N.O.S. (potassium iodate)

**14.3. Transport hazard class(es):**

5.1

**14.4. Packing group:**

II

Hazard label:

5.1

Classification code:

O2

Special Provisions:

274

Limited quantity:

1 kg

Excepted quantity:

E2

Transport category:

2

Hazard No:

50

Tunnel restriction code:

E

**Inland waterways transport (ADN)****14.1. UN number or ID number:**

UN 1479

**14.2. UN proper shipping name:**

OXIDIZING SOLID, N.O.S. (potassium iodate)

**14.3. Transport hazard class(es):**

5.1

**14.4. Packing group:**

II

Hazard label:

5.1

Classification code:

O2

Special Provisions:

274

Limited quantity:

1 kg

Excepted quantity:

E2

**Marine transport (IMDG)****14.1. UN number or ID number:**

UN 1479

**14.2. UN proper shipping name:**

OXIDIZING SOLID, N.O.S. (potassium iodate)

**14.3. Transport hazard class(es):**

5.1

**14.4. Packing group:**

II

## Potassium iodate, reference material for

Revision: 07.01.2026

Product code: AC18.00796

Page 11 of 12

Hazard label: 5.1  
Special Provisions: 274, 900  
Limited quantity: 1 kg  
Excepted quantity: E2  
EmS: F-A, S-Q

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 1479  
**14.2. UN proper shipping name:** OXIDIZING SOLID, N.O.S. (potassium iodate)  
**14.3. Transport hazard class(es):** 5.1  
**14.4. Packing group:** II  
Hazard label: 5.1  
Special Provisions: A3 A803  
Limited quantity Passenger: 2.5 kg  
Passenger LQ: Y544  
Excepted quantity: E2  
IATA-packing instructions - Passenger: 558  
IATA-max. quantity - Passenger: 5 kg  
IATA-packing instructions - Cargo: 562  
IATA-max. quantity - Cargo: 25 kg

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: Oxidising substances.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Information according to Directive 2012/18/EU (SEVESO III): P8 OXIDISING LIQUIDS AND SOLIDS

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 6,8,9,11.

**Potassium iodate, reference material for**

Revision: 07.01.2026

Product code: AC18.00796

Page 12 of 12

**Abbreviations and acronyms**

Ox. Sol. 2: Oxidising solids, hazard category 2

Acute Tox. 4: Acute toxicity, hazard category 4

Eye Dam. 1: Serious eye damage, hazard category 1

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Relevant H and EUH statements (number and full text)**

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

**Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.